

MONITORING LASÓW O SZCZEGÓLNYCH WALORACH PRZYRODNICZYCH (HCVF)-2013

Adres leśny (wg. SILP)	Kategoria HCVF	Powierzchnia	Działania gospodarcze	Szkody biotyczne, abiotyczne i inne	Uwagi o zmianie stanu
Nowa Wieś					
13-16-1-01-1 -a -00	1.1.2	4,63			
13-16-1-01-1 -a -00	3.2	4,63			
13-16-1-01-1 -a -00	2.1	4,63			
13-16-1-01-1 -a -00	4.2	4,63			
13-16-1-01-1 -a -00	4.1	4,63			
13-16-1-01-1 -b -00	1.1.2	15,06			
13-16-1-01-1 -b -00	3.2	15,06			
13-16-1-01-1 -b -00	2.1	15,06			
13-16-1-01-1 -b -00	4.2	15,06			
13-16-1-01-1 -b -00	4.1	15,06			
13-16-1-01-1 -c -00	1.1.2	0,9			pow referencyjna
13-16-1-01-1 -c -00	3.2	0,9			pow referencyjna
13-16-1-01-1 -c -00	2.1	0,9			pow referencyjna
13-16-1-01-1 -c -00	4.2	0,9			pow referencyjna
13-16-1-01-1 -c -00	4.1	0,9			pow referencyjna
13-16-1-01-15 -a -00	1.1.2	5,68			
13-16-1-01-15 -a -00	2.1	5,68			
13-16-1-01-15 -a -00	4.1	5,68			
13-16-1-01-15 -b -00	1.1.2	9,01	O-ZGRYZC / PTP	70,82 m3	0,50 ha / 9,01 ha
13-16-1-01-15 -b -00	2.1	9,01	O-ZGRYZC / PTP	70,82 m3	0,50 ha / 9,01 ha
13-16-1-01-15 -b -00	4.1	9,01	O-ZGRYZC / PTP	70,82 m3	0,50 ha / 9,01 ha
13-16-1-01-15 -c -00	1.1.2	3,25			
13-16-1-01-15 -c -00	2.1	3,25			
13-16-1-01-15 -c -00	4.1	3,25			
13-16-1-01-16 -a -00	2.1	1,12			
13-16-1-01-16 -a -00	1.1.2	1,12			
13-16-1-01-16 -a -00	4.1	1,12			
13-16-1-01-16 -b -00	2.1	2,85	PTP	20,74 m3	2,85 ha
13-16-1-01-16 -b -00	1.1.2	2,85	PTP	20,74 m3	2,85 ha
13-16-1-01-16 -b -00	4.1	2,85	PTP	20,74 m3	2,85 ha
13-16-1-01-16 -c -00	2.1	1,29	O-ZGRYZC / PR	12,53 m3	0,50 ha / 1,29 ha
13-16-1-01-16 -c -00	1.1.2	1,29	O-ZGRYZC / PR	12,53 m3	0,50 ha / 1,29 ha
13-16-1-01-16 -c -00	4.1	1,29	O-ZGRYZC / PR	12,53 m3	0,50 ha / 1,29 ha
13-16-1-01-16 -d -00	1.1.2	4,02	PTP	9,81 m3	4,02 ha
13-16-1-01-16 -d -00	2.1	4,02	PTP	9,81 m3	4,02 ha
13-16-1-01-16 -d -00	4.1	4,02	PTP	9,81 m3	4,02 ha
13-16-1-01-16 -f -00	1.1.2	3,89			
13-16-1-01-16 -f -00	2.1	3,89			
13-16-1-01-16 -f -00	4.1	3,89			
13-16-1-01-16 -g -00	1.1.2	5,65			
13-16-1-01-16 -g -00	2.1	5,65			
13-16-1-01-16 -g -00	4.1	5,65			
13-16-1-01-16 -h -00	1.1.2	1,95	PTP	13,11 m3	1,95 ha
13-16-1-01-16 -h -00	2.1	1,95	PTP	13,11 m3	1,95 ha
13-16-1-01-16 -h -00	4.1	1,95	PTP	13,11 m3	1,95 ha
13-16-1-01-16 -i -00	1.1.2	1,9			
13-16-1-01-16 -i -00	2.1	1,9			
13-16-1-01-16 -i -00	4.1	1,9			
13-16-1-01-17 -a -00	2.1	1,57			
13-16-1-01-17 -a -00	1.1.2	1,57			
13-16-1-01-17 -a -00	4.1	1,57			
13-16-1-01-17 -b -00	2.1	1,05			
13-16-1-01-17 -b -00	1.1.2	1,05			
13-16-1-01-17 -b -00	4.1	1,05			
13-16-1-01-17 -c -00	2.1	7,58	PR	25,35 m3	7,58 ha
13-16-1-01-17 -c -00	1.1.2	7,58	PR	25,35 m3	7,58 ha
13-16-1-01-17 -c -00	4.1	7,58	PR	25,35 m3	7,58 ha
13-16-1-01-17 -d -00	2.1	1,34			
13-16-1-01-17 -d -00	1.1.2	1,34			
13-16-1-01-17 -d -00	4.1	1,34			
13-16-1-01-17 -f -00	1.1.2	3,32			
13-16-1-01-17 -f -00	2.1	3,32			
13-16-1-01-17 -f -00	4.1	3,32			
13-16-1-01-17 -g -00	1.1.2	7,91	PR	5,68 m3	7,91 ha
13-16-1-01-17 -g -00	2.1	7,91	PR	5,68 m3	7,91 ha

13-16-1-01-17	-g -00	4.1	7,91	PR	5,68 m3	7,91 ha
13-16-1-01-17	-h -00	1.1.2	2,46	PR	52,79 m3	2,46 ha
13-16-1-01-17	-h -00	2.1	2,46	PR	52,79 m3	2,46 ha
13-16-1-01-17	-h -00	4.1	2,46	PR	52,79 m3	2,46 ha
13-16-1-01-17	-i -00	1.1.2	2,92			
13-16-1-01-17	-i -00	2.1	2,92			
13-16-1-01-17	-i -00	4.1	2,92			
13-16-1-01-2	-a -00	2.1	23,25			
13-16-1-01-2	-a -00	1.1.2	23,25			
13-16-1-01-2	-a -00	4.2	23,25			
13-16-1-01-2	-a -00	4.1	23,25			
13-16-1-01-2	-a -00	3.2	23,25			
13-16-1-01-28	-a -00	1.1.2	3,37	PTP	4,62 m3	3,37 ha
13-16-1-01-28	-a -00	2.1	3,37	PTP	4,62 m3	3,37 ha
13-16-1-01-28	-a -00	4.1	3,37	PTP	4,62 m3	3,37 ha
13-16-1-01-28	-b -00	1.1.2	1,93	PR	19,68 m3	1,93 ha
13-16-1-01-28	-b -00	2.1	1,93	PR	19,68 m3	1,93 ha
13-16-1-01-28	-b -00	4.1	1,93	PR	19,68 m3	1,93 ha
13-16-1-01-28	-c -00	2.1	0,95	PTP	14,52 m3	0,95 ha
13-16-1-01-28	-c -00	1.1.2	0,95	PTP	14,52 m3	0,95 ha
13-16-1-01-28	-c -00	4.1	0,95	PTP	14,52 m3	0,95 ha
13-16-1-01-28	-d -00	1.1.2	11,65	PTP	24,65 m3	11,65 ha
13-16-1-01-28	-d -00	2.1	11,65	PTP	24,65 m3	11,65 ha
13-16-1-01-28	-d -00	4.1	11,65	PTP	24,65 m3	11,65 ha
13-16-1-01-28	-f -00	1.1.2	6,25			
13-16-1-01-28	-f -00	2.1	6,25			
13-16-1-01-28	-f -00	4.1	6,25			
13-16-1-01-29	-a -00	1.1.2	1,43	O-ZGRYZC		1,20 ha
13-16-1-01-29	-a -00	2.1	1,43	O-ZGRYZC		1,20 ha
13-16-1-01-29	-a -00	4.1	1,43	O-ZGRYZC		1,20 ha
13-16-1-01-29	-b -00	2.1	1,29			
13-16-1-01-29	-b -00	1.1.2	1,29			
13-16-1-01-29	-b -00	4.1	1,29			
13-16-1-01-29	-c -00	2.1	1,73			
13-16-1-01-29	-c -00	1.1.2	1,73			
13-16-1-01-29	-c -00	4.1	1,73			
13-16-1-01-29	-d -00	2.1	1,21	PR	16,44 m3	1,21 ha
13-16-1-01-29	-d -00	1.1.2	1,21	PR	16,44 m3	1,21 ha
13-16-1-01-29	-d -00	4.1	1,21	PR	16,44 m3	1,21 ha
13-16-1-01-29	-f -00	1.1.2	2,97	O-ZGRYZC / PR	14,27 m3	0,20 ha / 2,97 ha
13-16-1-01-29	-f -00	2.1	2,97	O-ZGRYZC / PR	14,27 m3	0,20 ha / 2,97 ha
13-16-1-01-29	-f -00	4.1	2,97	O-ZGRYZC / PR	14,27 m3	0,20 ha / 2,97 ha
13-16-1-01-29	-g -00	1.1.2	5,05	O-ZGRYZC		0,75 ha
13-16-1-01-29	-g -00	2.1	5,05	O-ZGRYZC		0,75 ha
13-16-1-01-29	-g -00	4.1	5,05	O-ZGRYZC		0,75 ha
13-16-1-01-29	-h -00	2.1	1,66	PR	34,18 m3	1,66 ha
13-16-1-01-29	-h -00	1.1.2	1,66	PR	34,18 m3	1,66 ha
13-16-1-01-29	-h -00	4.1	1,66	PR	34,18 m3	1,66 ha
13-16-1-01-29	-i -00	1.1.2	0,55			
13-16-1-01-29	-i -00	2.1	0,55			
13-16-1-01-29	-i -00	4.1	0,55			
13-16-1-01-29	-j -00	2.1	1,73	CP		1,73 ha
13-16-1-01-29	-j -00	1.1.2	1,73	CP		1,73 ha
13-16-1-01-29	-j -00	4.1	1,73	CP		1,73 ha
13-16-1-01-30	-a -00	1.1.2	7,05			
13-16-1-01-30	-a -00	2.1	7,05			
13-16-1-01-30	-a -00	4.1	7,05			
13-16-1-01-30	-b -00	1.1.2	9,38	PTP	22,33 m3	9,38 ha
13-16-1-01-30	-b -00	2.1	9,38	PTP	22,33 m3	9,38 ha
13-16-1-01-30	-b -00	4.1	9,38	PTP	22,33 m3	9,38 ha
13-16-1-01-30	-c -00	2.1	1,76			
13-16-1-01-30	-c -00	1.1.2	1,76			
13-16-1-01-30	-c -00	4.1	1,76			
13-16-1-01-30	-d -00	2.1	5			
13-16-1-01-30	-d -00	1.1.2	5			
13-16-1-01-30	-d -00	4.1	5			
13-16-1-01-31	-a -00	1.1.2	17,44	PTP	65,33 m3	17,44 ha
13-16-1-01-31	-a -00	2.1	17,44	PTP	65,33 m3	17,44 ha
13-16-1-01-31	-a -00	4.1	17,44	PTP	65,33 m3	17,44 ha
13-16-1-01-31	-b -00	1.1.2	0,73			
13-16-1-01-31	-b -00	2.1	0,73			

13-16-1-01-31	-b -00	4.1	0,73			
13-16-1-01-31	-c -00	1.1.2	1,24	PTP	4,26 m3	1,24 ha
13-16-1-01-31	-c -00	2.1	1,24	PTP	4,26 m3	1,24 ha
13-16-1-01-31	-c -00	4.1	1,24	PTP	4,26 m3	1,24 ha
13-16-1-01-31	-d -00	2.1	0,56	PTP	20,97 m3	0,56 ha
13-16-1-01-31	-d -00	1.1.2	0,56	PTP	20,97 m3	0,56 ha
13-16-1-01-31	-d -00	4.1	0,56	PTP	20,97 m3	0,56 ha
13-16-1-01-31	-f -00	2.1	2,07	PR	5,41 m3	2,07 ha
13-16-1-01-31	-f -00	1.1.2	2,07	PR	5,41 m3	2,07 ha
13-16-1-01-31	-f -00	4.1	2,07	PR	5,41 m3	2,07 ha
13-16-1-01-31	-g -00	2.1	1,2	PTP	2,36 m3	1,20 ha
13-16-1-01-31	-g -00	1.1.2	1,2	PTP	2,36 m3	1,20 ha
13-16-1-01-31	-g -00	4.1	1,2	PTP	2,36 m3	1,20 ha
13-16-1-01-31	-h -00	1.1.2	2,91	O-ZGRYZC		0,80 ha
13-16-1-01-31	-h -00	2.1	2,91	O-ZGRYZC		0,80 ha
13-16-1-01-31	-h -00	4.1	2,91	O-ZGRYZC		0,80 ha
13-16-1-01-31	-i -00	1.1.2	0,91			
13-16-1-01-31	-i -00	2.1	0,91			
13-16-1-01-31	-i -00	4.1	0,91			
13-16-1-01-32	-a -00	1.1.2	3,17	PTP	9,36 m3	3,17 ha
13-16-1-01-32	-a -00	2.1	3,17	PTP	9,36 m3	3,17 ha
13-16-1-01-32	-a -00	4.1	3,17	PTP	9,36 m3	3,17 ha
13-16-1-01-32	-b -00	2.1	0,91	O-ZGRYZC / PR	2,92 m3	0,40 ha / 0,91 ha
13-16-1-01-32	-b -00	1.1.2	0,91	O-ZGRYZC / PR	2,92 m3	0,40 ha / 0,91 ha
13-16-1-01-32	-b -00	4.1	0,91	O-ZGRYZC / PR	2,92 m3	0,40 ha / 0,91 ha
13-16-1-01-32	-c -00	1.1.2	8,78	PBD-ODNRB / PBDODNRBN / O- ZGRYZC / PR	1,68 m3	0,50 ha / 0,50 ha / 0,15 ha / 8,78 ha
13-16-1-01-32	-c -00	2.1	8,78	PBD-ODNRB / PBDODNRBN / O- ZGRYZC / PR	1,68 m4	0,50 ha / 0,50 ha / 0,15 ha / 8,78 ha
13-16-1-01-32	-c -00	4.1	8,78	PBD-ODNRB / PBDODNRBN / O- ZGRYZC / PR	1,68 m5	0,50 ha / 0,50 ha / 0,15 ha / 8,78 ha
13-16-1-01-32	-d -00	2.1	3,88	CP / CP-P	6,64 m3	3,88 ha / 3,88 ha
13-16-1-01-32	-d -00	1.1.2	3,88	CP / CP-P	6,64 m3	3,88 ha / 3,88 ha
13-16-1-01-32	-d -00	4.1	3,88	CP / CP-P	6,64 m3	3,88 ha / 3,88 ha
13-16-1-01-32	-f -00	1.1.2	0,84			
13-16-1-01-32	-f -00	2.1	0,84			
13-16-1-01-32	-f -00	4.1	0,84			
13-16-1-01-32	-g -00	1.1.2	6,59	PTP	4,18 m3	6,59 ha
13-16-1-01-32	-g -00	2.1	6,59	PTP	4,18 m3	6,59 ha
13-16-1-01-32	-g -00	4.1	6,59	PTP	4,18 m3	6,59 ha
13-16-1-01-32	-h -00	1.1.2	3,19	PTP	10,99 m3	3,19 ha
13-16-1-01-32	-h -00	2.1	3,19	PTP	10,99 m3	3,19 ha
13-16-1-01-32	-h -00	4.1	3,19	PTP	10,99 m3	3,19 ha
13-16-1-01-32	-i -00	1.1.2	1,3			
13-16-1-01-32	-i -00	2.1	1,3			
13-16-1-01-32	-i -00	4.1	1,3			
13-16-1-01-32	-j -00	1.1.2	1,91			
13-16-1-01-32	-j -00	2.1	1,91			
13-16-1-01-32	-j -00	4.1	1,91			
13-16-1-01-32	-k -00	1.1.2	0,78			
13-16-1-01-32	-k -00	2.1	0,78			
13-16-1-01-32	-k -00	4.1	0,78			
13-16-1-01-33	-a -00	1.1.2	1,45	PTP	7,44 m3	1,45 ha
13-16-1-01-33	-a -00	2.1	1,45	PTP	7,44 m3	1,45 ha
13-16-1-01-33	-a -00	4.1	1,45	PTP	7,44 m3	1,45 ha
13-16-1-01-33	-b -00	1.1.2	1,07			
13-16-1-01-33	-b -00	2.1	1,07			
13-16-1-01-33	-b -00	4.1	1,07			
13-16-1-01-33	-c -00	2.1	3,43	PR	2,19 m3	3,43 ha
13-16-1-01-33	-c -00	1.1.2	3,43	PR	2,19 m3	3,43 ha
13-16-1-01-33	-c -00	4.1	3,43	PR	2,19 m3	3,43 ha
13-16-1-01-33	-d -00	2.1	2,33			
13-16-1-01-33	-d -00	1.1.2	2,33			
13-16-1-01-33	-d -00	4.1	2,33			
13-16-1-01-33	-f -00	2.1	2,47			
13-16-1-01-33	-f -00	1.1.2	2,47			
13-16-1-01-33	-f -00	4.1	2,47			
13-16-1-01-33	-g -00	1.1.2	0,8	PTP	1,18 m3	0,80 ha

13-16-1-01-33	-g -00	2.1	0,8	PTP	1,18 m3	0,80 ha
13-16-1-01-33	-g -00	4.1	0,8	PTP	1,18 m3	0,80 ha
13-16-1-01-33	-h -00	2.1	1,59			
13-16-1-01-33	-h -00	1.1.2	1,59			
13-16-1-01-33	-h -00	4.1	1,59			
13-16-1-01-33	-i -00	2.1	1,39	PBD-ODNRB / PBDODNRBN / PR	2,25 m3	0,50 ha / 0,50 ha / 1,39 ha
13-16-1-01-33	-i -00	1.1.2	1,39	PBD-ODNRB / PBDODNRBN / PR	2,25 m3	0,50 ha / 0,50 ha / 1,39 ha
13-16-1-01-33	-i -00	4.1	1,39	PBD-ODNRB / PBDODNRBN / PR	2,25 m3	0,50 ha / 0,50 ha / 1,39 ha
13-16-1-01-33	-j -00	1.1.2	10			
13-16-1-01-33	-j -00	2.1	10			
13-16-1-01-33	-j -00	4.1	10			
13-16-1-01-33	-j -00	3.2	10			
13-16-1-01-33	-k -00	1.1.2	1,78			
13-16-1-01-33	-k -00	2.1	1,78			
13-16-1-01-33	-k -00	4.1	1,78			
13-16-1-01-33	-l -00	2.1	3,73			
13-16-1-01-33	-l -00	1.1.2	3,73			
13-16-1-01-33	-l -00	3.2	3,73			
13-16-1-01-33	-l -00	4.1	3,73			
13-16-1-01-33	-m -00	2.1	0,85			
13-16-1-01-33	-m -00	1.1.2	0,85			
13-16-1-01-33	-m -00	4.1	0,85			
13-16-1-01-33	-n -00	2.1	0,76	PTP	1,20 m3	0,76 ha
13-16-1-01-33	-n -00	1.1.2	0,76	PTP	1,20 m3	0,76 ha
13-16-1-01-33	-n -00	4.1	0,76	PTP	1,20 m3	0,76 ha
13-16-1-01-34	-a -00	1.1.2	2,5	PR	6,20 m3	2,50 ha
13-16-1-01-34	-a -00	3.2	2,5	PR	6,20 m3	2,50 ha
13-16-1-01-34	-a -00	2.1	2,5	PR	6,20 m3	2,50 ha
13-16-1-01-34	-a -00	4.1	2,5	PR	6,20 m3	2,50 ha
13-16-1-01-34	-b -00	1.1.2	8,78	PR	88,95 m3	8,78 ha
13-16-1-01-34	-b -00	3.2	8,78	PR	88,95 m3	8,78 ha
13-16-1-01-34	-b -00	2.1	8,78	PR	88,95 m3	8,78 ha
13-16-1-01-34	-b -00	4.1	8,78	PR	88,95 m3	8,78 ha
13-16-1-01-34	-c -00	2.1	4,49	PTP	39,19 m3	4,49 ha
13-16-1-01-34	-c -00	1.1.2	4,49	PTP	39,19 m3	4,49 ha
13-16-1-01-34	-c -00	4.1	4,49	PTP	39,19 m3	4,49 ha
13-16-1-01-34	-d -00	2.1	7,35			
13-16-1-01-34	-d -00	3.2	7,35			
13-16-1-01-34	-d -00	1.1.2	7,35			
13-16-1-01-34	-d -00	4.1	7,35			
13-16-1-01-34	-f -00	2.1	5,86	PTP	5,43 m3	5,86 ha
13-16-1-01-34	-f -00	1.1.2	5,86	PTP	5,43 m3	5,86 ha
13-16-1-01-34	-f -00	4.1	5,86	PTP	5,43 m3	5,86 ha
13-16-1-01-34	-g -00	2.1	4,34			
13-16-1-01-34	-g -00	1.1.2	4,34			
13-16-1-01-34	-g -00	4.1	4,34			
13-16-1-01-4	-a -00	2.1	10,72			
13-16-1-01-4	-a -00	1.1.2	10,72			
13-16-1-01-4	-a -00	3.2	10,72			
13-16-1-01-4	-a -00	4.1	10,72			
13-16-1-01-4	-a -00	4.2	10,72			
13-16-1-01-4	-b -00	3.2	1,76			pow referencyjne
13-16-1-01-4	-b -00	1.1.2	1,76			pow referencyjne
13-16-1-01-4	-b -00	2.1	1,76			pow referencyjne
13-16-1-01-4	-b -00	4.1	1,76			pow referencyjne
13-16-1-01-4	-b -00	4.2	1,76			pow referencyjne
13-16-1-01-4	-c -00	1.1.2	7,89			pow referencyjne
13-16-1-01-4	-c -00	3.2	7,89			pow referencyjne
13-16-1-01-4	-c -00	2.1	7,89			pow referencyjne
13-16-1-01-4	-c -00	4.1	7,89			pow referencyjne
13-16-1-01-4	-c -00	4.2	7,89			pow referencyjne
13-16-1-01-46	-a -00	2.1	8,69	PTP	39,15 m3	8,69 ha
13-16-1-01-46	-a -00	1.1.2	8,69	PTP	39,15 m3	8,69 ha
13-16-1-01-46	-a -00	4.1	8,69	PTP	39,15 m3	8,69 ha
13-16-1-01-46	-b -00	2.1	1,89			
13-16-1-01-46	-b -00	1.1.2	1,89			
13-16-1-01-46	-b -00	4.1	1,89			
13-16-1-01-46	-c -00	1.1.2	6,28	CW / O-ZGRYZC		0,76 ha / 1,50 ha

13-16-1-01-46	-c -00	2.1	6,28	CW / O-ZGRYZC		0,76 ha / 1,50 ha
13-16-1-01-46	-c -00	4.1	6,28	CW / O-ZGRYZC		0,76 ha / 1,50 ha
13-16-1-01-46	-d -00	2.1	2,21			
13-16-1-01-46	-d -00	1.1.2	2,21			
13-16-1-01-46	-d -00	4.1	2,21			
13-16-1-01-46	-f -00	2.1	8,59	PTW	5,64 m3	8,59 ha
13-16-1-01-46	-f -00	1.1.2	8,59	PTW	5,64 m3	8,59 ha
13-16-1-01-46	-f -00	4.1	8,59	PTW	5,64 m3	8,59 ha
13-16-1-01-46	-g -00	2.1	1,23	PTP	4,22 m3	1,23 ha
13-16-1-01-46	-g -00	1.1.2	1,23	PTP	4,22 m3	1,23 ha
13-16-1-01-46	-g -00	4.1	1,23	PTP	4,22 m3	1,23 ha
13-16-1-01-46	-h -00	2.1	6,05	PTP	38,56 m3	6,05 ha
13-16-1-01-46	-h -00	1.1.2	6,05	PTP	38,56 m3	6,05 ha
13-16-1-01-46	-h -00	4.1	6,05	PTP	38,56 m3	6,05 ha
13-16-1-01-46	-i -00	1.1.2	1,79			
13-16-1-01-46	-i -00	2.1	1,79			
13-16-1-01-46	-i -00	4.1	1,79			
13-16-1-01-47	-a -00	2.1	3,56	PTP	17,11 m3	3,56 ha
13-16-1-01-47	-a -00	1.1.2	3,56	PTP	17,11 m3	3,56 ha
13-16-1-01-47	-a -00	4.1	3,56	PTP	17,11 m3	3,56 ha
13-16-1-01-47	-b -00	2.1	1,9			
13-16-1-01-47	-b -00	1.1.2	1,9			
13-16-1-01-47	-b -00	4.1	1,9			
13-16-1-01-47	-c -00	2.1	1,99			
13-16-1-01-47	-c -00	1.1.2	1,99			
13-16-1-01-47	-c -00	4.1	1,99			
13-16-1-01-47	-d -00	1.1.2	5,72	CW / PBD-ODNRB / O-ZGRYZC / PR	14,50 m3	2,86 ha / 1,18 ha / 1,10 ha / 5,72 ha
13-16-1-01-47	-d -00	2.1	5,72	CW / PBD-ODNRB / O-ZGRYZC / PR	14,50 m3	2,86 ha / 1,18 ha / 1,10 ha / 5,72 ha
13-16-1-01-47	-d -00	4.1	5,72	CW / PBD-ODNRB / O-ZGRYZC / PR	14,50 m3	2,86 ha / 1,18 ha / 1,10 ha / 5,72 ha
13-16-1-01-47	-f -00	2.1	4,72	TPP	143,08 m3	4,72 ha
13-16-1-01-47	-f -00	1.1.2	4,72	TPP	143,08 m3	4,72 ha
13-16-1-01-47	-f -00	4.1	4,72	TPP	143,08 m3	4,72 ha
13-16-1-01-48	-a -00	2.1	0,92			
13-16-1-01-48	-a -00	1.1.2	0,92			
13-16-1-01-48	-a -00	4.1	0,92			
13-16-1-01-48	-b -00	1.1.2	1,6	RB IVD / PR	104,58 m3 / 8,31 m3	1,60 ha / 1,60 ha
13-16-1-01-48	-b -00	2.1	1,6	RB IVD / PR	104,58 m3 / 8,31 m3	1,60 ha / 1,60 ha
13-16-1-01-48	-b -00	4.1	1,6	RB IVD / PR	104,58 m3 / 8,31 m3	1,60 ha / 1,60 ha
13-16-1-01-48	-c -00	1.1.2	12,7	PTP	69,99 m3	12,70 ha
13-16-1-01-48	-c -00	2.1	12,7	PTP	69,99 m3	12,70 ha
13-16-1-01-48	-c -00	4.1	12,7	PTP	69,99 m3	12,70 ha
13-16-1-01-48	-d -00	2.1	5,74	PR	22,50 m3	5,74 ha
13-16-1-01-48	-d -00	1.1.2	5,74	PR	22,50 m3	5,74 ha
13-16-1-01-48	-d -00	4.1	5,74	PR	22,50 m3	5,74 ha
13-16-1-01-48	-f -00	2.1	3,17			
13-16-1-01-48	-f -00	1.1.2	3,17			
13-16-1-01-48	-f -00	4.1	3,17			
13-16-1-01-49	-a -00	1.1.2	12,41	PR	1,75 m3	12,41 ha
13-16-1-01-49	-a -00	2.1	12,41	PR	1,75 m3	12,41 ha
13-16-1-01-49	-a -00	4.1	12,41	PR	1,75 m3	12,41 ha
13-16-1-01-49	-b -00	2.1	1,94	PTP	7,14 m3	1,94 ha
13-16-1-01-49	-b -00	1.1.2	1,94	PTP	7,14 m3	1,94 ha
13-16-1-01-49	-b -00	4.1	1,94	PTP	7,14 m3	1,94 ha
13-16-1-01-49	-c -00	2.1	0,98	PR	4,45 m3	0,98 ha
13-16-1-01-49	-c -00	1.1.2	0,98	PR	4,45 m3	0,98 ha
13-16-1-01-49	-c -00	4.1	0,98	PR	4,45 m3	0,98 ha
13-16-1-01-49	-d -00	2.1	1,4			
13-16-1-01-49	-d -00	1.1.2	1,4			
13-16-1-01-49	-d -00	4.1	1,4			
13-16-1-01-50	-a -00	2.1	1,86			
13-16-1-01-50	-a -00	1.1.2	1,86			
13-16-1-01-50	-a -00	4.1	1,86			
13-16-1-01-50	-b -00	3.2	1,76	O-ZGRYZD		1,76 ha
13-16-1-01-50	-b -00	2.1	1,76	O-ZGRYZD		1,76 ha
13-16-1-01-50	-b -00	1.1.2	1,76	O-ZGRYZD		1,76 ha
13-16-1-01-50	-b -00	4.1	1,76	O-ZGRYZD		1,76 ha
13-16-1-01-50	-c -00	2.1	4,47			
13-16-1-01-50	-c -00	3.2	4,47			

13-16-1-01-50	-c -00	1.1.2	4,47			
13-16-1-01-50	-c -00	4.1	4,47			
13-16-1-01-50	-d -00	1.1.2	3,23			
13-16-1-01-50	-d -00	2.1	3,23			
13-16-1-01-50	-d -00	4.1	3,23			
13-16-1-01-50	-f -00	1.1.2	2,33			
13-16-1-01-50	-f -00	2.1	2,33			
13-16-1-01-50	-f -00	4.1	2,33			
13-16-1-01-50	-g -00	1.1.2	2,63			
13-16-1-01-50	-g -00	3.2	2,63			
13-16-1-01-50	-g -00	2.1	2,63			
13-16-1-01-50	-g -00	4.1	2,63			
13-16-1-01-50	-h -00	1.1.2	2,24	PTP	24,71 m3	2,24 ha
13-16-1-01-50	-h -00	2.1	2,24	PTP	24,71 m3	2,24 ha
13-16-1-01-50	-h -00	4.1	2,24	PTP	24,71 m3	2,24 ha
13-16-1-01-50	-i -00	1.1.2	2,12			
13-16-1-01-50	-i -00	2.1	2,12			
13-16-1-01-50	-i -00	4.1	2,12			
13-16-1-01-50	-j -00	2.1	2,19	MA-PORZ / PBD-ODNRB / O-GRODZN / O-ZGRYZC / RB IVD	256,34 m3	0,66 ha / 0,63 ha / 0,26 ha / 0,40 ha / 2,19 ha
13-16-1-01-50	-j -00	1.1.2	2,19	MA-PORZ / PBD-ODNRB / O-GRODZN / O-ZGRYZC / RB IVD	256,34 m3	0,66 ha / 0,63 ha / 0,26 ha / 0,40 ha / 2,19 ha
13-16-1-01-50	-j -00	4.1	2,19	MA-PORZ / PBD-ODNRB / O-GRODZN / O-ZGRYZC / RB IVD	256,34 m3	0,66 ha / 0,63 ha / 0,26 ha / 0,40 ha / 2,19 ha
13-16-1-01-51	-a -00	3.2	0,05			
13-16-1-01-51	-a -00	1.1.2	5,97	PTP	10,69 m3	5,97 ha
13-16-1-01-51	-a -00	2.1	5,97	PTP	10,69 m3	5,97 ha
13-16-1-01-51	-a -00	4.1	5,97	PTP	10,69 m3	5,97 ha
13-16-1-01-51	-b -00	1.1.2	1,12	MA-PORZ / TPP / UPRZ-POZ	82,80 m3 / 49,98 m3	1,12 ha / 1,12 ha / 0,12 ha
13-16-1-01-51	-b -00	2.1	1,12	MA-PORZ / TPP / UPRZ-POZ	82,80 m3 / 49,98 m3	1,12 ha / 1,12 ha / 0,12 ha
13-16-1-01-51	-b -00	4.1	1,12	MA-PORZ / TPP / UPRZ-POZ	82,80 m3 / 49,98 m3	1,12 ha / 1,12 ha / 0,12 ha
13-16-1-01-51	-c -00	1.1.2	4,6	PTP	1,67 m3	4,60 ha
13-16-1-01-51	-c -00	2.1	4,6	PTP	1,67 m3	4,60 ha
13-16-1-01-51	-c -00	4.1	4,6	PTP	1,67 m3	4,60 ha
13-16-1-01-51	-d -00	2.1	1,23			
13-16-1-01-51	-d -00	3.2	1,23			
13-16-1-01-51	-d -00	1.1.2	1,23			
13-16-1-01-51	-d -00	4.1	1,23			
13-16-1-01-51	-f -00	2.1	3,71	PTP	2,39 m3	3,71 ha
13-16-1-01-51	-f -00	1.1.2	3,71	PTP	2,39 m3	3,71 ha
13-16-1-01-51	-f -00	4.1	3,71	PTP	2,39 m3	3,71 ha
13-16-1-01-51	-g -00	2.1	7,91	PTP	11,61 m3	7,91 ha
13-16-1-01-51	-g -00	1.1.2	7,91	PTP	11,61 m3	7,91 ha
13-16-1-01-51	-g -00	4.1	7,91	PTP	11,61 m3	7,91 ha
13-16-1-01-51	-h -00	2.1	3,12	TPP	151,37 m3	3,12 ha
13-16-1-01-51	-h -00	1.1.2	3,12	TPP	151,37 m3	3,12 ha
13-16-1-01-51	-h -00	4.1	3,12	TPP	151,37 m3	3,12 ha
13-16-1-01-51	-i -00	2.1	0,98			
13-16-1-01-51	-i -00	1.1.2	0,98			
13-16-1-01-51	-i -00	4.1	0,98			
13-16-1-01-51	-j -00	1.1.2	2			
13-16-1-01-51	-j -00	2.1	2			
13-16-1-01-51	-j -00	4.1	2			
13-16-1-01-51	-k -00	1.1.2	1,21			
13-16-1-01-51	-k -00	3.2	1,21			
13-16-1-01-51	-k -00	2.1	1,21			
13-16-1-01-51	-k -00	4.1	1,21			
13-16-1-01-51	-l -00	2.1	1,48			
13-16-1-01-51	-l -00	1.1.2	1,48			
13-16-1-01-51	-l -00	4.1	1,48			
13-16-1-01-52	-a -00	2.1	1,3	TPP	99,68 m3	1,30 ha
13-16-1-01-52	-a -00	1.1.2	1,3	TPP	99,68 m3	1,30 ha
13-16-1-01-52	-a -00	4.1	1,3	TPP	99,68 m3	1,30 ha
13-16-1-01-52	-b -00	2.1	5,71	MA-PORZ / RB IVD	975,47 m3	5,71 ha 5,71 ha
13-16-1-01-52	-b -00	1.1.2	5,71	MA-PORZ / RB IVD	975,47 m3	5,71 ha 5,71 ha

13-16-1-01-52	-b -00	4.1	5,71	MA-PORZ / RB IVD	975,47 m3	5,71 ha 5,71 ha
13-16-1-01-52	-c -00	2.1	1,43	MA-PORZ / O-ZGRYZD / TPP	103,04 m3	1,43 ha / 1,43 ha / 1,43 ha
13-16-1-01-52	-c -00	1.1.2	1,43	MA-PORZ / O-ZGRYZD / TPP	103,04 m3	1,43 ha / 1,43 ha / 1,43 ha
13-16-1-01-52	-c -00	4.1	1,43	MA-PORZ / O-ZGRYZD / TPP	103,04 m3	1,43 ha / 1,43 ha / 1,43 ha
13-16-1-01-52	-d -00	1.1.2	3,89	MA-PORZ / TPP	242,85 m3	3,89 ha / 3,89 ha
13-16-1-01-52	-d -00	2.1	3,89	MA-PORZ / TPP	242,85 m3	3,89 ha / 3,89 ha
13-16-1-01-52	-d -00	4.1	3,89	MA-PORZ / TPP	242,85 m3	3,89 ha / 3,89 ha
13-16-1-01-52	-f -00	1.1.2	0,92			
13-16-1-01-52	-f -00	2.1	0,92			
13-16-1-01-52	-f -00	4.1	0,92			
13-16-1-01-52	-g -00	1.1.2	8,92			
13-16-1-01-52	-g -00	2.1	8,92			
13-16-1-01-52	-g -00	4.1	8,92			
13-16-1-01-56	-a -00	1.1.2	5,61	TPP	238,18 m3	5,61 ha
13-16-1-01-56	-a -00	2.1	5,61	TPP	238,18 m3	5,61 ha
13-16-1-01-56	-a -00	4.1	5,61	TPP	238,18 m3	5,61 ha
13-16-1-01-56	-b -00	1.1.2	11,94	PR	12,12 m3	11,94 ha
13-16-1-01-56	-b -00	2.1	11,94	PR	12,12 m3	11,94 ha
13-16-1-01-56	-b -00	4.1	11,94	PR	12,12 m3	11,94 ha
13-16-1-01-56	-c -00	2.1	0,68			
13-16-1-01-56	-c -00	1.1.2	0,68			
13-16-1-01-56	-c -00	4.1	0,68			
13-16-1-01-56	-d -00	2.1	1,14			
13-16-1-01-56	-d -00	1.1.2	1,14			
13-16-1-01-56	-d -00	4.1	1,14			
13-16-1-01-56	-f -00	2.1	2,14	TWP	31,86 m3	2,14 ha
13-16-1-01-56	-f -00	1.1.2	2,14	TWP	31,86 m3	2,14 ha
13-16-1-01-56	-f -00	4.1	2,14	TWP	31,86 m3	2,14 ha
13-16-1-01-56	-g -00	1.1.2	2,83			
13-16-1-01-56	-g -00	2.1	2,83			
13-16-1-01-56	-g -00	4.1	2,83			
13-16-1-01-56	-h -00	2.1	1,8			
13-16-1-01-56	-h -00	1.1.2	1,8			
13-16-1-01-56	-h -00	4.1	1,8			
13-16-1-01-56	-i -00	1.1.2	1,32			
13-16-1-01-56	-i -00	2.1	1,32			
13-16-1-01-56	-i -00	4.1	1,32			
13-16-1-01-56	-j -00	2.1	0,76			
13-16-1-01-56	-j -00	1.1.2	0,76			
13-16-1-01-56	-j -00	4.1	0,76			
13-16-1-01-56	-k -00	1.1.2	1,97			
13-16-1-01-56	-k -00	2.1	1,97			
13-16-1-01-56	-k -00	4.1	1,97			
13-16-1-01-56	-l -00	1.1.2	0,62			
13-16-1-01-56	-l -00	2.1	0,62			
13-16-1-01-56	-l -00	4.1	0,62			
13-16-1-01-57	-a -00	1.1.2	5,23	PTP	2,51 m3	5,23 ha
13-16-1-01-57	-a -00	2.1	5,23	PTP	2,51 m3	5,23 ha
13-16-1-01-57	-a -00	4.1	5,23	PTP	2,51 m3	5,23 ha
13-16-1-01-57	-b -00	2.1	5,37	PTP	5,67 m3	5,37 ha
13-16-1-01-57	-b -00	1.1.2	5,37	PTP	5,67 m3	5,37 ha
13-16-1-01-57	-b -00	4.1	5,37	PTP	5,67 m3	5,37 ha
13-16-1-01-57	-c -00	2.1	0,97			
13-16-1-01-57	-c -00	1.1.2	0,97			
13-16-1-01-57	-c -00	4.1	0,97			
13-16-1-01-57	-d -00	2.1	0,52			
13-16-1-01-57	-d -00	1.1.2	0,52			
13-16-1-01-57	-d -00	4.1	0,52			
13-16-1-01-57	-f -00	2.1	5,81	PBD-ODNRB / PBDODNRBN / O-ZGRYZC		0,50 ha / 0,50 ha / 1,00 ha
13-16-1-01-57	-f -00	1.1.2	5,81	PBD-ODNRB / PBDODNRBN / O-ZGRYZC		0,50 ha / 0,50 ha / 1,00 ha
13-16-1-01-57	-f -00	4.1	5,81	PBD-ODNRB / PBDODNRBN / O-ZGRYZC		0,50 ha / 0,50 ha / 1,00 ha
13-16-1-01-57	-g -00	1.1.2	1,18			

13-16-1-01-57	-g -00	2.1	1,18			
13-16-1-01-57	-g -00	4.1	1,18			
13-16-1-01-58	-a -00	2.1	2,32	PTP	3,65 m3	2,32 ha
13-16-1-01-58	-a -00	1.1.2	2,32	PTP	3,65 m3	2,32 ha
13-16-1-01-58	-a -00	4.1	2,32	PTP	3,65 m3	2,32 ha
13-16-1-01-58	-b -00	1.1.2	0,76			
13-16-1-01-58	-b -00	2.1	0,76			
13-16-1-01-58	-b -00	4.1	0,76			
13-16-1-01-58	-c -00	2.1	5,77	PR	3,49 m3	5,77 ha
13-16-1-01-58	-c -00	1.1.2	5,77	PR	3,49 m3	5,77 ha
13-16-1-01-58	-c -00	4.1	5,77	PR	3,49 m3	5,77 ha
13-16-1-01-58	-d -00	1.1.2	2,5			
13-16-1-01-58	-d -00	2.1	2,5			
13-16-1-01-58	-d -00	4.1	2,5			
13-16-1-01-58	-f -00	2.1	1,72			
13-16-1-01-58	-f -00	1.1.2	1,72			
13-16-1-01-58	-f -00	4.1	1,72			
13-16-1-01-58	-g -00	1.1.2	1,14			
13-16-1-01-58	-g -00	2.1	1,14			
13-16-1-01-58	-g -00	4.1	1,14			
13-16-1-01-58	-h -00	2.1	0,88			
13-16-1-01-58	-h -00	1.1.2	0,88			
13-16-1-01-58	-h -00	4.1	0,88			
13-16-1-01-58	-i -00	3.2	0,73			
13-16-1-01-58	-i -00	2.1	0,73			
13-16-1-01-58	-i -00	1.1.2	0,73			
13-16-1-01-58	-i -00	4.1	0,73			
13-16-1-01-58	-j -00	1.1.2	2,21			
13-16-1-01-58	-j -00	3.2	2,21			
13-16-1-01-58	-j -00	2.1	2,21			
13-16-1-01-58	-j -00	4.1	2,21			
13-16-1-01-58	-k -00	2.1	1,2			
13-16-1-01-58	-k -00	1.1.2	1,2			
13-16-1-01-58	-k -00	4.1	1,2			
13-16-1-01-58	-l -00	2.1	0,76			
13-16-1-01-58	-l -00	1.1.2	0,76			
13-16-1-01-58	-l -00	4.1	0,76			
13-16-1-01-58	-m -00	2.1	6,92	MA-PORZ / RB IVD	567,12 m3	6,92 ha / 6,92 ha
13-16-1-01-58	-m -00	1.1.2	6,92	MA-PORZ / RB IVD	567,12 m3	6,92 ha / 6,92 ha
13-16-1-01-58	-m -00	4.1	6,92	MA-PORZ / RB IVD	567,12 m3	6,92 ha / 6,92 ha
13-16-1-01-58	-n -00	2.1	0,05			potok
13-16-1-01-58	-n -00	1.1.2	0,05			potok
13-16-1-01-59	-a -00	2.1	1,87			
13-16-1-01-59	-a -00	1.1.2	1,87			
13-16-1-01-59	-a -00	4.1	1,87			
13-16-1-01-59	-b -00	1.1.2	1,51			
13-16-1-01-59	-b -00	2.1	1,51			
13-16-1-01-59	-b -00	4.1	1,51			
13-16-1-01-59	-c -00	2.1	1,27			
13-16-1-01-59	-c -00	1.1.2	1,27			
13-16-1-01-59	-c -00	4.1	1,27			
13-16-1-01-59	-d -00	2.1	14,6	PR / PTP	8,42 m3 / 8,23 m3	14,60 ha / 14,60 ha
13-16-1-01-59	-d -00	1.1.2	14,6	PR / PTP	8,42 m3 / 8,23 m3	14,60 ha / 14,60 ha
13-16-1-01-59	-d -00	4.1	14,6	PR / PTP	8,42 m3 / 8,23 m3	14,60 ha / 14,60 ha
13-16-1-01-59	-f -00	1.1.2	2,84	MA-PORZ / RB IVD	342,31 m3	2,84 ha / 2,84 ha
13-16-1-01-59	-f -00	2.1	2,84	MA-PORZ / RB IVD	342,31 m3	2,84 ha / 2,84 ha
13-16-1-01-59	-f -00	4.1	2,84	MA-PORZ / RB IVD	342,31 m3	2,84 ha / 2,84 ha
13-16-1-01-59	-g -00	2.1	5,52	PIEL-POZ / TWP	93,73 m3	1,50 ha / 5,52 ha
13-16-1-01-59	-g -00	1.1.2	5,52	PIEL-POZ / TWP	93,73 m3	1,50 ha / 5,52 ha
13-16-1-01-59	-g -00	4.1	5,52	PIEL-POZ / TWP	93,73 m3	1,50 ha / 5,52 ha
13-16-1-01-59	-h -00	1.1.2	1,67			
13-16-1-01-59	-h -00	2.1	1,67			
13-16-1-01-59	-h -00	3.2	1,67			
13-16-1-01-59	-h -00	4.1	1,67			
13-16-1-01-60	-a -00	2.1	4,01	MA-PORZ / PBD-ODNRB / O-GRODZN / O-ZGRYZC / RB IVD	401,78 m3	0,55 ha / 1,38 ha / 0,55 ha / 0,60 ha / 4,01 ha
13-16-1-01-60	-a -00	1.1.2	4,01	MA-PORZ / PBD-ODNRB / O-GRODZN / O-ZGRYZC / RB IVD	401,78 m3	0,55 ha / 1,38 ha / 0,55 ha / 0,60 ha / 4,01 ha

13-16-1-01-60 -a -00	4.1	4,01	MA-PORZ / PBD-ODNRB / O-GRODZN / O-ZGRYZC / RB IVD	401,78 m3	0,55 ha / 1,38 ha / 0,55 ha / 0,60 ha / 4,01 ha
13-16-1-01-60 -b -00	2.1	1,8	PBD-ODNRB / O-GRODZN / O-ZGRYZC / Rb IVD	78,10 m3	0,54 ha / 0,21 ha / 0,30 ha / 1,80 ha
13-16-1-01-60 -b -00	1.1.2	1,8	PBD-ODNRB / O-GRODZN / O-ZGRYZC / Rb IVD	78,10 m3	0,54 ha / 0,21 ha / 0,30 ha / 1,80 ha
13-16-1-01-60 -b -00	4.1	1,8	PBD-ODNRB / O-GRODZN / O-ZGRYZC / Rb IVD	78,10 m3	0,54 ha / 0,21 ha / 0,30 ha / 1,80 ha
13-16-1-01-60 -c -00	1.1.2	1,39			
13-16-1-01-60 -c -00	2.1	1,39			
13-16-1-01-60 -c -00	4.1	1,39			
13-16-1-01-60 -d -00	1.1.2	1,74			
13-16-1-01-60 -d -00	2.1	1,74			
13-16-1-01-60 -d -00	4.1	1,74			
13-16-1-01-60 -f -00	1.1.2	1,99	PR	7,04 m3	1,99 ha
13-16-1-01-60 -f -00	2.1	1,99	PR	7,04 m3	1,99 ha
13-16-1-01-60 -f -00	4.1	1,99	PR	7,04 m3	1,99 ha
13-16-1-01-60 -g -00	1.1.2	4,32	MA-PORZ / Rb IIAU	671,41 m3	4,32 ha / 4,32 ha
13-16-1-01-60 -g -00	2.1	4,32	MA-PORZ / Rb IIAU	671,41 m3	4,32 ha / 4,32 ha
13-16-1-01-60 -g -00	4.1	4,32	MA-PORZ / Rb IIAU	671,41 m3	4,32 ha / 4,32 ha
13-16-1-01-60 -h -00	1.1.2	1,73	TPP	159,61 m3	1,73 ha
13-16-1-01-60 -h -00	2.1	1,73	TPP	159,61 m3	1,73 ha
13-16-1-01-60 -h -00	4.1	1,73	TPP	159,61 m3	1,73 ha
13-16-1-01-60 -i -00	2.1	2,18			
13-16-1-01-60 -i -00	1.1.2	2,18			
13-16-1-01-60 -i -00	4.1	2,18			
13-16-1-01-60 -j -00	1.1.2	1,08	MA-PORZ / Rb IIB / PR	180,40 m3 / 3,47 m3	1,08 ha / 1,08 ha 1,08 ha
13-16-1-01-60 -j -00	2.1	1,08	MA-PORZ / Rb IIB / PR	180,40 m3 / 3,47 m3	1,08 ha / 1,08 ha 1,08 ha
13-16-1-01-60 -j -00	4.1	1,08	MA-PORZ / Rb IIB / PR	180,40 m3 / 3,47 m3	1,08 ha / 1,08 ha 1,08 ha
13-16-1-01-60 -k -00	1.1.2	1,13	MA-PORZ / TPP	124,29 m3	1,13 ha / 1,13 ha
13-16-1-01-60 -k -00	2.1	1,13	MA-PORZ / TPP	124,29 m3	1,13 ha / 1,13 ha
13-16-1-01-60 -k -00	4.1	1,13	MA-PORZ / TPP	124,29 m3	1,13 ha / 1,13 ha
13-16-1-01-60 -l -00	2.1	0,4			ps
13-16-1-01-60 -l -00	1.1.2	0,4			ps
13-16-1-01-60 -m -00	2.1	0,09			potok
13-16-1-01-60 -m -00	1.1.2	0,09			potok
13-16-1-01-61 -a -00	1.1.2	11,31			
13-16-1-01-61 -a -00	2.1	11,31			
13-16-1-01-61 -a -00	4.1	11,31			
13-16-1-01-61 -b -00	1.1.2	6,63	PR	7,37 m3	6,63 ha
13-16-1-01-61 -b -00	2.1	6,63	PR	7,37 m3	6,63 ha
13-16-1-01-61 -b -00	4.1	6,63	PR	7,37 m3	6,63 ha
13-16-1-01-61 -c -00	1.1.2	0,59			
13-16-1-01-61 -c -00	2.1	0,59			
13-16-1-01-61 -c -00	4.1	0,59			
13-16-1-01-61 -d -00	2.1	1,16			
13-16-1-01-61 -d -00	1.1.2	1,16			
13-16-1-01-61 -d -00	4.1	1,16			
13-16-1-01-62 -a -00	1.1.2	2,38			
13-16-1-01-62 -a -00	2.1	2,38			
13-16-1-01-62 -a -00	4.1	2,38			
13-16-1-01-62 -a -00	4.2	2,38			
13-16-1-01-62 -b -00	1.1.2	9,39	PTP	35,08 m3	9,39 ha
13-16-1-01-62 -b -00	2.1	9,39	PTP	35,08 m3	9,39 ha
13-16-1-01-62 -b -00	4.1	9,39	PTP	35,08 m3	9,39 ha
13-16-1-01-62 -b -00	4.2	9,39	PTP	35,08 m3	9,39 ha
13-16-1-01-62 -c -00	1.1.2	2,8	MA-PORZ / TPP	201,75 m3	2,80 ha / 2,80 ha
13-16-1-01-62 -c -00	2.1	2,8	MA-PORZ / TPP	201,75 m3	2,80 ha / 2,80 ha
13-16-1-01-62 -c -00	4.1	2,8	MA-PORZ / TPP	201,75 m3	2,80 ha / 2,80 ha
13-16-1-01-62 -c -00	4.2	2,8	MA-PORZ / TPP	201,75 m3	2,80 ha / 2,80 ha
13-16-1-01-62 -d -00	2.1	1,51	PR	16,17 m3	1,51 ha
13-16-1-01-62 -d -00	1.1.2	1,51	PR	16,17 m3	1,51 ha
13-16-1-01-62 -d -00	4.1	1,51	PR	16,17 m3	1,51 ha
13-16-1-01-62 -d -00	4.2	1,51			

13-16-1-01-62	-f -00	3.2	0,1			
13-16-1-01-62	-f -00	2.1	1,83			
13-16-1-01-62	-f -00	1.1.2	1,83			
13-16-1-01-62	-f -00	4.2	1,83			
13-16-1-01-62	-f -00	4.1	1,83			
13-16-1-01-62	-g -00	1.1.2	6,8			pow referencyjne
13-16-1-01-62	-g -00	2.1	6,8			pow referencyjne
13-16-1-01-62	-g -00	3.2	6,8			pow referencyjne
13-16-1-01-62	-g -00	4.1	6,8			pow referencyjne
13-16-1-01-62	-g -00	4.2	6,8			pow referencyjne
13-16-1-01-62	-h -00	1.1.2	1,29			
13-16-1-01-62	-h -00	4.1	1,29			
13-16-1-01-62	-h -00	4.2	1,29			
13-16-1-01-62	-i -00	3.2	2,23			pow referencyjne
13-16-1-01-62	-i -00	2.1	2,23			pow referencyjne
13-16-1-01-62	-i -00	1.1.2	2,23			pow referencyjne
13-16-1-01-62	-i -00	4.2	2,23			pow referencyjne
13-16-1-01-62	-i -00	4.1	2,23			pow referencyjne
13-16-1-01-62	-j -00	1.1.2	0,41			ps
13-16-1-01-62	-j -00	2.1	0,41			ps
13-16-1-01-62	-k -00	2.1	2,18			ps
13-16-1-01-62	-k -00	1.1.2	2,18			ps
13-16-1-01-62	-l -00	2.1	0,13			ruiny
13-16-1-01-62	-l -00	1.1.2	0,13			ruiny
13-16-1-01-62	-m -00	2.1	0,29			potok
13-16-1-01-62	-m -00	1.1.2	0,29			potok
13-16-1-01-62	-m -00	3.2	0,29			potok
13-16-1-01-63	-a -00	1.1.2	6,1	O-ZGRYZC / PTP	7,21 m3	0,74 ha / 6,10 ha
13-16-1-01-63	-a -00	2.1	6,1	O-ZGRYZC / PTP	7,21 m3	0,74 ha / 6,10 ha
13-16-1-01-63	-a -00	4.2	6,1	O-ZGRYZC / PTP	7,21 m3	0,74 ha / 6,10 ha
13-16-1-01-63	-a -00	4.1	6,1	O-ZGRYZC / PTP	7,21 m3	0,74 ha / 6,10 ha
13-16-1-01-63	-b -00	1.1.2	1,95			
13-16-1-01-63	-b -00	2.1	1,95			
13-16-1-01-63	-b -00	4.2	1,95			
13-16-1-01-63	-b -00	4.1	1,95			
13-16-1-01-63	-c -00	2.1	2,3	CP / CP-P	1,14 m3	2,30 ha / 2,30 ha
13-16-1-01-63	-c -00	1.1.2	2,3	CP / CP-P	1,14 m3	2,30 ha / 2,30 ha
13-16-1-01-63	-c -00	3.2	2,3	CP / CP-P	1,14 m3	2,30 ha / 2,30 ha
13-16-1-01-63	-c -00	4.1	2,3	CP / CP-P	1,14 m3	2,30 ha / 2,30 ha
13-16-1-01-63	-c -00	4.2	2,3	CP / CP-P	1,14 m3	2,30 ha / 2,30 ha
13-16-1-01-63	-d -00	2.1	3,67			
13-16-1-01-63	-d -00	1.1.2	3,67			
13-16-1-01-63	-d -00	4.2	3,67			
13-16-1-01-63	-d -00	4.1	3,67			
13-16-1-01-64	-a -00	1.1.2	1,32			
13-16-1-01-64	-a -00	2.1	1,32			
13-16-1-01-64	-a -00	4.2	1,32			
13-16-1-01-64	-a -00	4.1	1,32			
13-16-1-01-64	-b -00	1.1.2	3,33			
13-16-1-01-64	-b -00	3.2	3,33			
13-16-1-01-64	-b -00	2.1	3,33			
13-16-1-01-64	-b -00	4.2	3,33			
13-16-1-01-64	-b -00	4.1	3,33			
13-16-1-01-64	-c -00	2.1	1			
13-16-1-01-64	-c -00	1.1.2	1			
13-16-1-01-64	-c -00	4.1	1			
13-16-1-01-64	-c -00	4.2	1			
13-16-1-01-64	-d -00	1.1.2	1,65			
13-16-1-01-64	-d -00	3.2	1,65			
13-16-1-01-64	-d -00	3.1	1,65			
13-16-1-01-64	-d -00	2.1	1,65			
13-16-1-01-64	-d -00	4.2	1,65			
13-16-1-01-64	-d -00	4.1	1,65			
13-16-1-01-64	-f -00	2.1	1,54			
13-16-1-01-64	-f -00	3.1	1,54			
13-16-1-01-64	-f -00	1.1.2	1,54			
13-16-1-01-64	-f -00	4.1	1,54			
13-16-1-01-64	-f -00	4.2	1,54			
13-16-1-01-64	-g -00	2.1	3,21			
13-16-1-01-64	-g -00	3.2	3,21			
13-16-1-01-64	-g -00	1.1.2	3,21			

13-16-1-01-64	-g -00	4.1	3,21			
13-16-1-01-64	-g -00	4.2	3,21			
13-16-1-01-64	-h -00	2.1	0,55			
13-16-1-01-64	-h -00	1.1.2	0,55			
13-16-1-01-64	-h -00	4.1	0,55			
13-16-1-01-64	-h -00	4.2	0,55			
13-16-1-01-64	-i -00	1.1.2	0,62			
13-16-1-01-64	-i -00	2.1	0,62			
13-16-1-01-64	-i -00	4.2	0,62			
13-16-1-01-64	-i -00	4.1	0,62			
13-16-1-01-65	-a -00	1.1.2	1,63			
13-16-1-01-65	-a -00	2.1	1,63			
13-16-1-01-65	-a -00	4.1	1,63			
13-16-1-01-65	-a -00	4.2	1,63			
13-16-1-01-65	-b -00	2.1	13,03			
13-16-1-01-65	-b -00	1.1.2	13,03			
13-16-1-01-65	-b -00	4.1	13,03			
13-16-1-01-65	-b -00	4.2	13,03			
13-16-1-01-65	-c -00	1.1.2	0,97			
13-16-1-01-65	-c -00	2.1	0,97			
13-16-1-01-65	-c -00	4.2	0,97			
13-16-1-01-65	-c -00	4.1	0,97			
13-16-1-01-65	-d -00	1.1.2	1,16			
13-16-1-01-65	-d -00	4.2	1,16			
13-16-1-01-65	-d -00	4.1	1,16			
13-16-1-01-65	-f -00	2.1	7,34	MA-PORZ / Rb IVD	570,30 m3	7,34 ha / 7,34 ha
13-16-1-01-65	-f -00	1.1.2	7,34	MA-PORZ / Rb IVD	570,30 m3	7,34 ha / 7,34 ha
13-16-1-01-65	-f -00	4.1	7,34	MA-PORZ / Rb IVD	570,30 m3	7,34 ha / 7,34 ha
13-16-1-01-65	-f -00	4.2	7,34	MA-PORZ / Rb IVD	570,30 m3	7,34 ha / 7,34 ha
13-16-1-01-65	-g -00	1.1.2	1,29			
13-16-1-01-65	-g -00	3.1	1,29			
13-16-1-01-65	-g -00	2.1	1,29			
13-16-1-01-65	-g -00	4.1	1,29			
13-16-1-01-65	-g -00	4.2	1,29			
13-16-1-01-65	-h -00	1.1.2	2,25			
13-16-1-01-65	-h -00	3.1	0			
13-16-1-01-65	-h -00	2.1	2,25			
13-16-1-01-65	-h -00	4.1	2,25			
13-16-1-01-65	-h -00	4.2	2,25			
13-16-1-01-65	-i -00	2.1	4,55	Rb IVD	70,91 m3	4,55 ha
13-16-1-01-65	-i -00	1.1.2	4,54	Rb IVD	70,91 m3	4,55 ha
13-16-1-01-65	-i -00	4.1	4,54	Rb IVD	70,91 m3	4,55 ha
13-16-1-01-65	-i -00	4.2	4,54	Rb IVD	70,91 m3	4,55 ha
13-16-1-01-65	-j -00	1.1.2	5,09			
13-16-1-01-65	-j -00	2.1	5,09			
13-16-1-01-65	-j -00	3.1	5,09			
13-16-1-01-65	-j -00	4.2	5,09			
13-16-1-01-65	-j -00	4.1	5,09			
13-16-1-01-65	-k -00	2.1	1,43			
13-16-1-01-65	-k -00	1.1.2	1,43			
13-16-1-01-65	-k -00	4.1	1,43			
13-16-1-01-65	-k -00	4.2	1,43			
13-16-1-01-65	-l -00	2.1	3,38	MA-PORZ / Rb IIBU	34,86 m3	3,38 ha / 3,38 ha
13-16-1-01-65	-l -00	1.1.2	3,38	MA-PORZ / Rb IIBU	34,86 m3	3,38 ha / 3,38 ha
13-16-1-01-65	-l -00	3.2	3,38	MA-PORZ / Rb IIBU	34,86 m3	3,38 ha / 3,38 ha
13-16-1-01-65	-l -00	4.2	3,38	MA-PORZ / Rb IIBU	34,86 m3	3,38 ha / 3,38 ha
13-16-1-01-65	-l -00	4.1	3,38	MA-PORZ / Rb IIBU	34,86 m3	3,38 ha / 3,38 ha
13-16-1-01-66	-a -00	2.1	3,64			
13-16-1-01-66	-a -00	1.1.2	3,64			
13-16-1-01-66	-a -00	4.1	3,64			
13-16-1-01-66	-b -00	2.1	6,13	PTP	105,32 m3	6,13 ha
13-16-1-01-66	-b -00	3.2	0	PTP	105,32 m3	6,13 ha
13-16-1-01-66	-b -00	1.1.2	6,13	PTP	105,32 m3	6,13 ha
13-16-1-01-66	-b -00	4.1	6,13	PTP	105,32 m3	6,13 ha
13-16-1-01-66	-c -00	1.1.2	0,22			urz wod
13-16-1-01-66	-c -00	2.1	0,22			urz wod
13-16-1-01-66	-d -00	2.1	4,07			
13-16-1-01-66	-d -00	1.1.2	4,07			
13-16-1-01-66	-d -00	3.2	4,07			
13-16-1-01-66	-d -00	4.1	5,07			
13-16-1-01-66	-f -00	3.2	0			

13-16-1-01-66	-f -00	2.1	6,55			
13-16-1-01-66	-f -00	1.1.2	6,55			
13-16-1-01-66	-f -00	4.1	6,55			
13-16-1-01-66	-g -00	2.1	3,94			
13-16-1-01-66	-g -00	1.1.2	3,94			
13-16-1-01-66	-g -00	4.1	3,94			
13-16-1-01-66	-h -00	2.1	4,22			
13-16-1-01-66	-h -00	1.1.2	4,22			
13-16-1-01-66	-h -00	4.1	4,22			
13-16-1-01-66	-i -00	2.1	2,92	TPP	51,08 m3	2,92 ha
13-16-1-01-66	-i -00	1.1.2	2,92	TPP	51,08 m3	2,92 ha
13-16-1-01-66	-i -00	4.1	2,92	TPP	51,08 m3	2,92 ha
13-16-1-01-66	-j -00	1.1.2	2,52	O-ZGRYZD / TPP	58,78 m3	2,52 ha / 2,52 ha
13-16-1-01-66	-j -00	2.1	2,52	O-ZGRYZD / TPP	58,78 m3	2,52 ha / 2,52 ha
13-16-1-01-66	-j -00	4.1	2,52	O-ZGRYZD / TPP	58,78 m3	2,52 ha / 2,52 ha
13-16-1-01-66	-k -00	1.1.2	2,05	O-ZGRYZD / TPP	106,61 m3	2,05 ha / 2,05 ha
13-16-1-01-66	-k -00	2.1	2,05	O-ZGRYZD / TPP	106,61 m3	2,05 ha / 2,05 ha
13-16-1-01-66	-k -00	4.1	2,05	O-ZGRYZD / TPP	106,61 m3	2,05 ha / 2,05 ha
13-16-1-01-66	-l -00	1.1.2	0,07			potok
13-16-1-01-66	-l -00	2.1	0,07			potok
13-16-1-01-66	-l -00	3.2	0,07			potok
13-16-1-01-67	-a -00	1.1.2	5,79			
13-16-1-01-67	-a -00	2.1	5,79			
13-16-1-01-67	-a -00	4.1	5,79			
13-16-1-01-67	-b -00	2.1	4,09			
13-16-1-01-67	-b -00	1.1.2	4,09			
13-16-1-01-67	-b -00	4.1	4,09			
13-16-1-01-67	-c -00	1.1.2	8,61	O-ZGRYZC / PR	31,16 m3	1,40 ha / 8,61 ha
13-16-1-01-67	-c -00	2.1	8,61	O-ZGRYZC / PR	31,16 m3	1,40 ha / 8,61 ha
13-16-1-01-67	-c -00	4.1	8,61	O-ZGRYZC / PR	31,16 m3	1,40 ha / 8,61 ha
13-16-1-01-67	-d -00	2.1	0,48			łaka
13-16-1-01-67	-f -00	2.1	0,28			ps
13-16-1-01-68	-a -00	1.1.2	7,52	TPP	468,84 m3	7,52 ha
13-16-1-01-68	-a -00	2.1	7,52	TPP	468,84 m3	7,52 ha
13-16-1-01-68	-a -00	4.1	7,52	TPP	468,84 m3	7,52 ha
13-16-1-01-68	-b -00	2.1	0,52			
13-16-1-01-68	-b -00	1.1.2	0,52			
13-16-1-01-68	-b -00	4.1	0,52			
13-16-1-01-68	-c -00	1.1.2	4,83	PBD-ODNRB / O-ZGRYZC / Rb IVD / PR	274,97 m3 / 19,88 m3	0,68 ha / 0,87 ha / 4,83 ha / 4,83 ha
13-16-1-01-68	-c -00	2.1	4,83	PBD-ODNRB / O-ZGRYZC / Rb IVD / PR	274,97 m3 / 19,88 m3	0,68 ha / 0,87 ha / 4,83 ha / 4,83 ha
13-16-1-01-68	-c -00	4.1	4,83	PBD-ODNRB / O-ZGRYZC / Rb IVD / PR	274,97 m3 / 19,88 m3	0,68 ha / 0,87 ha / 4,83 ha / 4,83 ha
13-16-1-01-68	-d -00	2.1	3,65			
13-16-1-01-68	-d -00	1.1.2	3,65			
13-16-1-01-68	-d -00	4.1	3,65			
13-16-1-01-68	-d -00	3.2	3,65			
13-16-1-01-68	-f -00	1.1.2	3,5			
13-16-1-01-68	-f -00	2.1	3,5			
13-16-1-01-68	-f -00	4.1	3,5			
13-16-1-01-68	-g -00	2.1	5,63			
13-16-1-01-68	-g -00	1.1.2	5,63			
13-16-1-01-68	-g -00	4.1	5,63			
13-16-1-01-68	-h -00	2.1	1,48			
13-16-1-01-68	-h -00	1.1.2	1,48			
13-16-1-01-68	-h -00	4.1	1,48			
13-16-1-01-68	-i -00	1.1.2	4,23			
13-16-1-01-68	-i -00	2.1	4,23			
13-16-1-01-68	-i -00	4.1	4,23			
13-16-1-01-68	-j -00	1.1.2	0,66			
13-16-1-01-68	-j -00	2.1	0,66			
13-16-1-01-68	-j -00	4.1	0,66			
13-16-1-01-68	-k -00	1.1.2	0,71			ps
13-16-1-01-68	-k -00	2.1	0,71			ps
13-16-1-01-68	-l -00	2.1	1,99			ps
13-16-1-01-68	-m -00	1.1.2	0,17			potok
13-16-1-01-68	-m -00	2.1	0,17			potok
13-16-1-01-68	-n -00	2.1	0,41			zab inne
13-16-1-01-69	-a -00	1.1.2	5,13	PR	7,39 m3	5,13 ha
13-16-1-01-69	-a -00	2.1	5,13	PR	7,39 m3	5,13 ha

13-16-1-01-69	-a -00	4.1	5,13	PR	7,39 m3	5,13 ha
13-16-1-01-69	-b -00	1.1.2	4,55	PR	6,78 m3	4,55 ha
13-16-1-01-69	-b -00	2.1	4,55	PR	6,78 m3	4,55 ha
13-16-1-01-69	-b -00	4.1	4,55	PR	6,78 m3	4,55 ha
13-16-1-01-69	-c -00	2.1	5,48			
13-16-1-01-69	-c -00	1.1.2	5,48			
13-16-1-01-69	-c -00	4.1	5,48			
13-16-1-01-69	-d -00	1.1.2	1,26			
13-16-1-01-69	-d -00	2.1	1,26			
13-16-1-01-69	-d -00	4.1	1,26			
13-16-1-01-69	-f -00	2.1	3,52			pow referencyjne
13-16-1-01-69	-f -00	1.1.2	3,52			pow referencyjne
13-16-1-01-69	-f -00	3.2	3,52			pow referencyjne
13-16-1-01-69	-f -00	4.1	3,52			pow referencyjne
13-16-1-01-69	-g -00	2.1	1,15			
13-16-1-01-69	-g -00	1.1.2	1,15			
13-16-1-01-69	-g -00	4.1	1,15			
13-16-1-01-69	-i -00	1.1.2	6,95			
13-16-1-01-69	-i -00	2.1	6,95			
13-16-1-01-69	-i -00	3.2	6,95			
13-16-1-01-69	-i -00	4.1	6,95			
13-16-1-01-70	-a -00	1.1.2	13,24			
13-16-1-01-70	-a -00	2.1	13,24			
13-16-1-01-70	-a -00	3.2	13,24			
13-16-1-01-70	-a -00	4.1	13,24			
13-16-1-01-70	-b -00	2.1	3,35	O-ZGRYZD		3,35 ha
13-16-1-01-70	-b -00	3.2	0	O-ZGRYZD		3,35 ha
13-16-1-01-70	-b -00	1.1.2	3,35	O-ZGRYZD		3,35 ha
13-16-1-01-70	-b -00	4.1	3,35	O-ZGRYZD		3,35 ha
13-16-1-01-70	-c -00	1.1.2	1,74	TPP	94,72 m3	1,74 ha
13-16-1-01-70	-c -00	3.2	1,74	TPP	94,72 m3	1,74 ha
13-16-1-01-70	-c -00	2.1	1,74	TPP	94,72 m3	1,74 ha
13-16-1-01-70	-c -00	4.1	1,74	TPP	94,72 m3	1,74 ha
13-16-1-01-70	-d -00	2.1	0,08			potok
13-16-1-01-70	-d -00	1.1.2	0,08			potok
13-16-1-01-70	-d -00	3.2	0,08			potok
13-16-1-01-71	-a -00	1.1.2	2,44			
13-16-1-01-71	-a -00	2.1	2,44			
13-16-1-01-71	-a -00	4.1	2,44			
13-16-1-01-71	-a -00	4.2	2,44			
13-16-1-01-71	-b -00	2.1	6,54	UPRZPOZ	13,46 m3	0,14 ha
13-16-1-01-71	-b -00	1.1.2	6,54	UPRZPOZ	13,46 m3	0,14 ha
13-16-1-01-71	-b -00	4.2	6,54	UPRZPOZ	13,46 m3	0,14 ha
13-16-1-01-71	-b -00	4.1	6,54	UPRZPOZ	13,46 m3	0,14 ha
13-16-1-01-71	-c -00	2.1	6,13	UPRZPOZ	35,77 m3	0,14 ha
13-16-1-01-71	-c -00	1.1.2	6,13	UPRZPOZ	35,77 m3	0,14 ha
13-16-1-01-71	-c -00	4.2	6,13	UPRZPOZ	35,77 m3	0,14 ha
13-16-1-01-71	-c -00	4.1	6,13	UPRZPOZ	35,77 m3	0,14 ha
13-16-1-01-71	-d -00	2.1	2,46	MA-PORZ / PBD-ODNRB / O-GRODZN / O-ZGRYZC / Rb IVD	201,81 m3	0,74 ha / 0,57 ha / 0,34 ha / 0,37 ha / 2,46 ha
13-16-1-01-71	-d -00	1.1.2	2,46	MA-PORZ / PBD-ODNRB / O-GRODZN / O-ZGRYZC / Rb IVD	201,81 m3	0,74 ha / 0,57 ha / 0,34 ha / 0,37 ha / 2,46 ha
13-16-1-01-71	-d -00	4.1	2,46	MA-PORZ / PBD-ODNRB / O-GRODZN / O-ZGRYZC / Rb IVD	201,81 m3	0,74 ha / 0,57 ha / 0,34 ha / 0,37 ha / 2,46 ha
13-16-1-01-71	-d -00	4.2	2,46	MA-PORZ / PBD-ODNRB / O-GRODZN / O-ZGRYZC / Rb IVD	201,81 m3	0,74 ha / 0,57 ha / 0,34 ha / 0,37 ha / 2,46 ha
13-16-1-01-71	-f -00	2.1	1,78			
13-16-1-01-71	-f -00	1.1.2	1,78			
13-16-1-01-71	-f -00	4.1	1,78			
13-16-1-01-71	-f -00	4.2	1,78			
13-16-1-01-71	-g -00	1.1.2	5,46	PTP	5,26 m3	5,46 ha
13-16-1-01-71	-g -00	2.1	5,46	PTP	5,26 m3	5,46 ha
13-16-1-01-71	-g -00	4.1	5,46	PTP	5,26 m3	5,46 ha
13-16-1-01-71	-g -00	4.2	5,46	PTP	5,26 m3	5,46 ha
13-16-1-01-71	-h -00	1.1.2	4,17			
13-16-1-01-71	-h -00	2.1	4,17			
13-16-1-01-71	-h -00	4.1	4,17			

13-16-1-01-71	-h	-00	4.2	4,17			
13-16-1-01-71	-i	-00	1.1.2	1,64			kopalnia kamienia
13-16-1-01-71	-i	-00	2.1	1,64			kopalnia kamienia
13-16-1-01-72	-a	-00	2.1	3,26	PR	18,35 m3	3,26 ha
13-16-1-01-72	-a	-00	1.1.2	3,26	PR	18,35 m3	3,26 ha
13-16-1-01-72	-a	-00	4.1	3,26	PR	18,35 m3	3,26 ha
13-16-1-01-72	-b	-00	2.1	0,41			teren zabudowany inny
13-16-1-01-72	-b	-00	1.1.2	0,41			teren zabudowany inny
13-16-1-01-72	-c	-00	1.1.2	0,72			ośrodek wypoczynkowy
13-16-1-01-72	-c	-00	2.1	0,72			ośrodek wypoczynkowy
13-16-1-01-72	-d	-00	2.1	5,14	PTP	49,08 m3	5,14 ha
13-16-1-01-72	-d	-00	1.1.2	5,14	PTP	49,08 m3	5,14 ha
13-16-1-01-72	-d	-00	4.1	5,14	PTP	49,08 m3	5,14 ha
13-16-1-01-72	-f	-00	1.1.2	0,78			
13-16-1-01-72	-f	-00	2.1	0,78			
13-16-1-01-72	-f	-00	4.1	0,78			
13-16-1-01-72	-g	-00	2.1	0,21			Rola
13-16-1-01-72	-g	-00	1.1.2	0,21			rola
13-16-1-01-72	-h	-00	3.2	2,18	O-ZGRYZD / TPP	120,30 m3	2,18 ha / 2,18 ha
13-16-1-01-72	-h	-00	2.1	2,18	O-ZGRYZD / TPP	120,30 m3	2,18 ha / 2,18 ha
13-16-1-01-72	-h	-00	1.1.2	2,18	O-ZGRYZD / TPP	120,30 m3	2,18 ha / 2,18 ha
13-16-1-01-72	-h	-00	4.1	2,18	O-ZGRYZD / TPP	120,30 m3	2,18 ha / 2,18 ha
13-16-1-01-72	-i	-00	2.1	5,01	PR	6,12 m3	5,01 ha
13-16-1-01-72	-i	-00	1.1.2	5,01	PR	6,12 m3	5,01 ha
13-16-1-01-72	-i	-00	4.1	5,01	PR	6,12 m3	5,01 ha
13-16-1-01-72	-j	-00	2.1	1,02	PBD-ODNRB / PBDODNRBN		0,40 ha / 0,40 ha
13-16-1-01-72	-j	-00	1.1.2	1,02	PBD-ODNRB / PBDODNRBN		0,40 ha / 0,40 ha
13-16-1-01-72	-j	-00	4.1	1,02	PBD-ODNRB / PBDODNRBN		0,40 ha / 0,40 ha
13-16-1-01-72	-k	-00	1.1.2	3,85	PBD-ODNL / TPP	288,80 m3	0,30 ha / 3,85 ha
13-16-1-01-72	-k	-00	2.1	3,85	PBD-ODNL / TPP	288,80 m3	0,30 ha / 3,85 ha
13-16-1-01-72	-k	-00	4.1	3,85	PBD-ODNL / TPP	288,80 m3	0,30 ha / 3,85 ha
13-16-1-01-72	-l	-00	2.1	2,4	CP		2,40 ha
13-16-1-01-72	-l	-00	1.1.2	2,4	CP		2,40 ha
13-16-1-01-72	-l	-00	4.1	2,4	CP		2,40 ha
13-16-1-01-72	-m	-00	1.1.2	2,12	PR	4,77 m3	2,12 ha
13-16-1-01-72	-m	-00	2.1	2,12	PR	4,77 m3	2,12 ha
13-16-1-01-72	-m	-00	4.1	2,12	PR	4,77 m3	2,12 ha
13-16-1-01-73	-a	-00	1.1.2	1,98			ps
13-16-1-01-73	-a	-00	2.1	1,98			ps
13-16-1-01-73	-b	-00	1.1.2	5,91	PTP	15,77 m3	5,91 ha
13-16-1-01-73	-b	-00	2.1	5,91	PTP	15,77 m3	5,91 ha
13-16-1-01-73	-b	-00	4.1	5,91	PTP	15,77 m3	5,91 ha
13-16-1-01-73	-c	-00	1.1.2	1,75			
13-16-1-01-73	-c	-00	2.1	1,75			
13-16-1-01-73	-c	-00	4.1	1,75			
13-16-1-01-73	-d	-00	2.1	5,01	PR	5,71 m3	5,01 ha
13-16-1-01-73	-d	-00	1.1.2	5,01	PR	5,71 m3	5,01 ha
13-16-1-01-73	-d	-00	4.1	5,01	PR	5,71 m3	5,01 ha
13-16-1-01-73	-f	-00	2.1	0,14			zab inne
13-16-1-01-74	-a	-00	2.1	1,19			rola
13-16-1-01-74	-b	-00	2.1	0,51			ps
13-16-1-01-74	-c	-00	1.1.2	1,59	TPP	82,20 m3	1,59 ha
13-16-1-01-74	-c	-00	2.1	1,59	TPP	82,20 m3	1,59 ha
13-16-1-01-74	-c	-00	4.1	1,59	TPP	82,20 m3	1,59 ha
13-16-1-01-74	-d	-00	1.1.2	1,35			ps
13-16-1-01-74	-d	-00	2.1	1,35			ps
13-16-1-01-74	-f	-00	2.1	0,36			
13-16-1-01-74	-f	-00	1.1.2	0,36			
13-16-1-01-74	-f	-00	4.1	0,36			
13-16-1-01-74	-g	-00	2.1	1,3			
13-16-1-01-74	-g	-00	1.1.2	1,3			
13-16-1-01-74	-g	-00	4.1	1,3			
13-16-1-01-74	-h	-00	1.1.2	0,96			
13-16-1-01-74	-h	-00	2.1	0,96			
13-16-1-01-74	-h	-00	4.1	0,96			
13-16-1-01-74	-i	-00	1.1.2	0,6			
13-16-1-01-74	-i	-00	2.1	0,6			
13-16-1-01-74	-i	-00	4.1	0,6			

13-16-1-01-74 -j -00	2.1	2,41	UPRZPOZ	9,18 m3	
13-16-1-01-74 -j -00	1.1.2	2,41	UPRZPOZ	9,18 m3	
13-16-1-01-74 -j -00	4.1	2,41	UPRZPOZ	9,18 m3	
13-16-1-01-74 -k -00	1.1.2	5,2			
13-16-1-01-74 -k -00	2.1	5,2			
13-16-1-01-74 -k -00	4.1	5,2			
13-16-1-01-74 -l -00	1.1.2	1,52			
13-16-1-01-74 -l -00	2.1	1,52			
13-16-1-01-74 -l -00	4.1	1,52			
13-16-1-01-74 -m -00	1.1.2	1,15			
13-16-1-01-74 -m -00	3.2	1,15			
13-16-1-01-74 -m -00	2.1	1,15			
13-16-1-01-74 -m -00	4.1	1,15			
13-16-1-01-74 -n -00	1.1.2	2,01			
13-16-1-01-74 -n -00	2.1	2,01			
13-16-1-01-74 -n -00	4.1	2,01			
Goworów					
13-16-1-02-100 -a -00	2.1	2,81			
13-16-1-02-100 -a -00	1.1.2	2,81			
13-16-1-02-100 -a -00	4.2	2,81			
13-16-1-02-100 -a -00	4.1	2,81			
13-16-1-02-100 -b -00	1.1.2	6,21	PIEL O-ZGRYZC	HA 0.80 HA 0.40	
13-16-1-02-100 -b -00	2.1	6,21	PIEL O-ZGRYZC	HA 0.80 HA 0.40	
13-16-1-02-100 -b -00	4.1	6,21	PIEL O-ZGRYZC	HA 0.80 HA 0.40	
13-16-1-02-100 -b -00	4.2	6,21	PIEL O-ZGRYZC	HA 0.80 HA 0.40	
13-16-1-02-100 -c -00	1.1.2	1,88			
13-16-1-02-100 -c -00	2.1	1,88			
13-16-1-02-100 -c -00	4.1	1,88			
13-16-1-02-100 -c -00	4.2	1,88			
13-16-1-02-100 -d -00	1.1.2	4,78	PBD-ODNL SADZ-WN PIEL	HA 0.12 TSZT 0.7 HA 0.5	BK1/0 0.60 CZR.P2/0 0.1 -
13-16-1-02-100 -d -00	2.1	4,78	PBD-ODNL SADZ-WN PIEL	HA 0.12 TSZT 0.7 HA 0.5	BK1/0 0.60 CZR.P2/0 0.1 -
13-16-1-02-100 -d -00	4.1	4,78	PBD-ODNL SADZ-WN PIEL	HA 0.12 TSZT 0.7 HA 0.5	BK1/0 0.60 CZR.P2/0 0.1 -
13-16-1-02-100 -d -00	4.2	4,78	PBD-ODNL SADZ-WN PIEL	HA 0.12 TSZT 0.7 HA 0.5	BK1/0 0.60 CZR.P2/0 0.1 -
13-16-1-02-100 -f -00	2.1	2,97			
13-16-1-02-100 -f -00	1.1.2	2,97			
13-16-1-02-100 -f -00	4.2	2,97			
13-16-1-02-100 -f -00	4.1	2,97			
13-16-1-02-100 -g -00	3.1	0,00	TPN	283.15 M3	
13-16-1-02-100 -g -00	1.1.2	5,14	TPN	283.15 M3	
13-16-1-02-100 -g -00	2.1	5,14	TPN	283.15 M3	
13-16-1-02-100 -g -00	4.2	5,14	TPN	283.15 M3	
13-16-1-02-100 -g -00	4.1	5,14	TPN	283.15 M3	
13-16-1-02-100 -h -00	2.1	0,95			
13-16-1-02-100 -h -00	1.1.2	0,95			
13-16-1-02-100 -h -00	4.2	0,95			
13-16-1-02-100 -h -00	4.1	0,95			
13-16-1-02-100 -i -00	3.1	0,38			linia energetyczna
13-16-1-02-100 -i -00	1.1.2	0,38			linia energetyczna
13-16-1-02-100 -i -00	2.1	0,38			linia energetyczna
13-16-1-02-100 -j -00	1.1.2	0,12			
13-16-1-02-100 -j -00	2.1	0,12			
13-16-1-02-100 -j -00	4.1	0,12			
13-16-1-02-100 -j -00	4.2	0,12			
13-16-1-02-100 -k -00	2.1	0,16			skład drewna
13-16-1-02-100 -l -00	3.1	0,93			
13-16-1-02-100 -l -00	2.1	0,93			
13-16-1-02-100 -l -00	4.1	0,93			
13-16-1-02-100 -l -00	4.2	0,93			
13-16-1-02-100 -m -00	3.1	0,98			

13-16-1-02-100 -m -00	2.1	0,98			
13-16-1-02-100 -m -00	4.2	0,98			
13-16-1-02-100 -m -00	4.1	0,98			
13-16-1-02-100 -n -00	3.1	0,04			linia energetyczna
13-16-1-02-100 -n -00	2.1	0,04			linia energetyczna
13-16-1-02-100A -a -00	1.1.2	15,19	PIEL	HA 0.50	
13-16-1-02-100A -a -00	2.1	15,19	PIEL	HA 0.50	
13-16-1-02-100A -a -00	4.1	15,19	PIEL	HA 0.50	
13-16-1-02-100A -a -00	4.2	15,19	PIEL	HA 0.50	
13-16-1-02-100A -b -00	2.1	0,24			linia energetyczna
13-16-1-02-100A -b -00	1.1.2	0,24			linia energetyczna
13-16-1-02-100A -c -00	1.1.2	0,65			
13-16-1-02-100A -c -00	2.1	0,65			
13-16-1-02-100A -c -00	4.1	0,65			
13-16-1-02-100A -c -00	4.2	0,65			
13-16-1-02-100A -d -00	2.1	1,09	PIEL	HA 0.10	
13-16-1-02-100A -d -00	1.1.2	1,09	PIEL	HA 0.10	
13-16-1-02-100A -d -00	4.1	1,09	PIEL	HA 0.10	
13-16-1-02-100A -d -00	4.2	1,09	PIEL	HA 0.10	
13-16-1-02-100A -f -00	2.1	0,62			
13-16-1-02-100A -f -00	1.1.2	0,62			
13-16-1-02-100A -f -00	4.2	0,62			
13-16-1-02-100A -f -00	4.1	0,62			
13-16-1-02-101 -a -00	2.1	1,57			
13-16-1-02-101 -a -00	1.1.2	1,57			
13-16-1-02-101 -a -00	3.2	1,57			
13-16-1-02-101 -a -00	4.2	1,57			
13-16-1-02-101 -a -00	4.1	1,57			
13-16-1-02-101 -b -00	1.1.2	4,88			
13-16-1-02-101 -b -00	2.1	4,88			
13-16-1-02-101 -b -00	3.2	4,88			
13-16-1-02-101 -b -00	4.2	4,88			
13-16-1-02-101 -b -00	4.1	4,88			
13-16-1-02-101 -c -00	1.1.2	3,72			
13-16-1-02-101 -c -00	2.1	3,72			
13-16-1-02-101 -c -00	4.2	3,72			
13-16-1-02-101 -c -00	4.1	3,72			
13-16-1-02-101 -d -00	1.1.2	1,74			
13-16-1-02-101 -d -00	2.1	1,74			
13-16-1-02-101 -d -00	4.1	1,74			
13-16-1-02-101 -d -00	4.2	1,74			
13-16-1-02-101 -f -00	1.1.2	5,22			
13-16-1-02-101 -f -00	3.2	5,22			
13-16-1-02-101 -f -00	2.1	5,22			
13-16-1-02-101 -f -00	4.1	5,22			
13-16-1-02-101 -f -00	4.2	5,22			
13-16-1-02-101 -g -00	1.1.2	10,46			
13-16-1-02-101 -g -00	3.2	10,46			
13-16-1-02-101 -g -00	2.1	10,46			
13-16-1-02-101 -g -00	4.1	10,46			
13-16-1-02-101 -g -00	4.2	10,46			
13-16-1-02-101 -h -00	1.1.2	1,27			
13-16-1-02-101 -h -00	2.1	1,27			
13-16-1-02-101 -h -00	3.2	1,27			
13-16-1-02-101 -h -00	4.1	1,27			
13-16-1-02-101 -h -00	4.2	1,27			
13-16-1-02-101 -i -00	1.1.2	3,16	PIEL	HA 0.20	
13-16-1-02-101 -i -00	2.1	3,16	PIEL	HA 0.20	
13-16-1-02-101 -i -00	4.1	3,16	PIEL	HA 0.20	
13-16-1-02-101 -i -00	4.2	3,16	PIEL	HA 0.20	
13-16-1-02-101 -j -00	3.2	4,27			
13-16-1-02-101 -j -00	1.1.2	4,27			
13-16-1-02-101 -j -00	2.1	4,27			
13-16-1-02-101 -j -00	4.1	4,27			
13-16-1-02-101 -j -00	4.2	4,27			
13-16-1-02-101 -k -00	3.2	3,10			
13-16-1-02-101 -k -00	1.1.2	3,10			
13-16-1-02-101 -k -00	2.1	3,10			
13-16-1-02-101 -k -00	4.2	3,10			
13-16-1-02-101 -k -00	4.1	3,10			
13-16-1-02-101 -l -00	1.1.2	0,93			

13-16-1-02-101 -l -00	2.1	0,93			
13-16-1-02-101 -l -00	4.1	0,93			
13-16-1-02-101 -l -00	4.2	0,93			
13-16-1-02-101 -m -00	2.1	2,32			
13-16-1-02-101 -m -00	3.2	0,00			
13-16-1-02-101 -m -00	1.1.2	2,32			
13-16-1-02-101 -m -00	4.2	2,32			
13-16-1-02-101 -m -00	4.1	2,32			
13-16-1-02-105 -a -00	4.1	2,19			
13-16-1-02-105 -b -00	4.1	2,05			
13-16-1-02-105 -c -00	4.1	4,58	PBD-ODNRB SAD-B>300 PIEL	HA 0.07 TSZT 0.31 HA 0.30	JD1/2K 0.21 CZR.P2/0 0.1 -
13-16-1-02-105 -c -00	3.2	0,00	PBD-ODNRB SAD-B>300 PIEL	HA 0.07 TSZT 0.31 HA 0.30	JD1/2K 0.21 CZR.P2/0 0.1 -
13-16-1-02-105 -d -00	4.1	6,24			
13-16-1-02-105 -f -00	4.1	3,47			
13-16-1-02-105 -g -00	4.1	5,84			
13-16-1-02-105 -h -00	4.1	1,70	PBD-ODNL SADZ-WM O-ZGRYZC	HA 0.05 TSZT 0.30 HA 0.10	BK1/0 0.30 -
13-16-1-02-105 -i -00	4.1	2,97			
13-16-1-02-105 -j -00	3.2	0,66			
13-16-1-02-105 -j -00	4.1	0,66			
13-16-1-02-105 -k -00	4.1	1,99			
13-16-1-02-105 -l -00	3.2	0,39			
13-16-1-02-105 -l -00	4.1	0,39			
13-16-1-02-105 -m -00	4.1	1,06			
13-16-1-02-105 -n -00	4.1	0,14			
13-16-1-02-105 -o -00	4.1	5,60	PIEL O-ZGRYZC	HA 0.30 HA 0.30	
13-16-1-02-105 -o -00	3.2	0,00	PIEL O-ZGRYZC	HA 0.30 HA 0.30	
13-16-1-02-105 -p -00	4.1	1,01	PIEL O-ZGRYZC	HA 0.30 HA 0.30	
13-16-1-02-105 -s -00	4.1	0,34			
13-16-1-02-106 -a -00	4.1	7,31			
13-16-1-02-106 -a -00	3.2	0,00			
13-16-1-02-106 -b -00	4.1	7,39			
13-16-1-02-106 -c -00	4.1	1,59			
13-16-1-02-106 -d -00	4.1	5,75	PBD-ODNRB SADZ-WM PIEL	HA 0.12 TSZT 0.7 HA 0.6	BK1/0 0.6 CZR.P2/0 0.1 -
13-16-1-02-107 -a -00	4.1	1,16			
13-16-1-02-107 -b -00	4.1	2,25	TPP	44.33 M3	
13-16-1-02-107 -c -00	4.1	1,62	PIEL	HA 0.50	
13-16-1-02-107 -d -00	4.1	3,80			
13-16-1-02-107 -f -00	4.1	2,18	TPP	88.20 M3	
13-16-1-02-107 -g -00	4.1	10,42	PIEL O-ZGRYZC	HA 0.80 HA 1.00	
13-16-1-02-107 -h -00	4.1	4,21			
13-16-1-02-108 -a -00	4.1	3,58			
13-16-1-02-108 -b -00	4.1	2,72			
13-16-1-02-108 -c -00	4.1	2,25	PIEL O-ZGRYZC	HA 1.00 HA 1.00	
13-16-1-02-108 -d -00	4.1	2,42	TPN	63.55 M3	
13-16-1-02-108 -f -00	4.1	1,77			
13-16-1-02-108 -g -00	4.1	0,72			
13-16-1-02-75 -a -00	2.1	7,93			
13-16-1-02-75 -a -00	1.1.2	7,93			
13-16-1-02-75 -a -00	3.2	0,00			
13-16-1-02-75 -a -00	4.1	7,93			
13-16-1-02-75 -b -00	2.1	0,96			
13-16-1-02-75 -b -00	1.1.2	0,96			
13-16-1-02-75 -b -00	4.1	0,96			
13-16-1-02-75 -c -00	2.1	3,05			
13-16-1-02-75 -c -00	1.1.2	3,05			
13-16-1-02-75 -c -00	4.1	3,05			
13-16-1-02-75 -d -00	2.1	1,75			

13-16-1-02-75	-d -00	1.1.2	1,75			
13-16-1-02-75	-d -00	4.1	1,75			
13-16-1-02-75	-f -00	2.1	1,90			
13-16-1-02-75	-f -00	1.1.2	1,90			
13-16-1-02-75	-f -00	4.1	1,90			
13-16-1-02-75	-g -00	1.1.2	3,17			
13-16-1-02-75	-g -00	2.1	3,17			
13-16-1-02-75	-g -00	3.2	3,17			
13-16-1-02-75	-g -00	4.1	3,17			
13-16-1-02-75	-h -00	1.1.2	3,88			
13-16-1-02-75	-h -00	2.1	3,88			
13-16-1-02-75	-h -00	4.1	3,88			
13-16-1-02-76	-a -00	1.1.2	3,24			
13-16-1-02-76	-a -00	2.1	3,24			
13-16-1-02-76	-a -00	4.1	3,24			
13-16-1-02-76	-b -00	1.1.2	2,62			
13-16-1-02-76	-b -00	2.1	2,62			
13-16-1-02-76	-b -00	4.1	2,62			
13-16-1-02-76	-c -00	1.1.2	4,19			
13-16-1-02-76	-c -00	2.1	4,19			
13-16-1-02-76	-c -00	4.1	4,19			
13-16-1-02-76	-d -00	2.1	1,33			
13-16-1-02-76	-d -00	1.1.2	1,33			
13-16-1-02-76	-d -00	4.1	1,33			
13-16-1-02-76	-f -00	1.1.2	1,01			
13-16-1-02-76	-f -00	2.1	1,01			
13-16-1-02-76	-f -00	4.1	1,01			
13-16-1-02-76	-g -00	3.2	1,92			
13-16-1-02-76	-g -00	2.1	1,92			
13-16-1-02-76	-g -00	1.1.2	1,92			
13-16-1-02-76	-g -00	4.1	1,92			
13-16-1-02-77	-a -00	1.1.2	3,69	Rb IVD PBD-ODNRB SADZ O-ZGRYZC MA-PORZ	262.52 M3 TSZT 6.00 HA 1.00 HA 1.00 HA 1.00	BK 2/0
13-16-1-02-77	-a -00	2.1	3,69	Rb IVD PBD-ODNRB SADZ O-ZGRYZC MA-PORZ	262.52 M3 TSZT 6.00 HA 1.00 HA 1.00 1.00	BK 2/0
13-16-1-02-77	-a -00	4.1	3,69	Rb IVD PBD-ODNRB SADZ O-ZGRYZC MA-PORZ	262.52 M3 TSZT 6.00 HA 1.00 HA 1.00 1.00	BK 2/0
13-16-1-02-77	-b -00	1.1.2	3,51			
13-16-1-02-77	-b -00	2.1	3,51			
13-16-1-02-77	-b -00	4.1	3,51			
13-16-1-02-77	-c -00	1.1.2	9,78			
13-16-1-02-77	-c -00	2.1	9,78			
13-16-1-02-77	-c -00	4.1	9,78			
13-16-1-02-77	-d -00	2.1	2,25			
13-16-1-02-77	-d -00	1.1.2	2,25			
13-16-1-02-77	-d -00	4.1	2,25			
13-16-1-02-77	-f -00	2.1	0,98			
13-16-1-02-77	-f -00	1.1.2	0,98			
13-16-1-02-77	-f -00	4.1	0,98			
13-16-1-02-77	-g -00	2.1	5,42			
13-16-1-02-77	-g -00	1.1.2	5,42			
13-16-1-02-77	-g -00	4.1	5,42			
13-16-1-02-77	-h -00	1.1.2	1,43			
13-16-1-02-77	-h -00	2.1	1,43			
13-16-1-02-77	-h -00	4.1	1,43			
13-16-1-02-77	-i -00	2.1	0,89			
13-16-1-02-77	-i -00	1.1.2	0,89			
13-16-1-02-77	-i -00	4.1	0,89			
13-16-1-02-78	-a -00	2.1	2,70			
13-16-1-02-78	-a -00	1.1.2	2,70			
13-16-1-02-78	-a -00	3.2	2,70			
13-16-1-02-78	-a -00	4.1	2,70			

13-16-1-02-78	-b -00	2.1	2,12			
13-16-1-02-78	-b -00	1.1.2	2,12			
13-16-1-02-78	-b -00	3.2	0,00			
13-16-1-02-78	-b -00	4.1	2,12			
13-16-1-02-78	-c -00	2.1	2,07			
13-16-1-02-78	-c -00	1.1.2	2,07			
13-16-1-02-78	-c -00	4.1	2,07			
13-16-1-02-78	-d -00	2.1	2,33			
13-16-1-02-78	-d -00	1.1.2	2,33			
13-16-1-02-78	-d -00	4.1	2,33			
13-16-1-02-78	-f -00	2.1	2,42	PIEL	HA 0.20	
13-16-1-02-78	-f -00	1.1.2	2,42	PIEL	HA 0.20	
13-16-1-02-78	-f -00	4.1	2,42	PIEL	HA 0.20	
13-16-1-02-78	-g -00	2.1	0,81	CW	HA 0.81	
13-16-1-02-78	-g -00	1.1.2	0,81	CW	HA 0.81	
13-16-1-02-78	-g -00	4.1	0,81	CW	HA 0.81	
13-16-1-02-79	-a -00	3.2	1,05			
13-16-1-02-79	-a -00	2.1	1,05			
13-16-1-02-79	-a -00	1.1.2	1,05			
13-16-1-02-79	-a -00	4.1	1,05			
13-16-1-02-79	-b -00	1.1.2	1,50			
13-16-1-02-79	-b -00	2.1	1,50			
13-16-1-02-79	-b -00	4.1	1,50			
13-16-1-02-79	-c -00	1.1.2	10,34			
13-16-1-02-79	-c -00	2.1	10,34			
13-16-1-02-79	-c -00	3.2	0,00			
13-16-1-02-79	-c -00	4.1	10,34			
13-16-1-02-79	-d -00	2.1	1,27			
13-16-1-02-79	-d -00	1.1.2	1,27			
13-16-1-02-79	-d -00	3.2	1,27			
13-16-1-02-79	-d -00	4.1	1,27			
13-16-1-02-79	-f -00	2.1	3,02			
13-16-1-02-79	-f -00	1.1.2	3,02			
13-16-1-02-79	-f -00	4.1	3,02			
13-16-1-02-79	-g -00	3.2	8,19			
13-16-1-02-79	-g -00	2.1	8,19			
13-16-1-02-79	-g -00	1.1.2	8,19			
13-16-1-02-79	-g -00	4.1	8,19			
13-16-1-02-80	-a -00	1.1.2	1,16			
13-16-1-02-80	-a -00	2.1	1,16			
13-16-1-02-80	-a -00	4.1	1,16			
13-16-1-02-80	-b -00	2.1	3,53			
13-16-1-02-80	-b -00	1.1.2	3,53			
13-16-1-02-80	-b -00	4.1	3,53			
13-16-1-02-80	-c -00	1.1.2	2,87			
13-16-1-02-80	-c -00	2.1	2,87			
13-16-1-02-80	-c -00	4.1	2,87			
13-16-1-02-80	-d -00	1.1.2	9,90	RB IVD	1380.12 M3	
13-16-1-02-80	-d -00	2.1	9,90	RB IVD	1380.12 M3	
13-16-1-02-80	-d -00	4.1	9,90	RB IVD	1380.12 M3	
13-16-1-02-80	-f -00	2.1	1,28			
13-16-1-02-80	-f -00	1.1.2	1,28			
13-16-1-02-80	-f -00	4.1	1,28			
13-16-1-02-80	-g -00	1.1.2	1,72			
13-16-1-02-80	-g -00	2.1	1,72			
13-16-1-02-80	-g -00	4.1	1,72			
13-16-1-02-80	-h -00	2.1	1,15			
13-16-1-02-80	-h -00	1.1.2	1,15			
13-16-1-02-80	-h -00	4.1	1,15			
13-16-1-02-81	-a -00	1.1.2	1,93			
13-16-1-02-81	-a -00	2.1	1,93			
13-16-1-02-81	-a -00	4.1	1,93			
13-16-1-02-81	-b -00	2.1	4,13			
13-16-1-02-81	-b -00	1.1.2	4,13			
13-16-1-02-81	-b -00	4.1	4,13			
13-16-1-02-81	-c -00	1.1.2	2,67			
13-16-1-02-81	-c -00	2.1	2,67			
13-16-1-02-81	-c -00	4.1	2,67			
13-16-1-02-81	-d -00	1.1.2	2,93			
13-16-1-02-81	-d -00	2.1	2,93			
13-16-1-02-81	-d -00	4.1	2,93			

13-16-1-02-81 -f -00	2.1	3,93			
13-16-1-02-81 -f -00	1.1.2	3,93			
13-16-1-02-81 -f -00	4.1	3,93			
13-16-1-02-81 -g -00	1.1.2	4,74			
13-16-1-02-81 -g -00	3.2	4,74			
13-16-1-02-81 -g -00	2.1	4,74			
13-16-1-02-81 -g -00	4.1	4,74			
13-16-1-02-81 -h -00	2.1	3,28	RB IVD	639.42 M3	
13-16-1-02-81 -h -00	1.1.2	3,28	RB IVD	639.42 M3	
13-16-1-02-81 -h -00	4.1	3,28	RB IVD	639.42 M3	
13-16-1-02-82 -a -00	1.1.2	0,75			
13-16-1-02-82 -a -00	2.1	0,75			
13-16-1-02-82 -a -00	4.1	0,75			
13-16-1-02-82 -b -00	2.1	2,35			
13-16-1-02-82 -b -00	1.1.2	2,35			
13-16-1-02-82 -b -00	4.1	2,35			
13-16-1-02-82 -c -00	1.1.2	4,36			
13-16-1-02-82 -c -00	2.1	4,36			
13-16-1-02-82 -c -00	4.1	4,36			
13-16-1-02-82 -d -00	1.1.2	0,58			
13-16-1-02-82 -d -00	2.1	0,58			
13-16-1-02-82 -d -00	4.1	0,58			
13-16-1-02-82 -f -00	2.1	1,60			
13-16-1-02-82 -f -00	1.1.2	1,60			
13-16-1-02-82 -f -00	4.1	1,60			
13-16-1-02-82 -g -00	1.1.2	3,99			
13-16-1-02-82 -g -00	2.1	3,99			
13-16-1-02-82 -g -00	4.1	3,99			
13-16-1-02-82 -h -00	1.1.2	2,92			
13-16-1-02-82 -h -00	2.1	2,92			
13-16-1-02-82 -h -00	4.1	2,92			
13-16-1-02-83 -a -00	3.2	4,87	RB IIAU PBD-ODNRB SADZ-B>300 O-ZGRYZC	975.29 M3 HA 0.50 TSZT 2.25 HA 0.50	ŚW1/1K 2.25 -
13-16-1-02-83 -a -00	2.1	4,87	RB IIAU PBD-ODNRB SADZ-B>300 O-ZGRYZC	975.29 M3 HA 0.50 TSZT 2.25 HA 0.50	ŚW1/1K 2.25 -
13-16-1-02-83 -a -00	1.1.2	4,87	RB IIAU PBD-ODNRB SADZ-B>300 O-ZGRYZC	975.29 M3 HA 0.50 TSZT 2.25 HA 0.50	ŚW1/1K 2.25 -
13-16-1-02-83 -a -00	4.1	4,87	RB IIAU PBD-ODNRB SADZ-B>300 O-ZGRYZC	975.29 M3 HA 0.50 TSZT 2.25 HA 0.50	ŚW1/1K 2.25 -
13-16-1-02-83 -b -00	1.1.2	9,73			
13-16-1-02-83 -b -00	2.1	9,73			
13-16-1-02-83 -b -00	3.2	9,73			
13-16-1-02-83 -b -00	4.1	9,73			
13-16-1-02-83 -c -00	3.2	0,00	PIEL	HA 0.40	
13-16-1-02-83 -c -00	1.1.2	5,32	PIEL	HA 0.40	
13-16-1-02-83 -c -00	2.1	5,32	PIEL	HA 0.40	
13-16-1-02-83 -c -00	4.1	5,32	PIEL	HA 0.40	
13-16-1-02-83 -d -00	1.1.2	2,76			
13-16-1-02-83 -d -00	2.1	2,76			
13-16-1-02-83 -d -00	3.2	2,76			
13-16-1-02-83 -d -00	4.1	2,76			
13-16-1-02-83 -f -00	2.1	0,17			skład drewna
13-16-1-02-83 -f -00	3.2	0,17			skład drewna
13-16-1-02-83 -g -00	2.1	3,73			
13-16-1-02-83 -g -00	1.1.2	3,73			
13-16-1-02-83 -g -00	4.1	3,73			
13-16-1-02-83 -h -00	2.1	8,40	PIEL O-ZGRYZC	HA 1.00 HA 0.80	
13-16-1-02-83 -h -00	1.1.2	8,40	PIEL O-ZGRYZC	HA 1.00 HA 0.80	
13-16-1-02-83 -h -00	3.2	1,23	PIEL O-ZGRYZC	HA 1.00 HA 0.80	

13-16-1-02-83 -h -00	4.1	8,40	PIEL O-ZGRYZC	HA 1.00 HA 0.80	
13-16-1-02-84 -a -00	1.1.2	1,21			
13-16-1-02-84 -a -00	2.1	1,21			
13-16-1-02-84 -a -00	4.1	1,21			
13-16-1-02-84 -b -00	1.1.2	9,59	TWN PIEL-POZ	240.89 M3 HA 5.00	
13-16-1-02-84 -b -00	2.1	9,59	TWN PIEL-POZ	240.89 M3 HA 5.00	
13-16-1-02-84 -b -00	3.2	0,00	TWN PIEL-POZ	240.89 M3 HA 5.00	
13-16-1-02-84 -b -00	4.1	9,59	TWN PIEL-POZ	240.89 M3 HA 5.00	
13-16-1-02-84 -c -00	1.1.2	4,53			
13-16-1-02-84 -c -00	2.1	4,53			
13-16-1-02-84 -c -00	3.2	4,53			
13-16-1-02-84 -c -00	3.1	0,00			
13-16-1-02-84 -c -00	4.1	4,53			
13-16-1-02-84 -d -00	1.1.2	1,96			
13-16-1-02-84 -d -00	2.1	1,96			
13-16-1-02-84 -d -00	3.2	0,00			
13-16-1-02-84 -d -00	3.1	1,96			
13-16-1-02-84 -d -00	4.1	1,96			
13-16-1-02-84 -f -00	2.1	0,19			zab inne
13-16-1-02-84 -f -00	1.1.2	0,19			zab inne
13-16-1-02-84 -g -00	2.1	0,15			
13-16-1-02-84 -h -00	2.1	0,25			
13-16-1-02-84 -h -00	4.1	0,25			
13-16-1-02-84 -i -00	2.1	0,05			drogi inne
13-16-1-02-84 -j -00	1.1.2	1,76			
13-16-1-02-84 -j -00	2.1	1,76			
13-16-1-02-84 -j -00	4.1	1,76			
13-16-1-02-84 -k -00	2.1	0,75			rola
13-16-1-02-84 -l -00	2.1	1,19			
13-16-1-02-84 -l -00	4.1	1,19			
13-16-1-02-84 -m -00	3.2	5,82			
13-16-1-02-84 -m -00	1.1.2	5,82			
13-16-1-02-84 -m -00	2.1	5,82			
13-16-1-02-84 -m -00	4.1	5,82			
13-16-1-02-84 -n -00	2.1	1,64	PIEL O-ZGRYZC	HA 0.50 HA 0.50	
13-16-1-02-84 -n -00	4.1	1,64	PIEL O-ZGRYZC	HA 0.50 HA 0.50	
13-16-1-02-84 -o -00	2.1	1,10	PIEL O-ZGRYZC	HA 0.30 HA 0.30	
13-16-1-02-84 -o -00	4.1	1,10	PIEL O-ZGRYZC	HA 0.30 HA 0.30	
13-16-1-02-84 -p -00	2.1	7,47			
13-16-1-02-84 -p -00	1.1.2	7,47			
13-16-1-02-84 -p -00	4.1	7,47			
13-16-1-02-84 -r -00	2.1	1,01			
13-16-1-02-84 -r -00	1.1.2	1,01			
13-16-1-02-84 -r -00	4.1	1,01			
13-16-1-02-84 -s -00	1.1.2	1,10			
13-16-1-02-84 -s -00	2.1	1,10			
13-16-1-02-84 -s -00	4.1	1,10			
13-16-1-02-84 -t -00	1.1.2	1,23			
13-16-1-02-84 -t -00	2.1	1,23			
13-16-1-02-84 -t -00	4.1	1,23			
13-16-1-02-84 -w -00	1.1.2	3,19			
13-16-1-02-84 -w -00	2.1	3,19			
13-16-1-02-84 -w -00	4.1	3,19			
13-16-1-02-84 -x -00	2.1	1,03			
13-16-1-02-84 -x -00	1.1.2	1,03			
13-16-1-02-84 -x -00	4.1	1,03			
13-16-1-02-84 -y -00	1.1.2	0,05			skład drewna
13-16-1-02-84 -y -00	2.1	0,05			skład drewna
13-16-1-02-85 -a -00	2.1	0,79			ps
13-16-1-02-85 -b -00	1.1.2	5,03	RB IVD	650.27 M3	
13-16-1-02-85 -b -00	2.1	5,03	RB IVD	650.27 M3	
13-16-1-02-85 -b -00	4.1	5,03	RB IVD	650.27 M3	

13-16-1-02-85 -c -00	1.1.2		RB IIAU MA-PORZ PBD-ODNRB SADZ-B>300 SADZ-WM PIEL O-GRODZN	532.79 M3 HA 0.90 HA 0.90 TSZT 2.40 TSZT 1.20 HA 0.20 HA 0.90	M3P 400 - JD2/1K JD2/4 - HM 6,32
13-16-1-02-85 -c -00	2.1	4,84	RB IIAU MA-PORZ PBD-ODNRB SADZ-B>300 SADZ-WM PIEL O-GRODZN	532.79 M3 HA 0.90 HA 0.90 TSZT 2.40 TSZT 1.20 HA 0.20 HA 0.90	M3P 400 - JD2/1K JD2/4 - HM 6,32
13-16-1-02-85 -c -00	4.1	4,84	RB IIAU MA-PORZ PBD-ODNRB SADZ-B>300 SADZ-WM PIEL O-GRODZN	532.79 M3 HA 0.90 HA 0.90 TSZT 2.40 TSZT 1.20 HA 0.20 HA 0.90	M3P 400 - JD2/1K JD2/4 - HM 6,32
13-16-1-02-85 -d -00	1.1.2	7,42	RB IVD	221.89 M3	
13-16-1-02-85 -d -00	3.2	7,42	RB IVD	221.89 M3	
13-16-1-02-85 -d -00	2.1	7,42	RB IVD	221.89 M3	
13-16-1-02-85 -d -00	4.1	7,42	RB IVD	221.89 M3	
13-16-1-02-85 -f -00	1.1.2	3,09			
13-16-1-02-85 -f -00	2.1	3,09			
13-16-1-02-85 -f -00	4.1	3,09			
13-16-1-02-86 -a -00	2.1	a			
13-16-1-02-86 -a -00	1.1.2	1,12			
13-16-1-02-86 -a -00	4.1	1,12			
13-16-1-02-86 -b -00	2.1	4,79	PBD-ODNRB SAD-B>300 PIEL	HA 0.05 TSZT 0.20 HA 0.20	JD1/2K 0.20 -
13-16-1-02-86 -b -00	1.1.2	4,79	PBD-ODNRB SAD-B>300 PIEL	HA 0.05 TSZT 0.20 HA 0.20	JD1/2K 0.20 -
13-16-1-02-86 -b -00	4.1	4,79	PBD-ODNRB SAD-B>300 PIEL	HA 0.05 TSZT 0.20 HA 0.20	JD1/2K 0.20 -
13-16-1-02-86 -c -00	2.1	3,98			
13-16-1-02-86 -c -00	1.1.2	3,98			
13-16-1-02-86 -c -00	4.1	3,98			
13-16-1-02-86 -d -00	1.1.2	2,72			
13-16-1-02-86 -d -00	2.1	2,72			
13-16-1-02-86 -d -00	4.1	2,72			
13-16-1-02-86 -f -00	1.1.2	4,03			
13-16-1-02-86 -f -00	2.1	4,03			
13-16-1-02-86 -f -00	4.1	4,03			
13-16-1-02-86 -g -00	2.1	2,44	RB IVD MA-PORZ PBD-ODNRB SADZ-WM O-GRODZN	235.69 M3 HA 0.60 HA 0.62 TSZT 2.50 HA 1.2	CZR.P2/0 .1JD2/0 2.4 HM 4.40
13-16-1-02-86 -g -00	1.1.2	2,44	RB IVD MA-PORZ PBD-ODNRB SADZ-WM O-GRODZN	235.69 M3 HA 0.60 HA 0.62 TSZT 2.50 HA 1.2	CZR.P2/0 .1JD2/0 2.4 HM 4.40
13-16-1-02-86 -g -00	4.1	2,44	RB IVD MA-PORZ PBD-ODNRB SADZ-WM O-GRODZN	235.69 M3 HA 0.60 HA 0.62 TSZT 2.50 HA 1.2	CZR.P2/0 .1JD2/0 2.4 HM 4.40
13-16-1-02-86 -h -00	2.1	4,66	RB IVD	384.26 M3	
13-16-1-02-86 -h -00	1.1.2	4,66	RB IVD	384.26 M3	
13-16-1-02-86 -h -00	4.1	4,66	RB IVD	384.26 M3	
13-16-1-02-86 -i -00	2.1	2,87			
13-16-1-02-86 -i -00	1.1.2	2,87			
13-16-1-02-86 -i -00	4.1	2,87			
13-16-1-02-87 -a -00	2.1	5,12			

13-16-1-02-87 -a -00	1.1.2	5,12			
13-16-1-02-87 -a -00	4.1	5,12			
13-16-1-02-87 -b -00	2.1	0,08			poletko łowieckie
13-16-1-02-87 -b -00	1.1.2	0,08			poletko łowieckie
13-16-1-02-87 -b -00	4.1	0,08			poletko łowieckie
13-16-1-02-87 -c -00	2.1	3,28	TPP	257.55 M3	
13-16-1-02-87 -c -00	1.1.2	3,38	TPP	257.55 M3	
13-16-1-02-87 -c -00	4.1	3,38	TPP	257.55 M3	
13-16-1-02-87 -d -00	1.1.2	3,51			
13-16-1-02-87 -d -00	2.1	3,51			
13-16-1-02-87 -d -00	4.1	3,51			
13-16-1-02-87 -f -00	1.1.2	0,54			
13-16-1-02-87 -f -00	2.1	0,54			
13-16-1-02-87 -f -00	4.1	0,54			
13-16-1-02-87 -g -00	2.1	10,70	RB IVD	752.40 M3	
13-16-1-02-87 -g -00	1.1.2	10,70	RB IVD	752.40 M3	
13-16-1-02-87 -g -00	4.1	10,70	RB IVD	752.40 M3	
13-16-1-02-87 -h -00	2.1	0,99			
13-16-1-02-87 -h -00	1.1.2	0,99			
13-16-1-02-87 -h -00	4.1	0,99			
13-16-1-02-87 -i -00	2.1	1,02			
13-16-1-02-87 -i -00	1.1.2	1,02			
13-16-1-02-87 -i -00	4.1	1,02			
13-16-1-02-87 -j -00	1.1.2	0,45			poletko łowieckie
13-16-1-02-87 -j -00	2.1	0,45			poletko łowieckie
13-16-1-02-87 -k -00	1.1.2	0,19			zab inne
13-16-1-02-87 -k -00	2.1	0,19			zab inne
13-16-1-02-87 -l -00	2.1	0,09			lesnictwo
13-16-1-02-87 -l -00	1.1.2	0,09			lesnictwo
13-16-1-02-87 -m -00	2.1	0,58			ps
13-16-1-02-87 -m -00	1.1.2	0,58			ps
13-16-1-02-88 -a -00	2.1	7,18	O-ZGRYZC	HA 0.10	
13-16-1-02-88 -a -00	1.1.2	7,18	O-ZGRYZC	HA 0.10	
13-16-1-02-88 -a -00	3.2	7,18	O-ZGRYZC	HA 0.10	
13-16-1-02-88 -a -00	4.1	7,18	O-ZGRYZC	HA 0.10	
13-16-1-02-88 -b -00	1.1.2	3,82			
13-16-1-02-88 -b -00	2.1	3,82			
13-16-1-02-88 -b -00	4.1	3,82			
13-16-1-02-88 -b -00	3.2	3,82			
13-16-1-02-88 -c -00	1.1.2	0,81			
13-16-1-02-88 -c -00	3.2	0,81			
13-16-1-02-88 -c -00	2.1	0,81			
13-16-1-02-88 -c -00	4.1	0,81			
13-16-1-02-88 -d -00	2.1	0,96			
13-16-1-02-88 -d -00	1.1.2	0,96			
13-16-1-02-88 -d -00	3.2	0,96			
13-16-1-02-88 -d -00	4.1	0,96			
13-16-1-02-88 -f -00	3.2	0,90			
13-16-1-02-88 -f -00	2.1	0,90			
13-16-1-02-88 -f -00	1.1.2	0,90			
13-16-1-02-88 -f -00	4.1	0,90			
13-16-1-02-88 -g -00	3.2	4,06			
13-16-1-02-88 -g -00	1.1.2	4,06			
13-16-1-02-88 -g -00	2.1	4,06			
13-16-1-02-88 -g -00	4.1	4,06			
13-16-1-02-88 -h -00	3.2	2,45			pow referencyjne
13-16-1-02-88 -h -00	1.1.2	2,45			pow referencyjne
13-16-1-02-88 -h -00	2.1	2,45			pow referencyjne
13-16-1-02-88 -h -00	4.1	2,45			pow referencyjne
13-16-1-02-89 -a -00	2.1	4,93			
13-16-1-02-89 -a -00	1.1.2	4,93			
13-16-1-02-89 -a -00	4.1	4,93			
13-16-1-02-89 -b -00	2.1	3,19			
13-16-1-02-89 -b -00	1.1.2	3,19			
13-16-1-02-89 -b -00	4.1	3,19			
13-16-1-02-89 -c -00	1.1.2	6,12	RB IVDU	660.35 M3	
13-16-1-02-89 -c -00	2.1	6,12	RB IVDU	660.35 M3	
13-16-1-02-89 -c -00	4.1	6,12	RB IVDU	660.35 M3	
13-16-1-02-89 -d -00	1.1.2	1,55			
13-16-1-02-89 -d -00	2.1	1,55			
13-16-1-02-89 -d -00	4.1	1,55			

13-16-1-02-90 -a -00	1.1.2	1,62			
13-16-1-02-90 -a -00	2.1	1,62			
13-16-1-02-90 -a -00	4.1	1,62			
13-16-1-02-90 -b -00	1.1.2	4,29			
13-16-1-02-90 -b -00	2.1	4,29			
13-16-1-02-90 -b -00	4.1	4,29			
13-16-1-02-90 -c -00	1.1.2	2,30			
13-16-1-02-90 -c -00	2.1	2,30			
13-16-1-02-90 -c -00	4.1	2,30			
13-16-1-02-90 -d -00	2.1	3,13	CP	HA 3.13	
13-16-1-02-90 -d -00	1.1.2	3,13	CP	HA 3.13	
13-16-1-02-90 -d -00	4.1	3,13	CP	HA 3.13	
13-16-1-02-90 -f -00	1.1.2	1,80	PBD-ODNRB SAD-B>300 PIEL	HA 0.05 TSZT 0.20 HA 0.20	JD1/2K 0.20 -
13-16-1-02-90 -f -00	2.1	1,80	PBD-ODNRB SAD-B>300 PIEL	HA 0.05 TSZT 0.20 HA 0.20	JD1/2K 0.20 -
13-16-1-02-90 -f -00	4.1	1,80	PBD-ODNRB SAD-B>300 PIEL	HA 0.05 TSZT 0.20 HA 0.20	JD1/2K 0.20 -
13-16-1-02-90 -f -00	3.2	0,55	PBD-ODNRB SAD-B>300 PIEL	HA 0.05 TSZT 0.20 HA 0.20	JD1/2K 0.20 -
13-16-1-02-90 -g -00	1.1.2	2,55	PIEL O-ZGRYZC	HA 0.15 HA 0.10	
13-16-1-02-90 -g -00	2.1	2,55	PIEL O-ZGRYZC	HA 0.15 HA 0.10	
13-16-1-02-90 -g -00	4.1	2,55	PIEL O-ZGRYZC	HA 0.15 HA 0.10	
13-16-1-02-91 -a -00	1.1.2	3,77			
13-16-1-02-91 -a -00	2.1	3,77			
13-16-1-02-91 -a -00	4.1	3,77			
13-16-1-02-91 -b -00	1.1.2	2,12			
13-16-1-02-91 -b -00	2.1	2,12			
13-16-1-02-91 -b -00	4.1	2,12			
13-16-1-02-91 -c -00	2.1	1,30			
13-16-1-02-91 -c -00	1.1.2	1,30			
13-16-1-02-91 -c -00	4.1	1,30			
13-16-1-02-91 -d -00	1.1.2	3,09	RB IVD MA-PORZ PBD-ODNRB SADZ-WM o-GRODZN	240.63 M3 HA 0.90 HA 0.92 TSZT 1.30 HA 1.60	BK1/0 1.8 CZR.P2/00.1 JD2/4 2.4 HM 5.57
13-16-1-02-91 -d -00	2.1	3,09	RB IVD MA-PORZ PBD-ODNRB SADZ-WM o-GRODZN	240.63 M3 HA 0.90 HA 0.92 TSZT 1.30 HA 1.60	BK1/0 1.8 CZR.P2/00.1 JD2/4 2.4 HM 5.57
13-16-1-02-91 -d -00	4.1	3,09	RB IVD MA-PORZ PBD-ODNRB SADZ-WM o-GRODZN	240.63 M3 HA 0.90 HA 0.92 TSZT 1.30 HA 1.60	BK1/0 1.8 CZR.P2/00.1 JD2/4 2.4 HM 5.57
13-16-1-02-91 -f -00	2.1	1,17			
13-16-1-02-91 -f -00	1.1.2	1,17			
13-16-1-02-91 -f -00	4.1	1,17			
13-16-1-02-91 -g -00	1.1.2	0,66			
13-16-1-02-91 -g -00	2.1	0,66			
13-16-1-02-91 -g -00	4.1	0,66			
13-16-1-02-91 -h -00	1.1.2	4,13			
13-16-1-02-91 -h -00	2.1	4,13			
13-16-1-02-91 -h -00	4.1	4,13			
13-16-1-02-91 -i -00	2.1	1,24			
13-16-1-02-91 -i -00	1.1.2	1,24			
13-16-1-02-91 -i -00	4.1	1,24			
13-16-1-02-91 -j -00	2.1	0,63			
13-16-1-02-91 -j -00	1.1.2	0,63			
13-16-1-02-91 -j -00	4.1	0,63			
13-16-1-02-92 -a -00	2.1	0,96	PIEL	HA 0.20	
13-16-1-02-92 -a -00	1.1.2	0,96	PIEL	HA 0.20	

13-16-1-02-92	-a -00	4.1	0,96	PIEL	HA 0.20	
13-16-1-02-92	-b -00	1.1.2	16,97			
13-16-1-02-92	-b -00	2.1	16,97			
13-16-1-02-92	-b -00	4.1	16,97			
13-16-1-02-92	-b -00	3.2	0,00			
13-16-1-02-92	-c -00	2.1	0,52			potok
13-16-1-02-92	-c -00	1.1.2	0,52			potok
13-16-1-02-92	-d -00	1.1.2	4,53			
13-16-1-02-92	-d -00	2.1	4,53			
13-16-1-02-92	-d -00	4.1	4,53			
13-16-1-02-92	-f -00	1.1.2	3,03	CP	HA 3.03	
13-16-1-02-92	-f -00	3.2	3,03	CP	HA 3.03	
13-16-1-02-92	-f -00	2.1	3,03	CP	HA 3.03	
13-16-1-02-92	-f -00	4.1	3,03	CP	HA 3.03	
13-16-1-02-92	-g -00	1.1.2	0,98			
13-16-1-02-92	-g -00	2.1	0,98			
13-16-1-02-92	-g -00	4.1	0,98			
13-16-1-02-92	-h -00	1.1.2	0,99			
13-16-1-02-92	-h -00	2.1	0,99			
13-16-1-02-92	-h -00	4.1	0,99			
13-16-1-02-92	-i -00	1.1.2	1,26			
13-16-1-02-92	-i -00	2.1	1,26			
13-16-1-02-92	-i -00	4.1	1,26			
13-16-1-02-92	-j -00	2.1	0,04			rowy
13-16-1-02-92	-j -00	1.1.2	0,04			rowy
13-16-1-02-92	-k -00	1.1.2	0,16			
13-16-1-02-92	-k -00	2.1	0,16			
13-16-1-02-92	-k -00	4.1	0,16			
13-16-1-02-93	-a -00	1.1.2	3,67	CP	HA 3.69	
13-16-1-02-93	-a -00	2.1	3,67	CP	HA 3.69	
13-16-1-02-93	-a -00	4.1	3,67	CP	HA 3.69	
13-16-1-02-93	-b -00	1.1.2	0,36			potok
13-16-1-02-93	-b -00	2.1	0,36			potok
13-16-1-02-93	-c -00	1.1.2	3,69			
13-16-1-02-93	-c -00	2.1	3,69			
13-16-1-02-93	-c -00	4.1	3,69			
13-16-1-02-93	-d -00	1.1.2	0,57			
13-16-1-02-93	-d -00	2.1	0,57			
13-16-1-02-93	-d -00	4.1	0,57			
13-16-1-02-93	-f -00	2.1	1,31			
13-16-1-02-93	-f -00	1.1.2	1,31			
13-16-1-02-93	-f -00	4.1	1,31			
13-16-1-02-93	-g -00	2.1	10,40			
13-16-1-02-93	-g -00	1.1.2	10,40			
13-16-1-02-93	-g -00	4.1	10,40			
13-16-1-02-93	-h -00	2.1	0,09			urz wodne
13-16-1-02-93	-h -00	1.1.2	0,09			urz wodne
13-16-1-02-93	-i -00	2.1	1,65			
13-16-1-02-93	-i -00	1.1.2	1,65			
13-16-1-02-93	-i -00	4.1	1,65			
13-16-1-02-93	-j -00	1.1.2	2,09			
13-16-1-02-93	-j -00	2.1	2,09			
13-16-1-02-93	-j -00	4.1	2,09			
13-16-1-02-93	-k -00	1.1.2	2,03			
13-16-1-02-93	-k -00	2.1	2,03			
13-16-1-02-93	-k -00	4.1	2,03			
13-16-1-02-93	-l -00	1.1.2	1,88			
13-16-1-02-93	-l -00	2.1	1,88			
13-16-1-02-93	-l -00	4.1	1,88			
13-16-1-02-93	-m -00	1.1.2	0,02			urz wodne
13-16-1-02-93	-m -00	2.1	0,02			urz wodne
13-16-1-02-93	-n -00	1.1.2	3,65			
13-16-1-02-93	-n -00	2.1	3,65			
13-16-1-02-93	-n -00	3.2	3,65			
13-16-1-02-93	-n -00	4.1	3,65			
13-16-1-02-93	-o -00	1.1.2	0,04			potok
13-16-1-02-93	-o -00	2.1	0,04			potok
13-16-1-02-93	-p -00	2.1	2,06			
13-16-1-02-93	-p -00	1.1.2	2,06			
13-16-1-02-93	-p -00	4.1	2,06			
13-16-1-02-93	-r -00	2.1	1,57			

13-16-1-02-93	-r -00	1.1.2	1,57			
13-16-1-02-93	-r -00	4.1	1,57			
13-16-1-02-94	-a -00	3.2	3,22	CP	HA 3.22	
13-16-1-02-94	-a -00	2.1	3,22	CP	HA 3.22	
13-16-1-02-94	-a -00	1.1.2	3,22	CP	HA 3.22	
13-16-1-02-94	-a -00	4.1	3,22	CP	HA 3.22	
13-16-1-02-94	-b -00	3.2	3,26			
13-16-1-02-94	-b -00	2.1	3,26			
13-16-1-02-94	-b -00	1.1.2	3,26			
13-16-1-02-94	-b -00	4.1	3,26			
13-16-1-02-94	-c -00	2.1	0,08			Składnica drewna
13-16-1-02-94	-c -00	1.1.2	0,08			Składnica drewna
13-16-1-02-94	-d -00	2.1	0,19			Lesniczówka
13-16-1-02-94	-d -00	1.1.2	0,19			Lesniczówka
13-16-1-02-94	-f -00	2.1	0,32			zab inne
13-16-1-02-94	-f -00	1.1.2	0,32			zab inne
13-16-1-02-94	-g -00	2.1	0,13			Budynki Inne
13-16-1-02-94	-g -00	1.1.2	0,13			Budynki Inne
13-16-1-02-94	-h -00	1.1.2	0,13			skład drewna
13-16-1-02-94	-h -00	2.1	0,13			skład drewna
13-16-1-02-94	-i -00	2.1	4,13	TPP	254.78 M3	
13-16-1-02-94	-i -00	3.2	4,13	TPP	254.78 M3	
13-16-1-02-94	-i -00	1.1.2	4,13	TPP	254.78 M3	
13-16-1-02-94	-i -00	4.1	4,13	TPP	254.78 M3	
13-16-1-02-94	-j -00	2.1	0,11			potok
13-16-1-02-94	-j -00	1.1.2	0,11			potok
13-16-1-02-94	-j -00	3.2	0,11			potok
13-16-1-02-94	-k -00	1.1.2	0,60			
13-16-1-02-94	-k -00	2.1	0,60			
13-16-1-02-94	-k -00	4.1	0,60			
13-16-1-02-94	-l -00	3.2	2,92			
13-16-1-02-94	-l -00	2.1	2,92			
13-16-1-02-94	-l -00	1.1.2	2,92			
13-16-1-02-94	-l -00	4.1	2,92			
13-16-1-02-94	-m -00	1.1.2	5,86			
13-16-1-02-94	-m -00	2.1	5,86			
13-16-1-02-94	-m -00	4.1	5,86			
13-16-1-02-94	-m -00	3.2	5,86			
13-16-1-02-94	-n -00	1.1.2	1,38			
13-16-1-02-94	-n -00	3.2	1,38			
13-16-1-02-94	-n -00	2.1	1,38			
13-16-1-02-94	-n -00	4.1	1,38			
13-16-1-02-94	-o -00	1.1.2	1,11	O-ZGRYZC	HA 0.10	
13-16-1-02-94	-o -00	2.1	1,11	O-ZGRYZC	HA 0.10	
13-16-1-02-94	-o -00	4.1	1,11	O-ZGRYZC	HA 0.10	
13-16-1-02-94	-p -00	1.1.2	3,20	CP	HA 3.20	
13-16-1-02-94	-p -00	2.1	3,20	CP	HA 3.20	
13-16-1-02-94	-p -00	3.2	3,20	CP	HA 3.20	
13-16-1-02-94	-p -00	4.1	3,20	CP	HA 3.20	
13-16-1-02-94	-r -00	2.1	0,22			zab inne
13-16-1-02-94	-r -00	1.1.2	0,22			zab inne
13-16-1-02-95	-a -00	3.2	2,02	TPN	112.91 M3	
13-16-1-02-95	-a -00	2.1	2,02	TPN	112.91 M3	
13-16-1-02-95	-a -00	1.1.2	2,02	TPN	112.91 M3	
13-16-1-02-95	-a -00	4.1	2,02	TPN	112.91 M3	
13-16-1-02-95	-b -00	2.1	0,88			ps
13-16-1-02-95	-b -00	1.1.2	0,88			ps
13-16-1-02-95	-c -00	3.2	1,18			
13-16-1-02-95	-c -00	1.1.2	1,18			
13-16-1-02-95	-c -00	2.1	1,18			
13-16-1-02-95	-c -00	4.1	1,18			
13-16-1-02-95	-d -00	3.2	0,00			
13-16-1-02-95	-d -00	1.1.2	5,06			
13-16-1-02-95	-d -00	2.1	5,06			
13-16-1-02-95	-d -00	4.1	5,06			
13-16-1-02-95	-f -00	1.1.2	0,89	RB IVD	440.09M3	
13-16-1-02-95	-f -00	2.1	0,89	RB IVD	440.09M3	
13-16-1-02-95	-f -00	4.1	0,89	RB IVD	440.09M3	
13-16-1-02-95	-g -00	1.1.2	5,35			
13-16-1-02-95	-g -00	2.1	5,35			
13-16-1-02-95	-g -00	3.2	5,35			

13-16-1-02-95	-g -00	4.1	5,35		
13-16-1-02-95	-h -00	2.1	4,68		
13-16-1-02-95	-h -00	1.1.2	4,68		
13-16-1-02-95	-h -00	4.1	4,68		
13-16-1-02-95	-i -00	2.1	1,86		
13-16-1-02-95	-i -00	1.1.2	1,86		
13-16-1-02-95	-i -00	4.1	1,86		
13-16-1-02-95	-j -00	2.1	13,48		
13-16-1-02-95	-j -00	1.1.2	13,48		
13-16-1-02-95	-j -00	4.1	13,48		
13-16-1-02-96	-a -00	2.1	5,55		
13-16-1-02-96	-a -00	1.1.2	5,55		
13-16-1-02-96	-a -00	4.1	5,55		
13-16-1-02-96	-b -00	1.1.2	1,51		
13-16-1-02-96	-b -00	3.2	0,42		
13-16-1-02-96	-b -00	2.1	1,51		
13-16-1-02-96	-b -00	4.1	1,51		
13-16-1-02-96	-c -00	3.2	3,18		
13-16-1-02-96	-c -00	1.1.2	4,75		
13-16-1-02-96	-c -00	2.1	4,75		
13-16-1-02-96	-c -00	4.1	4,75		
13-16-1-02-96	-d -00	2.1	13,78		
13-16-1-02-96	-d -00	1.1.2	13,78		
13-16-1-02-96	-d -00	3.2	0,00		
13-16-1-02-96	-d -00	4.1	13,78		
13-16-1-02-96	-f -00	1.1.2	15,57		
13-16-1-02-96	-f -00	2.1	15,57		
13-16-1-02-96	-f -00	3.2	15,57		
13-16-1-02-96	-f -00	4.1	15,57		
13-16-1-02-96	-g -00	1.1.2	0,60		
13-16-1-02-96	-g -00	2.1	0,60		
13-16-1-02-96	-g -00	4.1	0,60		
13-16-1-02-96	-h -00	2.1	2,32		
13-16-1-02-96	-h -00	1.1.2	2,32		
13-16-1-02-96	-h -00	4.1	2,32		
13-16-1-02-96	-i -00	3.2	4,74		
13-16-1-02-96	-i -00	1.1.2	4,74		
13-16-1-02-96	-i -00	2.1	4,74		
13-16-1-02-96	-i -00	4.1	4,74		
13-16-1-02-96	-j -00	1.1.2	1,54		
13-16-1-02-96	-j -00	2.1	1,54		
13-16-1-02-96	-j -00	4.1	1,54		
13-16-1-02-97	-a -00	2.1	4,59		
13-16-1-02-97	-a -00	1.1.2	4,59		
13-16-1-02-97	-a -00	4.1	4,59		
13-16-1-02-97	-b -00	1.1.2	2,49		
13-16-1-02-97	-b -00	2.1	2,49		
13-16-1-02-97	-b -00	4.1	2,49		
13-16-1-02-97	-c -00	1.1.2	1,44		
13-16-1-02-97	-c -00	2.1	1,44		
13-16-1-02-97	-c -00	4.1	1,44		
13-16-1-02-97	-d -00	1.1.2	11,67		
13-16-1-02-97	-d -00	2.1	11,67		
13-16-1-02-97	-d -00	4.1	11,67		
13-16-1-02-97	-f -00	2.1	6,98		
13-16-1-02-97	-f -00	1.1.2	6,98		
13-16-1-02-97	-f -00	4.1	6,98		
13-16-1-02-97	-g -00	2.1	1,83		
13-16-1-02-97	-g -00	1.1.2	1,83		
13-16-1-02-97	-g -00	4.1	1,83		
13-16-1-02-97	-h -00	3.2	8,11		
13-16-1-02-97	-h -00	2.1	8,11		
13-16-1-02-97	-h -00	1.1.2	8,11		
13-16-1-02-97	-h -00	4.1	8,11		
13-16-1-02-97	-i -00	1.1.2	2,61		
13-16-1-02-97	-i -00	2.1	2,61		
13-16-1-02-97	-i -00	4.1	2,61		
13-16-1-02-97	-j -00	1.1.2	2,19		
13-16-1-02-97	-j -00	2.1	2,19		
13-16-1-02-97	-j -00	4.1	2,19		
13-16-1-02-97	-k -00	1.1.2	2,42		

13-16-1-02-97 -k -00	2.1	2,42			
13-16-1-02-97 -k -00	3.2	2,42			
13-16-1-02-97 -k -00	4.1	2,42			
13-16-1-02-97 -l -00	2.1	1,41			
13-16-1-02-97 -l -00	1.1.2	1,41			
13-16-1-02-97 -l -00	3.2	1,41			
13-16-1-02-97 -l -00	4.1	1,41			
13-16-1-02-97 -m -00	2.1	3,26			
13-16-1-02-97 -m -00	1.1.2	3,26			
13-16-1-02-97 -m -00	4.1	3,26			
13-16-1-02-98 -a -00	1.1.2	2,77			
13-16-1-02-98 -a -00	2.1	2,77			
13-16-1-02-98 -a -00	4.1	2,77			
13-16-1-02-98 -b -00	2.1	8,73	O-ZGRYZC	HA 0.20	
13-16-1-02-98 -b -00	1.1.2	8,73	O-ZGRYZC	HA 0.20	
13-16-1-02-98 -b -00	4.1	8,73	O-ZGRYZC	HA 0.20	
13-16-1-02-98 -b -00	3.2	0,00	O-ZGRYZC	HA 0.20	
13-16-1-02-98 -c -00	1.1.2	1,87			
13-16-1-02-98 -c -00	2.1	1,87			
13-16-1-02-98 -c -00	4.1	1,87			
13-16-1-02-98 -d -00	2.1	4,00			
13-16-1-02-98 -d -00	3.2	4,00			
13-16-1-02-98 -d -00	1.1.2	4,00			
13-16-1-02-98 -d -00	4.1	4,00			
13-16-1-02-98 -f -00	2.1	1,21			
13-16-1-02-98 -f -00	1.1.2	1,21			
13-16-1-02-98 -f -00	4.1	1,21			
13-16-1-02-98 -g -00	1.1.2	4,90	O-ZGRYZC	HA 0.30	
13-16-1-02-98 -g -00	2.1	4,90	O-ZGRYZC	HA 0.30	
13-16-1-02-98 -g -00	4.1	4,90	O-ZGRYZC	HA 0.30	
13-16-1-02-98 -h -00	2.1	1,01			
13-16-1-02-98 -h -00	1.1.2	1,01			
13-16-1-02-98 -h -00	3.2	0,00			
13-16-1-02-98 -h -00	4.1	1,01			
13-16-1-02-99 -a -00	2.1	10,38	O-ZGRYZC	HA 0.60	
13-16-1-02-99 -a -00	1.1.2	10,38	O-ZGRYZC	HA 0.60	
13-16-1-02-99 -a -00	4.2	10,38	O-ZGRYZC	HA 0.60	
13-16-1-02-99 -a -00	4.1	10,38	O-ZGRYZC	HA 0.60	
13-16-1-02-99 -b -00	2.1	2,78	O-ZGRYZC	HA 1.00	
13-16-1-02-99 -b -00	3.2	2,78	O-ZGRYZC	HA 1.00	
13-16-1-02-99 -b -00	1.1.2	2,78	O-ZGRYZC	HA 1.00	
13-16-1-02-99 -b -00	4.1	2,78	O-ZGRYZC	HA 1.00	
13-16-1-02-99 -b -00	4.2	2,78	O-ZGRYZC	HA 1.00	
13-16-1-02-99 -c -00	1.1.2	4,78			
13-16-1-02-99 -c -00	2.1	4,78			
13-16-1-02-99 -c -00	4.1	4,78			
13-16-1-02-99 -c -00	4.2	4,78			
13-16-1-02-99 -d -00	1.1.2	1,79			
13-16-1-02-99 -d -00	2.1	1,79			
13-16-1-02-99 -d -00	4.2	1,79			
13-16-1-02-99 -d -00	4.1	1,79			
13-16-1-02-99 -f -00	1.1.2	9,32			
13-16-1-02-99 -f -00	2.1	9,32			
13-16-1-02-99 -f -00	4.1	9,32			
13-16-1-02-99 -f -00	4.2	9,32			
13-16-1-02-99 -g -00	3.2	1,94	CP PIEL	HA 1.94 HA 0.20	
13-16-1-02-99 -g -00	1.1.2	1,94	CP PIEL	HA 1.94 HA 0.20	
13-16-1-02-99 -g -00	2.1	1,94	CP PIEL	HA 1.94 HA 0.20	
13-16-1-02-99 -g -00	4.2	1,94	CP PIEL	HA 1.94 HA 0.20	
13-16-1-02-99 -g -00	4.1	1,94	CP PIEL	HA 1.94 HA 0.20	
13-16-1-02-99 -h -00	1.1.2	9,77			
13-16-1-02-99 -h -00	2.1	9,77			
13-16-1-02-99 -h -00	3.2	9,77			
13-16-1-02-99 -h -00	4.2	9,77			
13-16-1-02-99 -h -00	4.1	9,77			
13-16-1-02-99 -i -00	2.1	5,24			

13-16-1-02-99 -i -00	1.1.2	1,91			
13-16-1-02-99 -i -00	3.2	5,24			
13-16-1-02-99 -i -00	4.1	5,24			
13-16-1-02-99 -i -00	4.2	5,24			
13-16-1-02-99 -j -00	2.1	1,70			
13-16-1-02-99 -j -00	3.2	1,70			
13-16-1-02-99 -j -00	4.1	1,70			
13-16-1-02-99 -j -00	4.2	1,70			
Jodłów					
13-16-1-03-10 -a -00	2.1	5,78	PR MA-PORZ O-ZGRYZC	31.61 M3 0 0	5,78 HA 0,10 HA 1,44 HA
13-16-1-03-10 -a -00	1.1.2	5,78	PR MA-PORZ O-ZGRYZC	31.61 M3 0 0	5,78 HA 0,10 HA 1,44 HA
13-16-1-03-10 -a -00	4.1	5,78	PR MA-PORZ O-ZGRYZC	31.61 M3 0 0	5,78 HA 0,10 HA 1,44 HA
13-16-1-03-10 -b -00	1.1.2	1,49	PTP	1,93 M3	1,49 HA
13-16-1-03-10 -b -00	2.1	1,49	PTP	1,93 M3	1,49 HA
13-16-1-03-10 -b -00	4.1	1,49	PTP	1,93 M3	1,49 HA
13-16-1-03-10 -c -00	3.2	1,28			pow referencyjna
13-16-1-03-10 -c -00	1.1.2	1,28			pow referencyjna
13-16-1-03-10 -c -00	2.1	1,28			pow referencyjna
13-16-1-03-10 -c -00	4.1	1,28			pow referencyjna
13-16-1-03-10 -d -00	1.1.2	3,61	PTP MA-PORZ PIEL O-ZGRYZC PDB-ODNL	50,35 M3 0 0 0 3,40 TSZT	3,61 HA HA HA 1,0HA HA 0,40 0,85 1,0
13-16-1-03-10 -d -00	2.1	3,61	PTP MA-PORZ PIEL O-ZGRYZC PDB-ODNL	50,35 M3 0 0 0 3,40 TSZT	3,61 HA HA HA 1,0HA HA 0,40 0,85 1,0
13-16-1-03-10 -d -00	4.1	3,61	PTP MA-PORZ PIEL O-ZGRYZC PDB-ODNL	50,35 M3 0 0 0 3,40 TSZT	3,61 HA HA HA 1,0HA HA 0,40 0,85 1,0
13-16-1-03-10 -f -00	2.1	8,82	TPN	126,01 M3	8,82 HA
13-16-1-03-10 -f -00	1.1.2	8,82	TPN	126,01 M3	8,82 HA
13-16-1-03-10 -f -00	4.1	8,82	TPN	126,01 M3	8,82 HA
13-16-1-03-10 -g -00	2.1	3,93	PR MA-PORZ	PTP 2,45 M3 19,68 M3 0	3,93 HA 0,20 HA 3,93 HA
13-16-1-03-10 -g -00	1.1.2	3,93	PR MA-PORZ	PTP 2,45 M3 19,68 M3 0	3,93 HA 0,20 HA 3,93 HA
13-16-1-03-10 -g -00	4.1	3,93	PR MA-PORZ	PTP 2,45 M3 19,68 M3 0	3,93 HA 0,20 HA 3,93 HA
13-16-1-03-10 -h -00	1.1.2	1,19	CP-P PRZEST MA-PORZ	12,68 M3 97,11 M3 95 M3P	1,19 HA 0,45 HA 1,19 HA
13-16-1-03-10 -h -00	2.1	1,19	CP-P PRZEST MA-PORZ	12,68 M3 97,11 M3 95 M3P	1,19 HA 0,45 HA 1,19 HA
13-16-1-03-10 -h -00	4.1	1,19	CP-P PRZEST MA-PORZ	12,68 M3 97,11 M3 95 M3P	1,19 HA 0,45 HA 1,19 HA
13-16-1-03-102 -a -00	2.1	0,32			skład drewna
13-16-1-03-102 -a -00	1.1.2	0,32			skład drewna
13-16-1-03-102 -b -00	1.1.2	0,11			skład drewna
13-16-1-03-102 -b -00	2.1	0,11			skład drewna
13-16-1-03-102 -c -00	2.1	0,06			skład drewna
13-16-1-03-102 -c -00	1.1.2	0,06			skład drewna
13-16-1-03-102 -d -00	1.1.2	0,02			skład drewna
13-16-1-03-102 -d -00	2.1	0,02			skład drewna
13-16-1-03-102 -f -00	2.1	2,13			
13-16-1-03-102 -f -00	1.1.2	2,13			

13-16-1-03-102 -f -00	4.1	2,13			
13-16-1-03-102 -g -00	2.1	0,69	PTP	2,10 M3	0,69 HA
13-16-1-03-102 -g -00	1.1.2	0,69	PTP	2,10 M3	0,69 HA
13-16-1-03-102 -g -00	4.1	0,69	PTP	2,10 M3	0,69 HA
13-16-1-03-102 -h -00	1.1.2	9,28	PTP	1,95 M3	9,28 HA
13-16-1-03-102 -h -00	2.1	9,28	PTP	1,95 M3	9,28 HA
13-16-1-03-102 -h -00	4.1	9,28	PTP	1,95 M3	9,28 HA
13-16-1-03-102 -i -00	2.1	13,92			
13-16-1-03-102 -i -00	1.1.2	13,92			
13-16-1-03-102 -i -00	4.1	13,92			
13-16-1-03-102 -j -00	2.1	0,56			
13-16-1-03-102 -j -00	1.1.2	0,56			
13-16-1-03-102 -j -00	3.1	0,56			
13-16-1-03-102 -j -00	4.1	0,56			
13-16-1-03-102 -k -00	2.1	2,53	RB IV D	366,87 M3	2,53 HA
13-16-1-03-102 -k -00	1.1.2	2,52	RB IV D	366,87 M3	2,53 HA
13-16-1-03-102 -k -00	4.1	2,53	RB IV D	366,87 M3	2,53 HA
13-16-1-03-102 -l -00	1.1.2	1,05			
13-16-1-03-102 -l -00	2.1	1,05			
13-16-1-03-102 -l -00	4.1	1,05			
13-16-1-03-102 -m -00	1.1.2	0,49			skład drewna
13-16-1-03-102 -m -00	2.1	0,49			skład drewna
13-16-1-03-102 -n -00	1.1.2	2,21			
13-16-1-03-102 -n -00	2.1	2,21			
13-16-1-03-102 -n -00	4.1	2,21			
13-16-1-03-102 -o -00	2.1	1,52			
13-16-1-03-102 -o -00	1.1.2	1,52			
13-16-1-03-102 -o -00	4.1	1,52			
13-16-1-03-103 -a -00	1.1.2	1,12			
13-16-1-03-103 -a -00	2.1	1,12			
13-16-1-03-103 -a -00	4.1	1,12			
13-16-1-03-103 -b -00	2.1	1,90			
13-16-1-03-103 -b -00	1.1.2	1,90			
13-16-1-03-103 -b -00	4.1	1,90			
13-16-1-03-103 -c -00	1.1.2	2,04			
13-16-1-03-103 -c -00	2.1	2,04			
13-16-1-03-103 -c -00	4.1	2,04			
13-16-1-03-103 -d -00	2.1	2,15			
13-16-1-03-103 -d -00	1.1.2	2,15			
13-16-1-03-103 -d -00	4.1	2,15			
13-16-1-03-103 -f -00	1.1.2	5,14			
13-16-1-03-103 -f -00	2.1	5,14			
13-16-1-03-103 -f -00	4.1	5,14			
13-16-1-03-103 -g -00	2.1	1,05			
13-16-1-03-103 -g -00	1.1.2	1,05			
13-16-1-03-103 -g -00	4.1	1,05			
13-16-1-03-103 -h -00	2.1	1,49			
13-16-1-03-103 -h -00	1.1.2	1,49			
13-16-1-03-103 -h -00	4.1	1,49			
13-16-1-03-103 -i -00	1.1.2	1,19			
13-16-1-03-103 -i -00	2.1	1,19			
13-16-1-03-103 -i -00	4.1	1,19			
13-16-1-03-103 -j -00	2.1	1,83			
13-16-1-03-103 -j -00	1.1.2	1,83			
13-16-1-03-103 -j -00	4.1	1,83			
13-16-1-03-103 -k -00	1.1.2	5,08			
13-16-1-03-103 -k -00	2.1	5,08			
13-16-1-03-103 -k -00	4.1	5,08			
13-16-1-03-103 -l -00	2.1	2,06			
13-16-1-03-103 -l -00	1.1.2	2,06			
13-16-1-03-103 -l -00	4.1	2,06			
13-16-1-03-103 -m -00	1.1.2	1,87			
13-16-1-03-103 -m -00	2.1	1,87			
13-16-1-03-103 -m -00	4.1	1,87			
13-16-1-03-103 -n -00	1.1.2	0,76			
13-16-1-03-103 -n -00	2.1	0,76			
13-16-1-03-103 -n -00	4.1	0,76			
13-16-1-03-104 -a -00	1.1.2	1,77			
13-16-1-03-104 -a -00	2.1	1,77			
13-16-1-03-104 -a -00	3.2	0,00			
13-16-1-03-104 -a -00	4.1	1,77			

13-16-1-03-104 -b -00	3.2	0,73			
13-16-1-03-104 -b -00	2.1	0,73			
13-16-1-03-104 -b -00	1.1.2	0,73			
13-16-1-03-104 -b -00	4.1	0,73			
13-16-1-03-104 -c -00	1.1.2	8,01	TPP	214,98 M3	8,01 HA
13-16-1-03-104 -c -00	2.1	8,01	TPP	214,98 M3	8,01 HA
13-16-1-03-104 -c -00	4.1	8,01	TPP	214,98 M3	8,01 HA
13-16-1-03-104 -d -00	1.1.2	1,86			
13-16-1-03-104 -d -00	2.1	1,86			
13-16-1-03-104 -d -00	4.1	1,86			
13-16-1-03-104 -f -00	2.1	3,00			
13-16-1-03-104 -f -00	1.1.2	3,00			
13-16-1-03-104 -f -00	3.2	3,00			
13-16-1-03-104 -f -00	4.1	3,00			
13-16-1-03-104 -g -00	1.1.2	14,17			
13-16-1-03-104 -g -00	2.1	14,17			
13-16-1-03-104 -g -00	4.1	14,17			
13-16-1-03-104 -g -00	3.2	0,00			
13-16-1-03-104 -h -00	2.1	1,59			
13-16-1-03-104 -h -00	1.1.2	1,59			
13-16-1-03-104 -h -00	4.1	1,59			
13-16-1-03-104 -i -00	2.1	4,39			
13-16-1-03-104 -i -00	1.1.2	4,39			
13-16-1-03-104 -i -00	4.1	4,39			
13-16-1-03-104 -j -00	1.1.2	0,87			skład drewna
13-16-1-03-104 -j -00	2.1	0,87			skład drewna
13-16-1-03-11 -a -00	1.1.2	4,88	TPN	99,37 M3	4,88 HA
13-16-1-03-11 -a -00	2.1	4,88	TPN	99,37 M3	4,88 HA
13-16-1-03-11 -a -00	4.1	4,88	TPN	99,37 M3	4,88 HA
13-16-1-03-11 -b -00	1.1.2	5,13	PR MA-PORZ PIEL O-ZGRYZC	57,10 M3 0 0 0	5,13 HA HA 2,50 HA 0,40 1,50 HA
13-16-1-03-11 -b -00	2.1	5,13	PR MA-PORZ PIEL O-ZGRYZC	57,10 M3 0 0 0	5,13 HA HA 2,50 HA 0,40 1,50 HA
13-16-1-03-11 -b -00	4.1	5,13	PR MA-PORZ PIEL O-ZGRYZC	57,10 M3 0 0 0	5,13 HA HA 2,50 HA 0,40 1,50 HA
13-16-1-03-11 -c -00	2.1	2,04			
13-16-1-03-11 -c -00	1.1.2	2,04			
13-16-1-03-11 -c -00	4.1	2,04			
13-16-1-03-11 -d -00	2.1	3,96			pow referencyjna
13-16-1-03-11 -d -00	1.1.2	3,96			pow referencyjna
13-16-1-03-11 -d -00	4.1	3,96			pow referencyjna
13-16-1-03-11 -f -00	2.1	2,44			
13-16-1-03-11 -f -00	1.1.2	2,44			
13-16-1-03-11 -f -00	4.1	2,44			
13-16-1-03-12 -a -00	1.1.2	1,36			
13-16-1-03-12 -a -00	2.1	1,36			
13-16-1-03-12 -a -00	4.1	1,36			
13-16-1-03-12 -b -00	2.1	4,12			pow referencyjna
13-16-1-03-12 -b -00	1.1.2	4,12			pow referencyjna
13-16-1-03-12 -b -00	4.1	4,12			pow referencyjna
13-16-1-03-12 -c -00	2.1	10,06			pow referencyjna
13-16-1-03-12 -c -00	1.1.2	10,06			pow referencyjna
13-16-1-03-12 -c -00	4.1	10,06			pow referencyjna
13-16-1-03-12 -d -00	1.1.2	2,56			
13-16-1-03-12 -d -00	2.1	2,56			
13-16-1-03-12 -d -00	4.1	2,56			
13-16-1-03-12 -f -00	2.1	1,48			pow referencyjna
13-16-1-03-12 -f -00	1.1.2	1,48			pow referencyjna
13-16-1-03-12 -f -00	4.1	1,48			pow referencyjna
13-16-1-03-13 -a -00	1.1.2	2,50			pow referencyjna
13-16-1-03-13 -a -00	2.1	2,50			pow referencyjna
13-16-1-03-13 -a -00	4.2	2,50			pow referencyjna
13-16-1-03-13 -a -00	4.1	2,50			pow referencyjna

13-16-1-03-13 -b -00	1.1.2	1,34	RB II BU PIEL O-ZGRYZC	144,87 M3 0 0	0 0,55 HA	0,40 HA
13-16-1-03-13 -b -00	2.1	1,34	RB II BU PIEL O-ZGRYZC	144,87 M3 0 0	0 0,55 HA	0,40 HA
13-16-1-03-13 -b -00	4.1	1,34	RB II BU PIEL O-ZGRYZC	144,87 M3 0 0	0 0,55 HA	0,40 HA
13-16-1-03-13 -b -00	4.2	1,34	RB II BU PIEL O-ZGRYZC	144,87 M3 0 0	0 0,55 HA	0,40 HA
13-16-1-03-13 -c -00	1.1.2	1,47			pow referencyjna	
13-16-1-03-13 -c -00	2.1	1,47			pow referencyjna	
13-16-1-03-13 -c -00	4.2	1,47			pow referencyjna	
13-16-1-03-13 -c -00	4.1	1,47			pow referencyjna	
13-16-1-03-13 -d -00	1.1.2	3,93				
13-16-1-03-13 -d -00	2.1	3,93				
13-16-1-03-13 -d -00	4.1	3,93				
13-16-1-03-13 -d -00	4.2	3,93				
13-16-1-03-13 -f -00	2.1	0,84				
13-16-1-03-13 -f -00	1.1.2	0,84				
13-16-1-03-13 -f -00	4.1	0,84				
13-16-1-03-13 -f -00	4.2	0,84				
13-16-1-03-13 -g -00	2.1	3,45			pow referencyjna	
13-16-1-03-13 -g -00	1.1.2	3,45			pow referencyjna	
13-16-1-03-13 -g -00	4.2	3,45			pow referencyjna	
13-16-1-03-13 -g -00	4.1	3,45			pow referencyjna	
13-16-1-03-13 -h -00	1.1.2	7,93			pow referencyjna	
13-16-1-03-13 -h -00	2.1	7,93			pow referencyjna	
13-16-1-03-13 -h -00	4.1	7,93			pow referencyjna	
13-16-1-03-13 -h -00	4.2	7,93			pow referencyjna	
13-16-1-03-13 -i -00	2.1	4,70			pow referencyjna	
13-16-1-03-13 -i -00	1.1.2	4,70			pow referencyjna	
13-16-1-03-13 -i -00	4.2	4,70			pow referencyjna	
13-16-1-03-13 -i -00	4.1	4,70			pow referencyjna	
13-16-1-03-13 -j -00	2.1	3,15			pow referencyjna	
13-16-1-03-13 -j -00	1.1.2	3,15			pow referencyjna	
13-16-1-03-13 -j -00	4.2	3,15			pow referencyjna	
13-16-1-03-13 -j -00	4.1	3,15			pow referencyjna	
13-16-1-03-13 -k -00	2.1	2,66			pow referencyjna	
13-16-1-03-13 -k -00	3.2	2,66			pow referencyjna	
13-16-1-03-13 -k -00	1.1.2	2,66			pow referencyjna	
13-16-1-03-13 -k -00	4.2	2,66			pow referencyjna	
13-16-1-03-13 -k -00	4.1	2,66			pow referencyjna	
13-16-1-03-13 -l -00	1.1.2	3,88			pow referencyjna	
13-16-1-03-13 -l -00	3.2	3,88			pow referencyjna	
13-16-1-03-13 -l -00	2.1	3,88			pow referencyjna	
13-16-1-03-13 -l -00	4.1	3,88			pow referencyjna	
13-16-1-03-13 -l -00	4.2	3,88			pow referencyjna	
13-16-1-03-13 -m -00	1.1.2	2,65	O-ZGRYZC		1,70 HA	
13-16-1-03-13 -m -00	2.1	2,65	O-ZGRYZC		1,70 HA	
13-16-1-03-13 -m -00	4.1	2,65	O-ZGRYZC		1,70 HA	
13-16-1-03-13 -m -00	4.2	2,65	O-ZGRYZC		1,70 HA	
13-16-1-03-13 -n -00	1.1.2	2,00			pow referencyjna	
13-16-1-03-13 -n -00	3.2	2,00			pow referencyjna	
13-16-1-03-13 -n -00	2.1	2,00			pow referencyjna	
13-16-1-03-13 -n -00	4.2	2,00			pow referencyjna	
13-16-1-03-13 -n -00	4.1	2,00			pow referencyjna	
13-16-1-03-13 -o -00	2.1	0,75			utwór skalny	
13-16-1-03-13 -o -00	1.1.2	0,75			utwór skalny	
13-16-1-03-14 -a -00	1.1.2	1,24			utwór skalny	
13-16-1-03-14 -a -00	2.1	1,24			utwór skalny	
13-16-1-03-14 -b -00	1.1.2	0,84			pow referencyjna	
13-16-1-03-14 -b -00	2.1	0,84			pow referencyjna	
13-16-1-03-14 -b -00	4.2	0,84			pow referencyjna	
13-16-1-03-14 -b -00	4.1	0,84			pow referencyjna	
13-16-1-03-14 -c -00	1.1.2	9,49			pow referencyjna	
13-16-1-03-14 -c -00	2.1	9,49			pow referencyjna	
13-16-1-03-14 -c -00	4.1	9,49			pow referencyjna	
13-16-1-03-14 -c -00	4.2	9,49			pow referencyjna	

13-16-1-03-14 -d -00	3.2	1,93					pow referencyjna
13-16-1-03-14 -d -00	1.1.2	1,93					pow referencyjna
13-16-1-03-14 -d -00	2.1	1,93					pow referencyjna
13-16-1-03-14 -d -00	4.2	1,93					pow referencyjna
13-16-1-03-14 -d -00	4.1	1,93					pow referencyjna
13-16-1-03-14 -f -00	1.1.2	1,79					pow referencyjna
13-16-1-03-14 -f -00	2.1	1,79					pow referencyjna
13-16-1-03-14 -f -00	4.1	1,79					pow referencyjna
13-16-1-03-14 -f -00	4.2	1,79					pow referencyjna
13-16-1-03-18 -a -00	1.1.2	3,38	PBD-ODNL O-ZGRYZC	2,20 TYSZT 0		0,68 HA 0,68 HA	
13-16-1-03-18 -a -00	2.1	3,38	PBD-ODNL O-ZGRYZC	2,20 TYSZT 0		0,68 HA 0,68 HA	
13-16-1-03-18 -a -00	4.1	3,38	PBD-ODNL O-ZGRYZC	2,20 TYSZT 0		0,68 HA 0,68 HA	
13-16-1-03-18 -b -00	1.1.2	1,99					
13-16-1-03-18 -b -00	2.1	1,99					
13-16-1-03-18 -b -00	4.1	1,99					
13-16-1-03-18 -c -00	1.1.2	8,69					
13-16-1-03-18 -c -00	2.1	8,69					
13-16-1-03-18 -c -00	4.1	8,69					
13-16-1-03-18 -d -00	2.1	4,46	PR	61,95 M3		4,46 HA	
13-16-1-03-18 -d -00	1.1.2	4,46	PR	61,95 M3		4,46 HA	
13-16-1-03-18 -d -00	4.1	4,46	PR	61,95 M3		4,46 HA	
13-16-1-03-18 -f -00	2.1	6,93					
13-16-1-03-18 -f -00	1.1.2	6,93					
13-16-1-03-18 -f -00	4.1	6,93					
13-16-1-03-18 -g -00	1.1.2	2,47					
13-16-1-03-18 -g -00	2.1	2,47					
13-16-1-03-18 -g -00	4.1	2,47					
13-16-1-03-18 -h -00	1.1.2	4,94					
13-16-1-03-18 -h -00	2.1	4,94					
13-16-1-03-18 -h -00	4.1	4,94					
13-16-1-03-18 -i -00	2.1	4,25	PR MA-PORZ PBD-ODRB O-ZGRYZC	5,10 M3 2,04 TSZT 0	0	4,25 HA 0,65 HA HA	4,25 HA 0,68
13-16-1-03-18 -i -00	1.1.2	4,25	PR MA-PORZ PBD-ODRB O-ZGRYZC	5,10 M3 2,04 TSZT 0	0	4,25 HA 0,65 HA HA	4,25 HA 0,68
13-16-1-03-18 -i -00	4.1	4,25	PR MA-PORZ PBD-ODRB O-ZGRYZC	5,10 M3 2,04 TSZT 0	0	4,25 HA 0,65 HA HA	4,25 HA 0,68
13-16-1-03-19 -a -00	2.1	0,74					
13-16-1-03-19 -a -00	1.1.2	0,74					
13-16-1-03-19 -a -00	4.1	0,74					
13-16-1-03-19 -b -00	2.1	3,06					
13-16-1-03-19 -b -00	1.1.2	3,06					
13-16-1-03-19 -b -00	4.1	3,06					
13-16-1-03-19 -c -00	1.1.2	9,49	RB IV D PORZ-ROZD CP PORZ	PR MA- 619,79 m3 m3 587m3p 0 M3P	11,99 -- 587,0	9,49HA 9,49 HA 1,60 HA	9,49HA 1,60 HA
13-16-1-03-19 -c -00	2.1	9,49	RB IV D PORZ-ROZD CP PORZ	PR MA- 619,79 m3 m3 587m3p 0 M3P	11,99 -- 587,0	9,49HA 9,49 HA 1,60 HA	9,49HA 1,60 HA
13-16-1-03-19 -c -00	4.1	9,49	RB IV D PORZ-ROZD CP PORZ	PR MA- 619,79 m3 m3 587m3p 0 M3P	11,99 -- 587,0	9,49HA 9,49 HA 1,60 HA	9,49HA 1,60 HA
13-16-1-03-19 -d -00	1.1.2	1,03					
13-16-1-03-19 -d -00	2.1	1,03					
13-16-1-03-19 -d -00	4.1	1,03					
13-16-1-03-19 -f -00	1.1.2	4,23	PTW	8,90 M3		4,23 HA	
13-16-1-03-19 -f -00	2.1	4,23	PTW	8,90 M3		4,23 HA	

13-16-1-03-19 -f -00	4.1	4,23	PTW	8,90 M3	4,23 HA	
13-16-1-03-19 -g -00	1.1.2	6,54				
13-16-1-03-19 -g -00	2.1	6,54				
13-16-1-03-19 -g -00	4.1	6,54				
13-16-1-03-19 -h -00	1.1.2	2,10	PR	11,75 M3	2,1 HA	
13-16-1-03-19 -h -00	2.1	2,10	PR	11,75 M3	2,1 HA	
13-16-1-03-19 -h -00	4.1	2,10	PR	11,75 M3	2,1 HA	
13-16-1-03-19 -i -00	1.1.2	1,89	TWP PIEL-POZ	18,27 M3 0	1,89 HA 1,20 HA	
13-16-1-03-19 -i -00	2.1	1,89	TWP PIEL-POZ	18,27 M3 0	1,89 HA 1,20 HA	
13-16-1-03-19 -i -00	4.1	1,89	TWP PIEL-POZ	18,27 M3 0	1,89 HA 1,20 HA	
13-16-1-03-19 -j -00	1.1.2	2,16	PR	14,86 M3	2,16 HA	
13-16-1-03-19 -j -00	2.1	2,16	PR	14,86 M3	2,16 HA	
13-16-1-03-19 -j -00	4.1	2,16	PR	14,86 M3	2,16 HA	
13-16-1-03-20 -a -00	1.1.2	10,15	PTP	34,33 M3	10,15 HA	
13-16-1-03-20 -a -00	2.1	10,15	PTP	34,33 M3	10,15 HA	
13-16-1-03-20 -a -00	4.1	10,15	PTP	34,33 M3	10,15 HA	
13-16-1-03-20 -b -00	2.1	10,08	PR	196,97 M3	10,08 HA	
13-16-1-03-20 -b -00	1.1.2	10,08	PR	196,97 M3	10,08 HA	
13-16-1-03-20 -b -00	4.1	10,08	PR	196,97 M3	10,08 HA	
13-16-1-03-20 -c -00	1.1.2	2,53				
13-16-1-03-20 -c -00	2.1	2,53				
13-16-1-03-20 -c -00	4.1	2,53				
13-16-1-03-20 -d -00	1.1.2	2,29				
13-16-1-03-20 -d -00	2.1	2,29				
13-16-1-03-20 -d -00	4.1	2,29				
13-16-1-03-20 -f -00	1.1.2	1,42				
13-16-1-03-20 -f -00	2.1	1,42				
13-16-1-03-20 -f -00	4.1	1,42				
13-16-1-03-21 -a -00	1.1.2	0,67				
13-16-1-03-21 -a -00	2.1	0,67				
13-16-1-03-21 -a -00	4.1	0,67				
13-16-1-03-21 -b -00	1.1.2	5,38	PR	41,30 M3	5,38 HA	
13-16-1-03-21 -b -00	2.1	5,38	PR	41,30 M3	5,38 HA	
13-16-1-03-21 -b -00	4.1	5,38	PR	41,30 M3	5,38 HA	
13-16-1-03-21 -c -00	1.1.2	3,86	PTP	19,95 M3	3,86 HA	
13-16-1-03-21 -c -00	2.1	3,86	PTP	19,95 M3	3,86 HA	
13-16-1-03-21 -c -00	4.1	3,86	PTP	19,95 M3	3,86 HA	
13-16-1-03-21 -d -00	1.1.2	5,96	PTP PBD-ODNL O-GRODZN	6,40 M3 2,0 TSZT 2,20 HM	5,96 HA 0,60 HA HA	0,25
13-16-1-03-21 -d -00	2.1	5,96	PTP PBD-ODNL O-GRODZN	6,40 M3 2,0 TSZT 2,20 HM	5,96 HA 0,60 HA HA	0,25
13-16-1-03-21 -d -00	4.1	5,96	PTP PBD-ODNL O-GRODZN	6,40 M3 2,0 TSZT 2,20 HM	5,96 HA 0,60 HA HA	0,25
13-16-1-03-21 -f -00	1.1.2	2,88	PIEL O-ZGRYZC	0 0	0,60 HA 0,32 HA	
13-16-1-03-21 -f -00	2.1	2,88	PIEL O-ZGRYZC	0 0	0,60 HA 0,32 HA	
13-16-1-03-21 -f -00	4.1	2,88	PIEL O-ZGRYZC	0 0	0,60 HA 0,32 HA	
13-16-1-03-21 -g -00	2.1	7,55				
13-16-1-03-21 -g -00	1.1.2	7,55				
13-16-1-03-21 -g -00	4.1	7,55				
13-16-1-03-21 -h -00	2.1	3,99				
13-16-1-03-21 -h -00	1.1.2	3,99				
13-16-1-03-21 -h -00	4.1	3,99				
13-16-1-03-22 -a -00	1.1.2	2,72	PTP	19,52 M3	2,72 HA	
13-16-1-03-22 -a -00	2.1	2,72	PTP	19,52 M3	2,72 HA	
13-16-1-03-22 -a -00	4.1	2,72	PTP	19,52 M3	2,72 HA	
13-16-1-03-22 -b -00	1.1.2	2,16	TWN PIEL-POZ	112,30 M3 0	2,16 HA 2,00 HA	
13-16-1-03-22 -b -00	2.1	2,16	TWN PIEL-POZ	112,30 M3 0	2,16 HA 2,00 HA	
13-16-1-03-22 -b -00	4.1	2,16	TWN PIEL-POZ	112,30 M3 0	2,16 HA 2,00 HA	
13-16-1-03-22 -c -00	2.1	2,15				

13-16-1-03-22 -c -00	1.1.2	2,15			
13-16-1-03-22 -c -00	4.1	2,15			
13-16-1-03-22 -d -00	2.1	6,68	PR MA-PORZ	11,29 M3 0	6,68 HA 0,15 HA
13-16-1-03-22 -d -00	1.1.2	6,68	PR MA-PORZ	11,29 M3 0	6,68 HA 0,15 HA
13-16-1-03-22 -d -00	4.1	6,68	PR MA-PORZ	11,29 M3 0	6,68 HA 0,15 HA
13-16-1-03-22 -f -00	2.1	2,21	PIEL O-PALIK	0 0,04 TSZT	1,60 HA 0
13-16-1-03-22 -f -00	1.1.2	2,21	PIEL O-PALIK	0 0,04 TSZT	1,60 HA 0
13-16-1-03-22 -f -00	4.1	2,21	PIEL O-PALIK	0 0,04 TSZT	1,60 HA 0
13-16-1-03-22 -g -00	2.1	3,22			
13-16-1-03-22 -g -00	1.1.2	3,22			
13-16-1-03-22 -g -00	4.1	3,22			
13-16-1-03-22 -h -00	1.1.2	4,18			
13-16-1-03-22 -h -00	2.1	4,18			
13-16-1-03-22 -h -00	4.1	4,18			
13-16-1-03-22 -i -00	2.1	3,83	PR PORZ O-ZGRYZC	MA- 78,39 M3 0 0	3,83 HA HA HA 0,50 2,50
13-16-1-03-22 -i -00	1.1.2	3,83	PR PORZ O-ZGRYZC	MA- 78,39 M3 0 0	3,83 HA HA HA 0,50 2,50
13-16-1-03-22 -i -00	4.1	3,83	PR PORZ O-ZGRYZC	MA- 78,39 M3 0 0	3,83 HA HA HA 0,50 2,50
13-16-1-03-22 -j -00	1.1.2	5,04			
13-16-1-03-22 -j -00	2.1	5,04			
13-16-1-03-22 -j -00	4.1	5,04			
13-16-1-03-22 -k -00	1.1.2	1,29			
13-16-1-03-22 -k -00	2.1	1,29			
13-16-1-03-22 -k -00	4.1	1,29			
13-16-1-03-23 -a -00	2.1	5,24	PR MA-PORZ PIEL O-ZGRYZC	18,06 M3 0 0	5,24 HA 0 1,15 HA HA 0,15 HA 1,50
13-16-1-03-23 -a -00	1.1.2	5,24	PR MA-PORZ PIEL O-ZGRYZC	18,06 M3 0 0	5,24 HA 0 1,15 HA HA 0,15 HA 1,50
13-16-1-03-23 -a -00	4.1	5,24	PR MA-PORZ PIEL O-ZGRYZC	18,06 M3 0 0	5,24 HA 0 1,15 HA HA 0,15 HA 1,50
13-16-1-03-23 -b -00	1.1.2	2,79			
13-16-1-03-23 -b -00	2.1	2,79			
13-16-1-03-23 -b -00	4.1	2,79			
13-16-1-03-23 -c -00	1.1.2	2,57			
13-16-1-03-23 -c -00	2.1	2,57			
13-16-1-03-23 -c -00	4.1	2,57			
13-16-1-03-23 -d -00	1.1.2	3,94			
13-16-1-03-23 -d -00	2.1	3,94			
13-16-1-03-23 -d -00	4.1	3,94			
13-16-1-03-23 -f -00	1.1.2	2,13	TWN PIEL-POZ	43,8 M3 0	2,13 HA 0,50 HA
13-16-1-03-23 -f -00	2.1	2,13	TWN PIEL-POZ	43,8 M3 0	2,13 HA 0,50 HA
13-16-1-03-23 -f -00	4.1	2,13	TWN PIEL-POZ	43,8 M3 0	2,13 HA 0,50 HA
13-16-1-03-23 -g -00	1.1.2	3,24			
13-16-1-03-23 -g -00	2.1	3,24			
13-16-1-03-23 -g -00	4.1	3,24			
13-16-1-03-23 -h -00	1.1.2	1,34			
13-16-1-03-23 -h -00	2.1	1,34			
13-16-1-03-23 -h -00	4.1	1,34			
13-16-1-03-23 -i -00	1.1.2	5,01			
13-16-1-03-23 -i -00	2.1	5,01			
13-16-1-03-23 -i -00	4.1	5,01			
13-16-1-03-23 -j -00	2.1	1,06			

13-16-1-03-23 -j -00	1.1.2	1,06				
13-16-1-03-23 -j -00	4.1	1,06				
13-16-1-03-24 -a -00	1.1.2	18,88	IV D MA-PORZ PIEL O-ZGRYZC	PR 61,16 M3 46,21 M3 0 0	18,88 HA HA 1,05 HA 1,32 HA	18,88 0,40 HA
13-16-1-03-24 -a -00	2.1	18,88	IV D MA-PORZ PIEL O-ZGRYZC	PR 61,16 M3 46,21 M3 0 0	18,88 HA HA 1,05 HA 1,32 HA	18,88 0,40 HA
13-16-1-03-24 -a -00	4.1	18,88	IV D MA-PORZ PIEL O-ZGRYZC	PR 61,16 M3 46,21 M3 0 0	18,88 HA HA 1,05 HA 1,32 HA	18,88 0,40 HA
13-16-1-03-24 -b -00	1.1.2	5,26	PIEL O- ZGRYZC	0 0	0,35 HA 0,40 HA	
13-16-1-03-24 -b -00	2.1	5,26	PIEL O- ZGRYZC	0 0	0,35 HA 0,40 HA	
13-16-1-03-24 -b -00	4.1	5,26	PIEL O- ZGRYZC	0 0	0,35 HA 0,40 HA	
13-16-1-03-24 -c -00	1.1.2	4,59				
13-16-1-03-24 -c -00	2.1	4,59				
13-16-1-03-24 -c -00	4.1	4,59				
13-16-1-03-24 -d -00	2.1	2,63				
13-16-1-03-24 -d -00	1.1.2	2,63				
13-16-1-03-24 -d -00	4.1	2,63				
13-16-1-03-24 -f -00	2.1	2,91				
13-16-1-03-24 -f -00	1.1.2	2,91				
13-16-1-03-24 -f -00	4.1	2,91				
13-16-1-03-25 -a -00	1.1.2	14,85	TPN	343,91 M3	14,85 HA	
13-16-1-03-25 -a -00	2.1	14,85	TPN	343,91 M3	14,85 HA	
13-16-1-03-25 -a -00	4.1	14,85	TPN	343,91 M3	14,85 HA	
13-16-1-03-25 -b -00	2.1	3,93				
13-16-1-03-25 -b -00	1.1.2	3,93				
13-16-1-03-25 -b -00	4.1	3,93				
13-16-1-03-25 -c -00	1.1.2	7,73	PR	5,86 M3	7,73 HA	
13-16-1-03-25 -c -00	2.1	7,73	PR	5,86 M3	7,73 HA	
13-16-1-03-25 -c -00	4.1	7,73	PR	5,86 M3	7,73 HA	
13-16-1-03-26 -a -00	1.1.2	2,70				
13-16-1-03-26 -a -00	2.1	2,70				
13-16-1-03-26 -a -00	4.1	2,70				
13-16-1-03-26 -b -00	2.1	13,04	PR	7,79 M3	13,04 HA	
13-16-1-03-26 -b -00	1.1.2	13,04	PR	7,79 M3	13,04 HA	
13-16-1-03-26 -b -00	4.1	13,04	PR	7,79 M3	13,04 HA	
13-16-1-03-26 -c -00	1.1.2	3,90				
13-16-1-03-26 -c -00	2.1	3,90				
13-16-1-03-26 -c -00	4.1	3,90				
13-16-1-03-26 -d -00	2.1	0,93				
13-16-1-03-26 -d -00	1.1.2	0,93				
13-16-1-03-26 -d -00	4.1	0,93				
13-16-1-03-26 -f -00	1.1.2	1,71			pow referencyjna	
13-16-1-03-26 -f -00	2.1	1,71			pow referencyjna	
13-16-1-03-26 -f -00	4.1	1,71			pow referencyjna	
13-16-1-03-27 -a -00	1.1.2	11,25				
13-16-1-03-27 -a -00	2.1	11,25				
13-16-1-03-27 -a -00	4.1	11,25				
13-16-1-03-27 -b -00	2.1	1,49	GRODZ-RH	450 MB		0
13-16-1-03-27 -b -00	1.1.2	1,49	GRODZ-RH	451 MB		0
13-16-1-03-27 -b -00	4.1	1,49	GRODZ-RH	452 MB		0
13-16-1-03-27 -c -00	1.1.2	8,32	PR GRODZ-RH	CP 13,25 M3 0 30 MB	8,32 HA 0	1,20 HA
13-16-1-03-27 -c -00	2.1	8,32	PR GRODZ-RH	CP 13,25 M3 0 30 MB	8,32 HA 0	1,20 HA
13-16-1-03-27 -c -00	4.1	8,32	PR GRODZ-RH	CP 13,25 M3 0 30 MB	8,32 HA 0	1,20 HA

13-16-1-03-27 -d -00	2.1	4,06	PR		7,27 M3	4,06 HA
13-16-1-03-27 -d -00	1.1.2	4,06	PR		7,27 M3	4,06 HA
13-16-1-03-27 -d -00	4.1	4,06	PR		7,27 M3	4,06 HA
13-16-1-03-27 -f -00	1.1.2	1,83				
13-16-1-03-27 -f -00	2.1	1,83				
13-16-1-03-27 -f -00	4.1	1,83				
13-16-1-03-27 -g -00	1.1.2	2,21	RB IV D		118,87 M3	2,09 ha
13-16-1-03-27 -g -00	2.1	2,17	RB IV D		118,87 M3	2,09 ha
13-16-1-03-27 -g -00	4.1	2,21	RB IV D		118,87 M3	2,09 ha
13-16-1-03-27 -h -00	2.1	1,52				
13-16-1-03-27 -h -00	1.1.2	1,52				
13-16-1-03-27 -h -00	4.1	1,52				
13-16-1-03-27 -i -00	1.1.2	2,10				
13-16-1-03-27 -i -00	2.1	2,10				
13-16-1-03-27 -i -00	4.1	2,10				
13-16-1-03-3 -a -00	3.2	13,56				pow referencyjne
13-16-1-03-3 -a -00	2.1	13,56				pow referencyjne
13-16-1-03-3 -a -00	1.1.2	13,56				pow referencyjne
13-16-1-03-3 -a -00	4.2	13,56				pow referencyjne
13-16-1-03-3 -a -00	4.1	13,56				pow referencyjne
13-16-1-03-3 -b -00	3.2	1,60				pow referencyjne
13-16-1-03-3 -b -00	1.1.2	1,60				pow referencyjne
13-16-1-03-3 -b -00	2.1	1,60				pow referencyjne
13-16-1-03-3 -b -00	4.1	1,60				pow referencyjne
13-16-1-03-3 -b -00	4.2	1,60				pow referencyjne
13-16-1-03-3 -c -00	2.1	1,19				pow referencyjne
13-16-1-03-3 -c -00	1.1.2	1,19				pow referencyjne
13-16-1-03-3 -c -00	3.2	1,19				pow referencyjne
13-16-1-03-3 -c -00	4.1	1,19				pow referencyjne
13-16-1-03-3 -c -00	4.2	1,19				pow referencyjne
13-16-1-03-3 -d -00	3.2	3,35				
13-16-1-03-3 -d -00	1.1.2	3,35				
13-16-1-03-3 -d -00	2.1	3,35				
13-16-1-03-3 -d -00	4.1	3,35				
13-16-1-03-3 -d -00	4.2	3,35				
13-16-1-03-35 -a -00	2.1	2,63				
13-16-1-03-35 -a -00	1.1.2	2,63				
13-16-1-03-35 -a -00	4.1	2,63				
13-16-1-03-35 -b -00	1.1.2	2,99				
13-16-1-03-35 -b -00	2.1	2,99				
13-16-1-03-35 -b -00	4.1	2,99				
13-16-1-03-35 -c -00	1.1.2	4,29				
13-16-1-03-35 -c -00	2.1	4,29				
13-16-1-03-35 -c -00	4.1	4,29				
13-16-1-03-35 -d -00	1.1.2	2,63				
13-16-1-03-35 -d -00	2.1	2,63				
13-16-1-03-35 -d -00	4.1	2,63				
13-16-1-03-36 -a -00	1.1.2	2,12				
13-16-1-03-36 -a -00	2.1	2,12				
13-16-1-03-36 -a -00	4.1	2,12				
13-16-1-03-36 -b -00	2.1	8,74				
13-16-1-03-36 -b -00	1.1.2	8,74				
13-16-1-03-36 -b -00	4.1	8,74				
13-16-1-03-37 -a -00	2.1	1,00				
13-16-1-03-37 -a -00	1.1.2	1,00				
13-16-1-03-37 -a -00	3.2	1,00				
13-16-1-03-37 -a -00	4.1	1,00				
13-16-1-03-37 -b -00	1.1.2	3,39				
13-16-1-03-37 -b -00	2.1	3,39				
13-16-1-03-37 -b -00	4.1	3,39				
13-16-1-03-37 -c -00	2.1	9,55	PR O-PALIK	PIEL	3,19 M3 0 0,05 TSZT	9,55 HA 0,70 HA 0
13-16-1-03-37 -c -00	1.1.2	9,55	PR O-PALIK	PIEL	3,19 M3 0 0,05 TSZT	9,55 HA 0,70 HA 0
13-16-1-03-37 -c -00	4.1	9,55	PR O-PALIK	PIEL	3,19 M3 0 0,05 TSZT	9,55 HA 0,70 HA 0
13-16-1-03-37 -d -00	2.1	11,27	PR		20,70 M3	11,27 HA
13-16-1-03-37 -d -00	1.1.2	11,27	PR		20,70 M3	11,27 HA

13-16-1-03-37 -d -00	4.1	11,27	PR	20,70 M3	11,27 HA	
13-16-1-03-37 -f -00	2.1	1,13	RB IV DU PIEL POPR GRODZ-RH	177,37 M3 0 0,35 TSZT 10 MB	1,13 ha 0,20 HA 0,09 HA	0
13-16-1-03-37 -f -00	1.1.2	1,13	RB IV DU PIEL POPR GRODZ-RH	177,37 M3 0 0,35 TSZT 10 MB	1,13 ha 0,20 HA 0,09 HA	0
13-16-1-03-37 -f -00	4.1	1,13	RB IV DU PIEL POPR GRODZ-RH	177,37 M3 0 0,35 TSZT 10 MB	1,13 ha 0,20 HA 0,09 HA	0
13-16-1-03-38 -a -00	1.1.2	18,12				
13-16-1-03-38 -a -00	2.1	18,12				
13-16-1-03-38 -a -00	4.1	18,12				
13-16-1-03-38 -b -00	2.1	0,88				
13-16-1-03-38 -b -00	1.1.2	0,88				
13-16-1-03-38 -b -00	4.1	0,88				
13-16-1-03-38 -c -00	1.1.2	0,98				
13-16-1-03-38 -c -00	2.1	0,98				
13-16-1-03-38 -c -00	4.1	0,98				
13-16-1-03-38 -d -00	3.2	3,59				
13-16-1-03-38 -d -00	1.1.2	3,59				
13-16-1-03-38 -d -00	2.1	3,59				
13-16-1-03-38 -d -00	4.1	3,59				
13-16-1-03-39 -a -00	1.1.2	6,09				
13-16-1-03-39 -a -00	2.1	6,09				
13-16-1-03-39 -a -00	4.1	6,09				
13-16-1-03-39 -b -00	1.1.2	1,18				
13-16-1-03-39 -b -00	2.1	1,18				
13-16-1-03-39 -b -00	4.1	1,18				
13-16-1-03-39 -c -00	2.1	2,18	PTP	3,28 M3	2,18 HA	
13-16-1-03-39 -c -00	1.1.2	2,18	PTP	3,28 M3	2,18 HA	
13-16-1-03-39 -c -00	4.1	2,18	PTP	3,28 M3	2,18 HA	
13-16-1-03-39 -d -00	2.1	3,57				
13-16-1-03-39 -d -00	1.1.2	3,57				
13-16-1-03-39 -d -00	4.1	3,57				
13-16-1-03-39 -f -00	1.1.2	2,19				
13-16-1-03-39 -f -00	2.1	2,19				
13-16-1-03-39 -f -00	4.1	2,19				
13-16-1-03-39 -g -00	2.1	5,74				
13-16-1-03-39 -g -00	1.1.2	5,74				
13-16-1-03-39 -g -00	4.1	5,74				
13-16-1-03-40 -a -00	1.1.2	6,79	IV D MA-PORZ PBD-ODRB O-GRODZN GRODZ-RH O-ZGRYZC	PR 670,47 M3 0,35 M3 0 8,10 TSZT 6,00 HM 15 MB 0	6,79 HA 2,02 HA HA HA 1,40 HA	6,79 HA 2,02 0,63 0
13-16-1-03-40 -a -00	2.1	6,79	IV D MA-PORZ PBD-ODRB O-GRODZN GRODZ-RH O-ZGRYZC	PR 670,47 M3 0,35 M3 0 8,10 TSZT 6,00 HM 15 MB 0	6,79 HA 2,02 HA HA HA 1,40 HA	6,79 HA 2,02 0,63 0
13-16-1-03-40 -a -00	4.1	6,79	IV D MA-PORZ PBD-ODRB O-GRODZN GRODZ-RH O-ZGRYZC	PR 670,47 M3 0,35 M3 0 8,10 TSZT 6,00 HM 15 MB 0	6,79 HA 2,02 HA HA HA 1,40 HA	6,79 HA 2,02 0,63 0
13-16-1-03-40 -b -00	1.1.2	6,68	IV D MA-PORZ PBD-ODNRB O-GRODZN GRODZ-RH	CP 427,12 M3 0 M3P 2,11 TSZT 3,60 HM 15 MB	340 6,68 HA 1,50 HA 0,50 HA HA HA	0,58 0,16 0

13-16-1-03-40 -b -00	2.1	6,68	IV D MA-PORZ PBD-ODNRB O-GRODZN GRODZ-RH	CP	427,12 M3 0 M3P 2,11 TSZT 3,60 HM 15 MB	340	6,68 HA 1,50 HA 0,50 HA HA HA	0,58 0,16 0
13-16-1-03-40 -b -00	4.1	6,68	IV D MA-PORZ PBD-ODNRB O-GRODZN GRODZ-RH	CP	427,12 M3 0 M3P 2,11 TSZT 3,60 HM 15 MB	340	6,68 HA 1,50 HA 0,50 HA HA HA	0,58 0,16 0
13-16-1-03-40 -c -00	1.1.2	0,86					ps	
13-16-1-03-40 -d -00	1.1.2	6,16	PR		6,36 M3		6,16 HA	
13-16-1-03-40 -d -00	2.1	6,16	PR		6,36 M3		6,16 HA	
13-16-1-03-40 -d -00	4.1	6,16	PR		6,36 M3		6,16 HA	
13-16-1-03-40 -f -00	1.1.2	4,66						
13-16-1-03-40 -f -00	2.1	4,66						
13-16-1-03-40 -f -00	4.1	4,66						
13-16-1-03-40 -g -00	1.1.2	0,08					skład drewna	
13-16-1-03-40 -g -00	2.1	0,08					skład drewna	
13-16-1-03-40 -h -00	1.1.2	0,53						
13-16-1-03-40 -h -00	2.1	0,53						
13-16-1-03-40 -h -00	4.1	0,53						
13-16-1-03-40 -i -00	1.1.2	6,95	PTP		3,25 M3		6,95 HA	
13-16-1-03-40 -i -00	2.1	6,95	PTP		3,25 M3		6,95 HA	
13-16-1-03-40 -i -00	4.1	6,95	PTP		3,25 M3		6,95 HA	
13-16-1-03-41 -a -00	2.1	1,20						
13-16-1-03-41 -a -00	1.1.2	1,20						
13-16-1-03-41 -a -00	4.1	1,20						
13-16-1-03-41 -b -00	1.1.2	5,13	PR		3,95 M3		5,13 HA	
13-16-1-03-41 -b -00	2.1	5,13	PR		3,95 M3		5,13 HA	
13-16-1-03-41 -b -00	4.1	5,13	PR		3,95 M3		5,13 HA	
13-16-1-03-41 -c -00	1.1.2	5,05						
13-16-1-03-41 -c -00	2.1	5,05						
13-16-1-03-41 -c -00	4.1	5,05						
13-16-1-03-41 -d -00	1.1.2	2,51						
13-16-1-03-41 -d -00	2.1	2,51						
13-16-1-03-41 -d -00	4.1	2,51						
13-16-1-03-41 -f -00	1.1.2	0,07					skład drewna	
13-16-1-03-41 -f -00	2.1	0,07						
13-16-1-03-41 -g -00	2.1	3,83						
13-16-1-03-41 -g -00	1.1.2	3,83						
13-16-1-03-41 -g -00	4.1	3,83						
13-16-1-03-41 -h -00	2.1	1,10					poletko łowieckie	
13-16-1-03-41 -h -00	1.1.2	1,10					poletko łowieckie	
13-16-1-03-41 -i -00	2.1	1,41						
13-16-1-03-41 -i -00	1.1.2	1,41						
13-16-1-03-41 -i -00	4.1	1,41						
13-16-1-03-42 -a -00	2.1	1,04						
13-16-1-03-42 -a -00	1.1.2	1,04						
13-16-1-03-42 -a -00	4.1	1,04						
13-16-1-03-42 -b -00	1.1.2	2,84						
13-16-1-03-42 -b -00	2.1	2,84						
13-16-1-03-42 -b -00	4.1	2,84						
13-16-1-03-42 -c -00	2.1	4,89						
13-16-1-03-42 -c -00	1.1.2	4,89						
13-16-1-03-42 -c -00	4.1	4,89						
13-16-1-03-42 -d -00	1.1.2	2,60	IV D		372,46 M3		2,6 HA	
13-16-1-03-42 -d -00	2.1	2,60	IV D		372,46 M3		2,6 HA	
13-16-1-03-42 -d -00	4.1	2,60	IV D		372,46 M3		2,6 HA	
13-16-1-03-42 -f -00	1.1.2	0,59						
13-16-1-03-42 -f -00	2.1	0,59						
13-16-1-03-42 -f -00	4.1	0,59						
13-16-1-03-42 -g -00	2.1	2,86						
13-16-1-03-42 -g -00	1.1.2	2,86						
13-16-1-03-42 -g -00	4.1	2,86						
13-16-1-03-42 -h -00	1.1.2	1,57						
13-16-1-03-42 -h -00	2.1	1,57						
13-16-1-03-42 -h -00	4.1	1,57						
13-16-1-03-42 -i -00	2.1	0,07					potok	

13-16-1-03-42 -i -00	1.1.2	0,07				potok
13-16-1-03-43 -a -00	1.1.2	4,68				
13-16-1-03-43 -a -00	2.1	4,68				
13-16-1-03-43 -a -00	4.1	4,68				
13-16-1-03-43 -b -00	2.1	7,97	PTP	0,62 M3	7,97 HA	
13-16-1-03-43 -b -00	1.1.2	7,97	PTP	0,62 M3	7,97 HA	
13-16-1-03-43 -b -00	4.1	7,97	PTP	0,62 M3	7,97 HA	
13-16-1-03-43 -c -00	2.1	1,42	CP-P GRODZ-RH	CP 8,09 M3 0 30 MB	1,42 HA 0	1,42 HA
13-16-1-03-43 -c -00	1.1.2	1,42	CP-P GRODZ-RH	CP 8,09 M3 0 30 MB	1,42 HA 0	1,42 HA
13-16-1-03-43 -c -00	4.1	1,42	CP-P GRODZ-RH	CP 8,09 M3 0 30 MB	1,42 HA 0	1,42 HA
13-16-1-03-43 -d -00	2.1	1,82				
13-16-1-03-43 -d -00	1.1.2	1,82				
13-16-1-03-43 -d -00	4.1	1,82				
13-16-1-03-43 -f -00	1.1.2	1,22				
13-16-1-03-43 -f -00	2.1	1,22				
13-16-1-03-43 -f -00	4.1	1,22				
13-16-1-03-43 -g -00	1.1.2	3,44				
13-16-1-03-43 -g -00	2.1	3,44				
13-16-1-03-43 -g -00	4.1	3,44				
13-16-1-03-43 -h -00	2.1	1,04				
13-16-1-03-43 -h -00	1.1.2	1,04				
13-16-1-03-43 -h -00	4.1	1,04				
13-16-1-03-43 -i -00	1.1.2	1,85	II B MA-PORZ PBD-ODNRB O-PALIK O-ZGRYZC	CP 263,30 M3 0 200,0 M3P 1,44 TSZT 0,09 TSZT 0	1,85 HA 0,35 HA HA 0,35 HA	1,30 HA 0,35 0
13-16-1-03-43 -i -00	2.1	1,85	II B MA-PORZ PBD-ODNRB O-PALIK O-ZGRYZC	CP 263,30 M3 0 200,0 M3P 1,44 TSZT 0,09 TSZT 0	1,85 HA 0,35 HA HA 0,35 HA	1,30 HA 0,35 0
13-16-1-03-43 -i -00	4.1	1,85	II B MA-PORZ PBD-ODNRB O-PALIK O-ZGRYZC	CP 263,30 M3 0 200,0 M3P 1,44 TSZT 0,09 TSZT 0	1,85 HA 0,35 HA HA 0,35 HA	1,30 HA 0,35 0
13-16-1-03-43 -j -00	1.1.2	2,14				
13-16-1-03-43 -j -00	2.1	2,14				
13-16-1-03-43 -j -00	4.1	2,14				
13-16-1-03-43 -k -00	1.1.2	2,32				
13-16-1-03-43 -k -00	2.1	2,32				
13-16-1-03-43 -k -00	4.1	2,32				
13-16-1-03-43 -l -00	1.1.2	0,20				skład drewna
13-16-1-03-43 -l -00	2.1	0,20				skład drewna
13-16-1-03-43 -m -00	2.1	0,64				
13-16-1-03-43 -m -00	1.1.2	0,64				
13-16-1-03-43 -m -00	4.1	0,64				
13-16-1-03-44 -a -00	1.1.2	1,06				
13-16-1-03-44 -a -00	2.1	1,06				
13-16-1-03-44 -a -00	4.1	1,06				
13-16-1-03-44 -b -00	1.1.2	10,62				
13-16-1-03-44 -b -00	2.1	10,62				
13-16-1-03-44 -b -00	4.1	10,62				
13-16-1-03-44 -c -00	2.1	3,05	PR	10,67 M3	3,05 HA	
13-16-1-03-44 -c -00	1.1.2	3,05	PR	10,67 M3	3,05 HA	
13-16-1-03-44 -c -00	4.1	3,05	PR	10,67 M3	3,05 HA	
13-16-1-03-44 -d -00	1.1.2	4,56				
13-16-1-03-44 -d -00	2.1	4,56				
13-16-1-03-44 -d -00	4.1	4,56				
13-16-1-03-44 -f -00	2.1	2,12	RB IV D	205,03 M3	2,12 HA	
13-16-1-03-44 -f -00	1.1.2	2,12	RB IV D	205,03 M3	2,12 HA	

13-16-1-03-44 -f -00	4.1	2,12	RB IV D	205,03 M3	2,12 HA
13-16-1-03-45 -a -00	1.1.2	4,84	PTP	3,26 M3	4,48 HA
13-16-1-03-45 -a -00	2.1	4,84	PTP	3,26 M3	4,48 HA
13-16-1-03-45 -a -00	4.1	4,84	PTP	3,26 M3	4,48 HA
13-16-1-03-45 -b -00	1.1.2	5,82			
13-16-1-03-45 -b -00	2.1	5,82			
13-16-1-03-45 -b -00	4.1	5,82			
13-16-1-03-45 -c -00	1.1.2	23,55	PTP	4,00 M3	23,55 HA
13-16-1-03-45 -c -00	2.1	23,55	PTP	4,00 M3	23,55 HA
13-16-1-03-45 -c -00	4.1	23,55	PTP	4,00 M3	23,55 HA
13-16-1-03-45 -d -00	1.1.2	2,54			
13-16-1-03-45 -d -00	2.1	2,54			
13-16-1-03-45 -d -00	4.1	2,54			
13-16-1-03-45 -f -00	2.1	1,11	RB IV D	47,83 M3	1,11 HA
13-16-1-03-45 -f -00	1.1.2	1,11	RB IV D	47,83 M3	1,11 HA
13-16-1-03-45 -f -00	4.1	1,11	RB IV D	47,83 M3	1,11 HA
13-16-1-03-45 -g -00	2.1	1,75			
13-16-1-03-45 -g -00	1.1.2	1,75			
13-16-1-03-45 -g -00	4.1	1,75			
13-16-1-03-5 -a -00	1.1.2	0,97			pow. Referencyjna
13-16-1-03-5 -a -00	2.1	0,97			pow. Referencyjna
13-16-1-03-5 -a -00	4.2	0,97			pow. Referencyjna
13-16-1-03-5 -a -00	3.2	0,97			pow. Referencyjna
13-16-1-03-5 -a -00	4.1	0,97			pow. Referencyjna
13-16-1-03-5 -b -00	2.1	14,31			pow. Referencyjna
13-16-1-03-5 -b -00	1.1.2	14,31			pow. Referencyjna
13-16-1-03-5 -b -00	4.1	14,31			pow. Referencyjna
13-16-1-03-5 -b -00	4.2	14,31			pow. Referencyjna
13-16-1-03-5 -b -00	3.2	14,31			pow. Referencyjna
13-16-1-03-5 -c -00	2.1	4,21			
13-16-1-03-5 -c -00	1.1.2	4,21			
13-16-1-03-5 -c -00	3.2	4,21			
13-16-1-03-5 -c -00	4.1	4,21			
13-16-1-03-5 -c -00	4.2	4,21			
13-16-1-03-5 -d -00	1.1.2	6,94			
13-16-1-03-5 -d -00	2.1	6,94			
13-16-1-03-5 -d -00	4.1	6,94			
13-16-1-03-5 -d -00	4.2	6,94			
13-16-1-03-5 -f -00	1.1.2	3,68			
13-16-1-03-5 -f -00	2.1	3,68			
13-16-1-03-5 -f -00	4.2	3,68			
13-16-1-03-5 -f -00	4.1	3,68			
13-16-1-03-5 -g -00	1.1.2	0,90			pow. Referencyjna
13-16-1-03-5 -g -00	2.1	0,90			pow. Referencyjna
13-16-1-03-5 -g -00	3.2	0,90			pow. Referencyjna
13-16-1-03-5 -g -00	4.1	0,90			pow. Referencyjna
13-16-1-03-5 -g -00	4.2	0,90			pow. Referencyjna
13-16-1-03-5 -h -00	2.1	3,60	PR	3,35 M3	3,6 HA
13-16-1-03-5 -h -00	1.1.2	3,60	PR	3,35 M3	3,6 HA
13-16-1-03-5 -h -00	4.1	3,60	PR	3,35 M3	3,6 HA
13-16-1-03-5 -h -00	4.2	3,60	PR	3,35 M3	3,6 HA
13-16-1-03-5 -i -00	1.1.2	1,27			
13-16-1-03-5 -i -00	2.1	1,27			
13-16-1-03-5 -i -00	4.1	1,27			
13-16-1-03-5 -i -00	4.2	1,27			
13-16-1-03-5 -j -00	1.1.2	1,07			
13-16-1-03-5 -j -00	2.1	1,07			
13-16-1-03-5 -j -00	4.1	1,07			
13-16-1-03-5 -j -00	4.2	1,07			
13-16-1-03-53 -a -00	2.1	1,50	PTU	10,00 M3	1,5 HA
13-16-1-03-53 -a -00	1.1.2	1,50	PTU	10,00 M3	1,5 HA
13-16-1-03-53 -a -00	4.1	1,50	PTU	10,00 M3	1,5 HA
13-16-1-03-53 -b -00	2.1	8,01			
13-16-1-03-53 -b -00	1.1.2	8,01			
13-16-1-03-53 -b -00	4.1	8,01			
13-16-1-03-53 -c -00	1.1.2	3,97			
13-16-1-03-53 -c -00	2.1	3,97			
13-16-1-03-53 -c -00	4.1	3,97			
13-16-1-03-53 -d -00	1.1.2	5,39			
13-16-1-03-53 -d -00	3.2	5,39			
13-16-1-03-53 -d -00	2.1	5,39			

13-16-1-03-53 -d -00	4.1	5,39			
13-16-1-03-53 -g -00	2.1	1,06			
13-16-1-03-53 -g -00	1.1.2	1,06			
13-16-1-03-53 -g -00	4.1	1,06			
13-16-1-03-54 -a -00	2.1	7,34			
13-16-1-03-54 -a -00	1.1.2	7,34			
13-16-1-03-54 -a -00	4.1	7,34			
13-16-1-03-54 -b -00	2.1	1,09			
13-16-1-03-54 -b -00	1.1.2	1,09			
13-16-1-03-54 -b -00	4.1	1,09			
13-16-1-03-54 -c -00	2.1	7,26	IV DU MA-PORZ PBD-ODNRB O-GRODZN GRODZ-RH	1881.28 M3 1530,0 M3P 3,40 TSZT 3,60 HM 15 HM	7,26HA HA 0,36 HA 0 0,90 0,94 HA
13-16-1-03-54 -c -00	1.1.2	7,26	IV DU MA-PORZ PBD-ODNRB O-GRODZN GRODZ-RH	1881.28 M3 1530,0 M3P 3,40 TSZT 3,60 HM 15 HM	7,26HA HA 0,36 HA 0 0,90 0,94 HA
13-16-1-03-54 -c -00	4.1	7,26	IV DU MA-PORZ PBD-ODNRB O-GRODZN GRODZ-RH	1881.28 M3 1530,0 M3P 3,40 TSZT 3,60 HM 15 HM	7,26HA HA 0,36 HA 0 0,90 0,94 HA
13-16-1-03-54 -d -00	2.1	1,52	PTP	62,92 M3	1,52 HA
13-16-1-03-54 -d -00	1.1.2	1,52	PTP	62,92 M3	1,52 HA
13-16-1-03-54 -d -00	4.1	1,52	PTP	62,92 M3	1,52 HA
13-16-1-03-54 -f -00	1.1.2	0,32			potok
13-16-1-03-54 -f -00	2.1	0,32			potok
13-16-1-03-55 -a -00	1.1.2	2,56	RB IV D	359,20 M3	2,63 ha
13-16-1-03-55 -a -00	2.1	2,56	RB IV D	359,20 M3	2,63 ha
13-16-1-03-55 -a -00	4.1	2,56	RB IV D	359,20 M3	2,63 ha
13-16-1-03-55 -b -00	2.1	1,70			
13-16-1-03-55 -b -00	1.1.2	1,70			
13-16-1-03-55 -b -00	4.1	1,70			
13-16-1-03-55 -c -00	2.1	0,17			skład drewna
13-16-1-03-55 -c -00	1.1.2	0,17			skład drewna
13-16-1-03-55 -d -00	2.1	3,85			
13-16-1-03-55 -d -00	1.1.2	3,85			
13-16-1-03-55 -d -00	4.1	3,85			
13-16-1-03-55 -d -00	3.2	3,85			
13-16-1-03-55 -f -00	2.1	2,76	TPP	76,90 M3	2,76 HA
13-16-1-03-55 -f -00	1.1.2	2,76	TPP	76,90 M3	2,76 HA
13-16-1-03-55 -f -00	4.1	2,76	TPP	76,90 M3	2,76 HA
13-16-1-03-55 -g -00	1.1.2	1,83			ps
13-16-1-03-55 -g -00	2.1	1,83			ps
13-16-1-03-55 -h -00	2.1	2,69			rola
13-16-1-03-55 -h -00	1.1.2	2,69			rola
13-16-1-03-55 -i -00	1.1.2	0,36			inne budynki
13-16-1-03-55 -j -00	1.1.2	0,02			
13-16-1-03-55 -j -00	4.1	0,02			
13-16-1-03-55 -k -00	1.1.2	0,26			potok
13-16-1-03-55 -k -00	2.1	0,26			potok
13-16-1-03-55 -k -00	3.2	0,26			potok
13-16-1-03-6 -a -00	2.1	5,69	CP		0 5,69 HA
13-16-1-03-6 -a -00	1.1.2	5,69	CP		0 5,69 HA
13-16-1-03-6 -a -00	4.2	5,69	CP		0 5,69 HA
13-16-1-03-6 -a -00	4.1	5,69			
13-16-1-03-6 -b -00	2.1	2,95			
13-16-1-03-6 -b -00	1.1.2	2,95			
13-16-1-03-6 -b -00	4.2	2,95			
13-16-1-03-6 -b -00	4.1	2,95			
13-16-1-03-6 -c -00	2.1	15,83	PIEL		0 0,40 HA
13-16-1-03-6 -c -00	1.1.2	15,83	PIEL		0 0,40 HA
13-16-1-03-6 -c -00	4.2	15,83	PIEL		0 0,40 HA
13-16-1-03-6 -c -00	4.1	15,83			
13-16-1-03-6 -d -00	2.1	1,26			
13-16-1-03-6 -d -00	1.1.2	1,26			
13-16-1-03-6 -d -00	4.2	1,26			
13-16-1-03-6 -d -00	4.1	1,26			

13-16-1-03-7 -a -00	2.1	2,76			pow referencyjna
13-16-1-03-7 -a -00	1.1.2	2,76			pow referencyjna
13-16-1-03-7 -a -00	4.1	2,76			pow referencyjna
13-16-1-03-7 -a -00	4.2	2,76			pow referencyjna
13-16-1-03-7 -a -00	3.2	2,76			pow referencyjna
13-16-1-03-7 -b -00	2.1	15,67			pow referencyjna
13-16-1-03-7 -b -00	1.1.2	15,67			pow referencyjna
13-16-1-03-7 -b -00	4.1	15,67			pow referencyjna
13-16-1-03-7 -b -00	4.2	15,67			pow referencyjna
13-16-1-03-7 -b -00	3.2	15,67			pow referencyjna
13-16-1-03-7 -c -00	3.2	7,27			pow referencyjna
13-16-1-03-7 -c -00	2.1	7,27			pow referencyjna
13-16-1-03-7 -c -00	1.1.2	7,27			pow referencyjna
13-16-1-03-7 -c -00	4.2	7,27			pow referencyjna
13-16-1-03-7 -c -00	4.1	7,27			pow referencyjna
13-16-1-03-7 -d -00	2.1	1,00			pow referencyjna
13-16-1-03-7 -d -00	1.1.2	1,00			pow referencyjna
13-16-1-03-7 -d -00	3.2	1,00			pow referencyjna
13-16-1-03-7 -d -00	4.1	1,00			pow referencyjna
13-16-1-03-7 -d -00	4.2	1,00			pow referencyjna
13-16-1-03-7 -f -00	2.1	3,43			pow referencyjna
13-16-1-03-7 -f -00	3.2	3,43			pow referencyjna
13-16-1-03-7 -f -00	1.1.2	3,43			pow referencyjna
13-16-1-03-7 -f -00	4.1	3,43			pow referencyjna
13-16-1-03-7 -f -00	4.2	3,43			pow referencyjna
13-16-1-03-8 -a -00	1.1.2	3,19	TPP	116,53 M3	3,19HA
13-16-1-03-8 -a -00	2.1	3,19	TPP	116,53 M3	3,19HA
13-16-1-03-8 -a -00	4.1	3,19	TPP	116,53 M3	3,19HA
13-16-1-03-8 -b -00	1.1.2	2,12	TPP	23,39 M3	2,12HA
13-16-1-03-8 -b -00	2.1	2,12	TPP	23,39 M3	2,12HA
13-16-1-03-8 -b -00	4.1	2,12	TPP	23,39 M3	2,12HA
13-16-1-03-8 -c -00	1.1.2	3,60	PR	19,52 M3	3,6HA
13-16-1-03-8 -c -00	2.1	3,60	PR	19,52 M3	3,6HA
13-16-1-03-8 -c -00	4.1	3,60	PR	19,52 M3	3,6HA
13-16-1-03-8 -d -00	2.1	2,32			pow referencyjna
13-16-1-03-8 -d -00	1.1.2	2,32			pow referencyjna
13-16-1-03-8 -d -00	4.1	2,32			pow referencyjna
13-16-1-03-8 -f -00	2.1	1,89			
13-16-1-03-8 -f -00	1.1.2	1,89			
13-16-1-03-8 -f -00	4.1	1,89			
13-16-1-03-8 -g -00	1.1.2	3,64			
13-16-1-03-8 -g -00	2.1	3,64			
13-16-1-03-8 -g -00	4.1	3,64			
13-16-1-03-9 -a -00	2.1	2,81			pow referencyjna
13-16-1-03-9 -a -00	1.1.2	2,81			pow referencyjna
13-16-1-03-9 -a -00	4.1	2,81			pow referencyjna
13-16-1-03-9 -b -00	2.1	2,38	PTP	19,53 M3	2,38HA
13-16-1-03-9 -b -00	1.1.2	2,38	PTP	19,53 M3	2,38HA
13-16-1-03-9 -b -00	4.1	2,38	PTP	19,53 M3	2,38HA
13-16-1-03-9 -c -00	2.1	5,61			pow referencyjna
13-16-1-03-9 -c -00	1.1.2	5,61			pow referencyjna
13-16-1-03-9 -c -00	4.1	5,61			pow referencyjna
13-16-1-03-9 -d -00	2.1	2,60			
13-16-1-03-9 -d -00	1.1.2	2,60			
13-16-1-03-9 -d -00	4.1	2,60			
13-16-1-03-9 -f -00	2.1	1,49	PBD-ODNL O-ZGRYZC	1,49 TSZT 0	0,45 HA 0,45 HA
13-16-1-03-9 -f -00	1.1.2	1,49	PBD-ODNL O-ZGRYZC	1,49 TSZT 0	0,45 HA 0,45 HA
13-16-1-03-9 -f -00	4.1	1,49	PBD-ODNL O-ZGRYZC	1,49 TSZT 0	0,45 HA 0,45 HA
Różanka					
13-16-1-04-117 -a -00	4.1	3,77	PR	9,31m3	3,77ha
13-16-1-04-117 -b -00	4.1	7,95	PR/ZAW-BUD	2,60m3/2SZT	7,95ha
13-16-1-04-117 -c -00	4.1	4,15			
13-16-1-04-117 -d -00	4.1	2,33	ZAW-BUD	7SZT	2,33ha
13-16-1-04-117 -d -00	3.2	2,33	ZAW-BUD	7SZT	2,33ha
13-16-1-04-117 -f -00	4.1	1,94			
13-16-1-04-118 -b -00	3.1	1,36			
13-16-1-04-118 -b -00	4.1	12,77			
13-16-1-04-118 -c -00	4.1	1,66			

13-16-1-04-118 -d -00	3.2	2,34	ZAW-BUD	8SZT	2,34ha
13-16-1-04-118 -d -00	4.1	7,39	ZAW-BUD	8SZT	2,34ha
13-16-1-04-118 -f -00	4.1	8,93	IVD	384,64m3	8,93ha
13-16-1-04-118 -g -00	3.2	1,52			
13-16-1-04-118 -g -00	4.1	1,52			
13-16-1-04-118 -h -00	3.2	1,08			
13-16-1-04-118 -h -00	4.1	1,08			
13-16-1-04-119 -a -00	4.1	1,89	ZAW-BUD	2szt	1,89ha
13-16-1-04-119 -b -00	4.1	19,40	ZAW-BUD	3szt	19,40ha
13-16-1-04-119 -c -00	3.1	4,88	TPP	25,79m3	4,88ha
13-16-1-04-119 -c -00	4.1	5,58	TPP	25,79m3	5,58ha
13-16-1-04-119 -d -00	4.1	2,00			
13-16-1-04-119 -f -00	4.1	0,98			
13-16-1-04-119A -a -00	4.1	3,42			
13-16-1-04-119A -b -00	4.1	1,92	PTP	2,70m3	1,92ha
13-16-1-04-119A -c -00	4.1	1,78	PTP	0,44m3	1,79ha
13-16-1-04-119A -d -00	4.1	5,36			
13-16-1-04-119A -f -00	4.1	0,14			
13-16-1-04-119A -g -00	4.1	1,38	TWP	4,55M3	1,38ha
13-16-1-04-119A -h -00	4.1	4,35			
13-16-1-04-119A -i -00	4.1	2,10			
13-16-1-04-119A -j -00	4.1	1,61			
13-16-1-04-119A -k -00	4.1	0,52			
13-16-1-04-119A -l -00	3.1	1,86			
13-16-1-04-119A -l -00	4.1	4,19			
13-16-1-04-119A -m -00	4.1	0,70			
13-16-1-04-120 -a -00	3.2	5,95			
13-16-1-04-120 -a -00	2.1	5,95			pow referencyjne
13-16-1-04-120 -a -00	6.0	5,95			pow referencyjne
13-16-1-04-120 -a -00	4.1	5,95			pow referencyjne
13-16-1-04-120 -b -00	2.1	6,93			
13-16-1-04-120 -b -00	4.1	6,93			
13-16-1-04-120 -b -00	6.0	6,93			
13-16-1-04-120 -c -00	2.1	2,78	IVD/ZAB-MWD	791,11m3/1,00ha	2,78ha
13-16-1-04-120 -c -00	3.2	2,78	IVD/ZAB-MWD	791,11m3/1,00ha	2,78ha
13-16-1-04-120 -c -00	4.1	2,78	IVD/ZAB-MWD	791,11m3/1,00ha	2,78ha
13-16-1-04-120 -c -00	6.0	2,78			
13-16-1-04-120 -d -00	2.1	0,97	TPP	8,42m3	0,97ha
13-16-1-04-120 -d -00	4.1	0,97	TPP	8,42m3	0,97ha
13-16-1-04-120 -f -00	2.1	4,86	IVD	582,56m3	4,86ha
13-16-1-04-120 -f -00	4.1	4,86	IVD	582,56m3	4,86ha
13-16-1-04-120 -g -00	3.2	1,12	CZYSZ-BUD	1szt	pow referencyjne
13-16-1-04-120 -g -00	2.1	1,12	CZYSZ-BUD	1szt	pow referencyjne
13-16-1-04-120 -g -00	4.1	1,12	CZYSZ-BUD	1szt	pow referencyjne
13-16-1-04-120 -h -00	2.1	4,59			pow referencyjne
13-16-1-04-120 -h -00	4.1	4,59			pow referencyjne
13-16-1-04-120 -i -00	2.1	0,38			szcz chr
13-16-1-04-120 -i -00	6.0	0,38			szcz chr
13-16-1-04-120 -i -00	4.1	0,38			szcz chr
13-16-1-04-120 -j -00	2.1	2,88	CZYSZ-BUD	5szt	2,88ha
13-16-1-04-120 -j -00	4.1	2,88	CZYSZ-BUD	5szt	2,88ha
13-16-1-04-120 -j -00	6.0	0,00			
13-16-1-04-120 -k -00	2.1	0,64			
13-16-1-04-120 -k -00	3.2	0,64			
13-16-1-04-120 -k -00	4.1	0,64			
13-16-1-04-120 -l -00	2.1	1,57	TPP/CZYSZ-BUD	71,80m3/3szt	1,57ha
13-16-1-04-120 -l -00	4.1	1,57	TPP/CZYSZ-BUD	71,80m3/3szt	1,57ha
13-16-1-04-120 -m -00	2.1	1,58			pow referencyjne
13-16-1-04-120 -m -00	4.1	1,58			pow referencyjne
13-16-1-04-120 -n -00	2.1	2,52			
13-16-1-04-120 -n -00	4.1	2,52			
13-16-1-04-120 -o -00	2.1	2,92	PR/CZYSZ-BUD	24,92m3/3szt	2,92ha
13-16-1-04-120 -o -00	4.1	2,92	PR/CZYSZ-BUD	24,92m3/3szt	2,92ha
13-16-1-04-120 -p -00	3.2	0,17	TPP/CZYSZ-BUD	36,04M3/2szt	0,17ha
13-16-1-04-120 -p -00	2.1	1,04	TPP/CZYSZ-BUD	36,04M3/2szt	1,04ha
13-16-1-04-120 -p -00	4.1	1,04	TPP/CZYSZ-BUD	36,04M3/2szt	1,04ha
13-16-1-04-120 -r -00	2.1	0,89			
13-16-1-04-120 -r -00	4.1	0,89			
13-16-1-04-121 -a -00	2.1	8,45			pow referencyjne
13-16-1-04-121 -a -00	4.1	8,45			pow referencyjne
13-16-1-04-121 -a -00	6.0	8,45			pow referencyjne

13-16-1-04-121 -b -00	2.1	2,28			pow referencyjne
13-16-1-04-121 -b -00	3.2	2,28			pow referencyjne
13-16-1-04-121 -b -00	4.1	2,28			pow referencyjne
13-16-1-04-121 -c -00	3.2	1,12			pow referencyjne
13-16-1-04-121 -c -00	2.1	1,12			pow referencyjne
13-16-1-04-121 -c -00	4.1	1,12			pow referencyjne
13-16-1-04-121 -c -00	6.0	1,12			pow referencyjne
13-16-1-04-121 -d -00	2.1	4,59			pow referencyjne
13-16-1-04-121 -d -00	3.2	2,78			pow referencyjne
13-16-1-04-121 -d -00	4.1	4,59			pow referencyjne
13-16-1-04-121 -f -00	2.1	2,79	PR	25,69m3	2,79ha
13-16-1-04-121 -f -00	3.2	0,00			
13-16-1-04-121 -f -00	4.1	2,79	PR	25,69m3	2,79ha
13-16-1-04-121 -g -00	2.1	1,19	CZYSZ-BUD	3szt	1,19ha
13-16-1-04-121 -g -00	4.1	1,19	CZYSZ-BUD	3szt	1,19ha
13-16-1-04-122 -a -00	2.1	14,45	IVD/PR	130,57m3/36,15m3	14,45ha
13-16-1-04-122 -a -00	4.1	14,45	IVD/PR	130,57m3/36,15m3	14,45ha
13-16-1-04-122 -b -00	3.1	2,35			
13-16-1-04-122 -b -00	2.1	2,35			
13-16-1-04-122 -b -00	4.1	2,35			
13-16-1-04-122 -c -00	2.1	3,90			
13-16-1-04-122 -c -00	4.1	3,90			
13-16-1-04-122 -d -00	2.1	2,62			
13-16-1-04-122 -d -00	4.1	2,62			
13-16-1-04-122 -f -00	2.1	2,17			pow referencyjne
13-16-1-04-122 -f -00	3.2	2,17			pow referencyjne
13-16-1-04-122 -f -00	4.1	2,17			pow referencyjne
13-16-1-04-122 -g -00	2.1	0,28			poletko łow.
13-16-1-04-122 -h -00	2.1	1,76			poletko łow.
13-16-1-04-122 -i -00	2.1	1,39			poletko łow.
13-16-1-04-123 -a -00	2.1	8,45	PTW	2,6m3	8,45ha
13-16-1-04-123 -a -00	4.1	8,45	PTW	2,60m3	8,45ha
13-16-1-04-123 -b -00	2.1	11,05			
13-16-1-04-123 -b -00	4.1	11,05			
13-16-1-04-123 -c -00	3.1	0,53			
13-16-1-04-123 -c -00	2.1	7,27			
13-16-1-04-123 -c -00	4.1	7,27			
13-16-1-04-123 -d -00	2.1	4,23			
13-16-1-04-123 -d -00	4.1	4,23			
13-16-1-04-124 -a -00	2.1	3,62			łaka
13-16-1-04-124 -b -00	2.1	1,26			ps
13-16-1-04-124 -c -00	2.1	9,48			
13-16-1-04-124 -c -00	4.1	9,48			
13-16-1-04-124 -d -00	3.2	1,18			
13-16-1-04-124 -d -00	2.1	1,18			
13-16-1-04-124 -d -00	4.1	1,18			
13-16-1-04-124 -f -00	2.1	5,50			
13-16-1-04-124 -f -00	3.2	5,50			
13-16-1-04-124 -f -00	4.1	5,50			
13-16-1-04-124 -g -00	2.1	4,28			
13-16-1-04-124 -g -00	4.1	4,28			
13-16-1-04-124 -h -00	2.1	0,84			ps
13-16-1-04-127 -a -00	2.1	1,96			
13-16-1-04-127 -a -00	4.1	1,96			
13-16-1-04-127 -b -00	2.1	0,87			
13-16-1-04-127 -b -00	4.1	0,87			
13-16-1-04-127 -c -00	2.1	1,89			
13-16-1-04-127 -c -00	4.1	1,89			
13-16-1-04-127 -d -00	2.1	2,05			
13-16-1-04-127 -d -00	4.1	2,05			
13-16-1-04-127 -f -00	2.1	15,95	PR/CZYSZ-BUD	24,18m3/7szt	15,95ha
13-16-1-04-127 -f -00	4.1	15,95	PR/CZYSZ-BUD	24,18m3/7szt	15,95ha
13-16-1-04-128 -a -00	2.1	5,03			
13-16-1-04-128 -a -00	4.1	5,03			
13-16-1-04-128 -b -00	2.1	3,11	TPP	45,87m3	3,11ha
13-16-1-04-128 -b -00	4.1	3,11	TPP	45,87m3	3,11ha
13-16-1-04-128 -c -00	2.1	1,64			
13-16-1-04-128 -c -00	4.1	1,64			
13-16-1-04-128 -d -00	2.1	2,99			
13-16-1-04-128 -d -00	4.1	2,99			
13-16-1-04-128 -f -00	2.1	2,94			

13-16-1-04-128 -f -00	4.1	2,94			
13-16-1-04-128 -g -00	2.1	3,80			
13-16-1-04-128 -g -00	4.1	3,80			
13-16-1-04-128 -h -00	2.1	1,56			
13-16-1-04-128 -h -00	4.1	1,56			
13-16-1-04-129 -a -00	2.1	5,69	TPP	145,51m3	5,69ha
13-16-1-04-129 -a -00	4.1	5,69	TPP	145,51m3	5,69ha
13-16-1-04-129 -b -00	2.1	23,46	PR/CZYSZ-BUD	146,47m3/9szt	23,46ha
13-16-1-04-129 -b -00	4.1	23,46	PR/CZYSZ-BUD	146,47m3/9szt	23,46ha
13-16-1-04-129 -c -00	2.1	2,92			
13-16-1-04-129 -c -00	4.1	2,92			
13-16-1-04-136 -a -00	2.1	6,55	PR/CZYSZ-BUD	3,98m3/3szt	6,55ha
13-16-1-04-136 -a -00	4.1	6,55	PR/CZYSZ-BUD	3,98m3/3szt	6,55ha
13-16-1-04-136 -b -00	2.1	9,11	CZYSZ-BUD	2szt	
13-16-1-04-136 -b -00	4.1	9,11	CZYSZ-BUD	2szt	
13-16-1-04-136 -c -00	2.1	4,54			
13-16-1-04-136 -c -00	4.1	4,54			
13-16-1-04-136 -d -00	2.1	1,65	CZYSZ-BUD	1szt	1,65ha
13-16-1-04-136 -d -00	4.1	1,65	CZYSZ-BUD	1szt	1,65ha
13-16-1-04-137 -a -00	2.1	4,15			
13-16-1-04-137 -a -00	4.1	4,15			
13-16-1-04-137 -b -00	2.1	13,39	CZYSZ-BUD	3szt	13,39ha
13-16-1-04-137 -b -00	4.1	13,39	CZYSZ-BUD	3szt	13,39ha
13-16-1-04-137 -c -00	2.1	1,22	TPP	42,86m3	1,22ha
13-16-1-04-137 -c -00	4.1	1,22	TPP	42,86m3	1,22ha
13-16-1-04-137 -d -00	2.1	2,27			
13-16-1-04-137 -d -00	4.1	2,27			
13-16-1-04-143 -a -00	2.1	1,10	PR	4,93m3	1,10ha
13-16-1-04-143 -a -00	4.1	1,10	PR	4,93m3	1,10ha
13-16-1-04-143 -b -00	2.1	3,60	PTP	6,22m3	3,6ha
13-16-1-04-143 -b -00	4.1	3,60	PTP	6,22m3	3,6ha
13-16-1-04-143 -c -00	2.1	5,30			
13-16-1-04-143 -c -00	4.1	5,30			
13-16-1-04-143 -d -00	2.1	11,74	PTP/CZYSZ-BUD/PBD- ODNRB/PORZ>100/GRO DZ-SG/ZAB-REPEL	46,41m3/3szt/4,76Tszt/ 0,45ha/5,76hm/0,45ha	11,74ha
13-16-1-04-143 -d -00	4.1	11,74	PTP/CZYSZ-BUD/PBD- ODNRB/PORZ>100/GRO DZ-SG/ZAB-REPEL	46,41m3/3szt/4,76Tszt/ 0,45ha/5,76hm/0,45ha	11,74ha
13-16-1-04-145 -a -00	2.1	1,18			
13-16-1-04-145 -a -00	4.1	1,18			
13-16-1-04-145 -b -00	2.1	1,45			
13-16-1-04-145 -b -00	4.1	1,45			
13-16-1-04-145 -c -00	2.1	4,74			
13-16-1-04-145 -c -00	4.1	4,74			
13-16-1-04-145 -d -00	2.1	6,50	PR	5,29m3	6,5ha
13-16-1-04-145 -d -00	4.1	6,50	PR	5,29m3	6,5ha
13-16-1-04-145 -f -00	2.1	0,62	CZYSZ-BUD	1szt	0,62ha
13-16-1-04-145 -f -00	4.1	0,62	CZYSZ-BUD	1szt	0,62ha
13-16-1-04-145 -g -00	2.1	14,01			
13-16-1-04-145 -g -00	3.2	0,00			
13-16-1-04-145 -g -00	4.1	14,01			
13-16-1-04-145 -h -00	2.1	0,75			
13-16-1-04-145 -h -00	4.1	0,75			
13-16-1-04-145 -i -00	3.2	3,60			
13-16-1-04-145 -i -00	2.1	3,60			
13-16-1-04-145 -i -00	4.1	3,60			
13-16-1-04-145 -j -00	2.1	3,34			
13-16-1-04-145 -j -00	4.1	3,34			
13-16-1-04-146 -a -00	2.1	8,14			
13-16-1-04-146 -a -00	4.1	8,14			
13-16-1-04-146 -b -00	2.1	1,43	PR	10,25m3	1,43ha
13-16-1-04-146 -b -00	4.1	1,43	PR	10,25m3	1,43ha
13-16-1-04-146 -c -00	2.1	0,88			
13-16-1-04-146 -c -00	4.1	0,88			
13-16-1-04-146 -d -00	2.1	1,65			
13-16-1-04-146 -d -00	4.1	1,65			
13-16-1-04-146 -f -00	2.1	12,09	RBIVD/CZYSZ- BUD/GRODZ-SG/PBD- ODNRB	2000,98m3/4szt/5,32h m/3,68Tszt	12,09ha

13-16-1-04-146 -f -00	4.1	12,09	RBIVD/CZYSZ-BUD/GRODZ-SG/PBD-ODNRB	2000,98m3/4szt/5,32hm/3,68Tszt	12,09ha
13-16-1-04-147 -a -00	2.1	0,67			
13-16-1-04-147 -a -00	4.1	0,67			
13-16-1-04-147 -b -00	2.1	6,41			
13-16-1-04-147 -b -00	4.1	6,41			
13-16-1-04-147 -c -00	2.1	5,79	PR/PTW	12,15m3/19,54m3	5,79ha
13-16-1-04-147 -c -00	4.1	5,79	PR/PTW	12,15m3/19,54m3	5,79ha
13-16-1-04-147 -d -00	2.1	3,73	PTP	2,10m3	3,73ha
13-16-1-04-147 -d -00	4.1	3,73	PTP	2,10m3	3,73ha
13-16-1-04-147 -f -00	2.1	2,38			
13-16-1-04-147 -f -00	4.1	2,38			
13-16-1-04-148 -a -00	2.1	9,30	RBIVD/PBD-ODNRB/PORZ>100/GRODZ-SG	648,81m3/8,32Tszt/0,44ha/11,98hm	9,3ha
13-16-1-04-148 -a -00	4.1	9,30	RBIVD/PBD-ODNRB/PORZ>100/GRODZ-SG	648,81m3/8,32Tszt/0,44ha/11,98hm	9,3ha
13-16-1-04-148 -b -00	2.1	1,77	PTW	4,16m3	1,77ha
13-16-1-04-148 -b -00	4.1	1,77	PTW	4,16m3	1,77ha
13-16-1-04-148 -c -00	2.1	10,15	RBIVD/PBD-ODNRB	1124,94m3/1,72Tszt	10,15ha
13-16-1-04-148 -c -00	4.1	10,15	RBIVD/PBD-ODNRB	1124,94m3/1,72Tszt	10,15ha
13-16-1-04-148 -c -00	3.2	1,82	RBIVD/PBD-ODNRB	1124,94m3/1,72Tszt	
13-16-1-04-148 -d -00	2.1	3,00			
13-16-1-04-148 -d -00	4.1	3,00			
13-16-1-04-149 -a -00	2.1	7,83			
13-16-1-04-149 -a -00	4.1	7,83			
13-16-1-04-149 -b -00	2.1	2,10			
13-16-1-04-149 -b -00	4.1	2,10			
13-16-1-04-149 -c -00	2.1	1,56			
13-16-1-04-149 -c -00	4.1	1,56			
13-16-1-04-149 -d -00	2.1	0,35			skład drewna
13-16-1-04-149 -f -00	2.1	6,68	PR/CW	7,65m3/0,30ha	6,68ha
13-16-1-04-149 -f -00	4.1	6,68	PR/CW	7,65m3/0,30ha	6,68ha
13-16-1-04-149 -g -00	2.1	3,06			
13-16-1-04-149 -g -00	3.2	3,06	ZAB-REPEL	2,1ha	
13-16-1-04-149 -g -00	4.1	3,06	ZAB-REPEL	2,1ha	
13-16-1-04-149 -h -00	2.1	4,05			
13-16-1-04-149 -h -00	4.1	4,05			
13-16-1-04-149 -i -00	2.1	6,47	PR	18,27m3	6,47ha
13-16-1-04-149 -i -00	4.1	6,47	PR	18,27m3	6,47ha
13-16-1-04-149 -i -00	3.2	6,47			
13-16-1-04-150 -a -00	2.1	5,47	PR	15,15m3	5,47ha
13-16-1-04-150 -a -00	4.1	5,47	PR	15,15m3	5,47ha
13-16-1-04-150 -b -00	2.1	8,00	PR/PTP/CP	23,60m3/2,91m3/4,07ha	8,00ha
13-16-1-04-150 -b -00	4.1	8,00	PR/PTP/CP	23,60m3/2,91m3/4,07ha	8,00ha
13-16-1-04-150 -b -00	6.0	8,00			
13-16-1-04-150 -c -00	2.1	5,51	PTP	17,18m3	5,51ha
13-16-1-04-150 -c -00	4.1	5,51	PTP	17,18m3	5,51ha
13-16-1-04-150 -d -00	2.1	0,78			
13-16-1-04-150 -d -00	4.1	0,78			
13-16-1-04-152 -a -00	2.1	2,26			
13-16-1-04-152 -a -00	4.1	2,26			
13-16-1-04-152 -b -00	2.1	4,07	CP-P	9,68m3	4,07ha
13-16-1-04-152 -b -00	4.1	4,07	CP-P	9,68m3	4,07ha
13-16-1-04-152 -c -00	2.1	3,25	GRODZ-SG/PBD-ODNRB	2,66hm/0,92Tszt	
13-16-1-04-152 -c -00	4.1	3,25	GRODZ-SG/PBD-ODNRB	2,66hm/0,92Tszt	
13-16-1-04-152 -d -00	2.1	2,77			
13-16-1-04-152 -d -00	3.2	0,00			
13-16-1-04-152 -d -00	4.1	2,77			
13-16-1-04-152 -f -00	2.1	8,98	PTW/ZAB-REPEL	8,16m3/2,15ha	8,98ha
13-16-1-04-152 -f -00	6.0	0,00			
13-16-1-04-152 -f -00	3.2	8,98	PTW/ZAB-REPEL	8,16m3/2,15ha	8,98ha
13-16-1-04-152 -f -00	4.1	8,98	PTW/ZAB-REPEL	8,16m3/2,15ha	8,98ha
13-16-1-04-153 -a -00	2.1	3,70			
13-16-1-04-153 -a -00	6.0	3,70			

13-16-1-04-153 -a -00	4.1	3,70			
13-16-1-04-153 -b -00	2.1	5,54			
13-16-1-04-153 -b -00	4.1	5,54			
13-16-1-04-153 -b -00	3.2	5,54			
13-16-1-04-153 -b -00	6.0	5,54			
13-16-1-04-153 -c -00	2.1	9,54			
13-16-1-04-153 -c -00	4.1	9,54	PR/ZAB-REPEL	127,42m3/1,2ha	9,54ha
13-16-1-04-153 -c -00	6.0	9,54	PR/ZAB-REPEL	127,42m3/1,2ha	9,54ha
13-16-1-04-153 -d -00	2.1	7,46			
13-16-1-04-153 -d -00	6.0	0,00			
13-16-1-04-153 -d -00	3.2	7,46			
13-16-1-04-153 -d -00	4.1	7,46			
13-16-1-04-153 -f -00	2.1	1,33			
13-16-1-04-153 -f -00	4.1	1,33			
13-16-1-04-153 -f -00	6.0	1,33			
13-16-1-04-153 -g -00	2.1	2,40			
13-16-1-04-153 -g -00	4.1	2,40			
13-16-1-04-153 -g -00	6.0	2,40			
13-16-1-04-155 -a -00	2.1	22,65	PR/GRODZ-SG/PBD-ODNRB	45,19m3/20,28hm/12,33Tszt	22,65ha
13-16-1-04-155 -a -00	4.1	22,65	PR/GRODZ-SG/PBD-ODNRB	45,19m3/20,28hm/12,33Tszt	22,65ha
13-16-1-04-155 -b -00	2.1	8,60	CW/PBD-ODNRB/ZAB-UPAL3	8,60ha/0,21Tszt/0,10ha	
13-16-1-04-155 -b -00	4.1	8,60	CW/PBD-ODNRB/ZAB-UPAL3	8,60ha/0,21Tszt/0,10ha	
13-16-1-04-155 -c -00	2.1	0,78			
13-16-1-04-155 -c -00	4.1	0,78			
13-16-1-04-155 -d -00	2.1	1,03			
13-16-1-04-155 -d -00	4.1	1,03			
13-16-1-04-155 -f -00	2.1	0,30			
13-16-1-04-155 -f -00	4.1	0,30			
13-16-1-04-155 -g -00	2.1	0,70			
13-16-1-04-155 -g -00	4.1	0,70			
13-16-1-04-156 -a -00	3.2	5,33			
13-16-1-04-156 -a -00	2.1	5,33			
13-16-1-04-156 -a -00	4.1	5,33			
13-16-1-04-156 -b -00	2.1	7,39			
13-16-1-04-156 -b -00	4.1	7,39			
13-16-1-04-156 -c -00	2.1	10,59	PR/CW	14,45m3/1,6ha	10,59ha
13-16-1-04-156 -c -00	3.2	1,43	PR/CW	14,45m3/1,6ha	1,43ha
13-16-1-04-156 -c -00	4.1	10,59	PR/CW	14,45m3/1,6ha	10,59ha
13-16-1-04-156 -d -00	2.1	3,64	PTP	10,24m3	3,64ha
13-16-1-04-156 -d -00	4.1	3,64	PTP	10,24m3	3,64ha
13-16-1-04-156 -f -00	2.1	2,82			
13-16-1-04-156 -f -00	4.1	2,82			
13-16-1-04-156 -g -00	2.1	0,84			
13-16-1-04-156 -g -00	4.1	0,84			
13-16-1-04-156 -h -00	2.1	0,11			
13-16-1-04-156 -h -00	4.1	0,11			
13-16-1-04-156 -i -00	2.1	2,16			
13-16-1-04-156 -i -00	4.1	2,16			
13-16-1-04-156 -j -00	2.1	0,65			
13-16-1-04-156 -j -00	4.1	0,65			
13-16-1-04-156 -k -00	2.1	1,25	PR	3,00m3	1,25ha
13-16-1-04-156 -k -00	4.1	1,25	PR	3,00m3	1,25ha
13-16-1-04-156 -l -00	2.1	1,15			
13-16-1-04-156 -l -00	4.1	1,15			
13-16-1-04-156 -m -00	3.2	3,33			
13-16-1-04-156 -m -00	2.1	3,33			
13-16-1-04-156 -m -00	4.1	3,33			
13-16-1-04-156 -n -00	3.2	3,61			
13-16-1-04-156 -n -00	2.1	3,61			
13-16-1-04-156 -n -00	4.1	3,61			
13-16-1-04-157 -a -00	2.1	0,76			
13-16-1-04-157 -a -00	4.1	0,76			
13-16-1-04-157 -b -00	2.1	15,35			pow referencyjne
13-16-1-04-157 -b -00	4.1	15,35			pow referencyjne
13-16-1-04-157 -b -00	3.2	15,35			pow referencyjne
13-16-1-04-157 -c -00	2.1	1,22	PTP	13,10m3	1,22ha
13-16-1-04-157 -c -00	4.1	1,22	PTP	13,10m3	1,22ha

13-16-1-04-158 -a -00	2.1	6,29	TWP	98,38m3	6,29ha
13-16-1-04-158 -a -00	4.1	6,29	TWP	98,38m3	6,29ha
13-16-1-04-158 -b -00	2.1	2,87			
13-16-1-04-158 -b -00	4.1	2,87			
13-16-1-04-158 -c -00	2.1	3,89	PTP	13,59m3	3,89ha
13-16-1-04-158 -c -00	4.1	3,89	PTP	1359m3	3,89ha
13-16-1-04-159 -a -00	2.1	4,28			
13-16-1-04-159 -a -00	4.1	4,28			
13-16-1-04-159 -b -00	2.1	7,78	PTW	12,22m3	7,78ha
13-16-1-04-159 -b -00	4.1	7,78	PTW	12,22m3	7,78ha
13-16-1-04-159 -c -00	2.1	4,21			
13-16-1-04-159 -c -00	4.1	4,21			
13-16-1-04-160 -a -00	2.1	14,35	PTW	27,88m3	14,35ha
13-16-1-04-160 -a -00	4.1	14,35	PTW	27,88m3	14,35ha
13-16-1-04-160 -b -00	2.1	0,89			
13-16-1-04-160 -b -00	3.2	0,89			
13-16-1-04-160 -b -00	6.0	0,00			
13-16-1-04-160 -b -00	4.1	0,89			
13-16-1-04-160 -c -00	2.1	2,48			
13-16-1-04-160 -c -00	4.1	2,48			
13-16-1-04-161 -a -00	2.1	2,76	TPP	187,62m3	2,76ha
13-16-1-04-161 -a -00	4.1	2,76	TPP	187,62m3	2,76ha
13-16-1-04-161 -b -00	2.1	4,05			
13-16-1-04-161 -b -00	4.1	4,05			
13-16-1-04-161 -b -00	3.2	4,05			
13-16-1-04-161 -c -00	2.1	1,33			
13-16-1-04-161 -c -00	3.2	0,00			
13-16-1-04-161 -c -00	4.1	1,33			
13-16-1-04-161 -d -00	2.1	7,03	PR	26,68m3	7,03ha
13-16-1-04-161 -d -00	4.1	7,03	PR	26,68m3	7,03ha
13-16-1-04-161 -f -00	2.1	2,32	TPP	141,72m3	2,32ha
13-16-1-04-161 -f -00	4.1	2,32	TPP	141,72m3	2,32ha
13-16-1-04-161 -g -00	2.1	2,25			sukcesja/ pow refer
13-16-1-04-161 -g -00	4.1	2,25			sukcesja/ pow refer
13-16-1-04-161 -h -00	2.1	1,18			
13-16-1-04-161 -h -00	4.1	1,18			
13-16-1-04-162 -a -00	2.1	9,60	PR	195,81m3	9,60ha
13-16-1-04-162 -a -00	3.2	1,39	PR	195,81m3	1,39ha
13-16-1-04-162 -a -00	4.1	9,60	PR	195,81m3	9,60ha
13-16-1-04-162 -b -00	2.1	11,16			
13-16-1-04-162 -b -00	4.1	11,16			
13-16-1-04-162 -c -00	2.1	2,60			
13-16-1-04-162 -c -00	4.1	2,60			
13-16-1-04-162 -d -00	2.1	3,50			
13-16-1-04-162 -d -00	4.1	3,50			
13-16-1-04-162 -f -00	2.1	1,30	PTP	27,55m3	1,30ha
13-16-1-04-162 -f -00	4.1	1,32	PTP	27,55m3	1,32ha
13-16-1-04-162 -g -00	2.1	1,55			
13-16-1-04-162 -g -00	4.1	1,55			
13-16-1-04-162 -h -00	2.1	1,72			
13-16-1-04-162 -h -00	4.1	1,72			
13-16-1-04-162 -i -00	2.1	2,16			
13-16-1-04-162 -i -00	4.1	2,16			
13-16-1-04-162 -j -00	2.1	1,64			
13-16-1-04-162 -j -00	4.1	1,64			
13-16-1-04-163 -a -00	2.1	0,88			
13-16-1-04-163 -a -00	4.1	0,88			
13-16-1-04-163 -b -00	2.1	2,82			
13-16-1-04-163 -b -00	4.1	2,82			
13-16-1-04-163 -c -00	2.1	1,44			
13-16-1-04-163 -c -00	4.1	1,44			
13-16-1-04-163 -d -00	2.1	1,43			
13-16-1-04-163 -d -00	4.1	1,43			
13-16-1-04-163 -f -00	2.1	0,64			
13-16-1-04-163 -f -00	4.1	0,64			
13-16-1-04-163 -g -00	2.1	14,74	PR	51,95m3	14,74ha
13-16-1-04-163 -g -00	4.1	14,74	PR	51,95m3	14,74ha
13-16-1-04-201 -a -00	2.1	3,32	RBIVD/ZAW- BUD/GRODZ-SG/PBD- ODNRB/ZAB-REPEL	550,91m3/3szt/2,2hm/ 4,12Tsz/0,45ha	3,32ha

13-16-1-04-201 -a -00	4.1	3,32	RBIVD/ZAW-BUD/GRODZ-SG/PBD-ODNRB/ZAB-REPEL	550,91m3/3szt/2,2hm/4,12Tszt/0,45ha	3,32ha
13-16-1-04-201 -b -00	2.1	3,80	PTP/ZAW-BUD	13,99m3/9szt	3,80ha
13-16-1-04-201 -b -00	4.1	3,80	PTP/ZAW-BUD	13,99m3/9szt	3,80ha
13-16-1-04-201 -c -00	3.2	1,29	ZAW-BUD	3szt	1,29ha
13-16-1-04-201 -c -00	2.1	1,29	ZAW-BUD	3szt	1,29ha
13-16-1-04-201 -c -00	4.1	1,29	ZAW-BUD	3szt	1,29ha
13-16-1-04-201 -d -00	2.1	1,58			
13-16-1-04-201 -d -00	4.1	1,58			
13-16-1-04-201 -f -00	2.1	0,04			urz wodne
13-16-1-04-201 -g -00	2.1	8,49	ZAW-BUD	5szt	8,49ha
13-16-1-04-201 -g -00	4.1	8,49	ZAW-BUD	5szt	8,49ha
13-16-1-04-201 -h -00	2.1	3,70	PR/PTP/ZAW-BUD	5,65m3/21,67m3/5szt	3,70ha
13-16-1-04-201 -h -00	4.1	3,70	PR/PTP/ZAW-BUD	5,56m3/21,67m3/5szt	3,70ha
13-16-1-04-201 -i -00	2.1	1,76			
13-16-1-04-201 -i -00	4.1	1,76			
13-16-1-04-201 -j -00	2.1	3,40			
13-16-1-04-201 -j -00	3.2	3,40			
13-16-1-04-201 -j -00	4.1	3,40			
13-16-1-04-201 -k -00	2.1	0,13			drogi leśne
13-16-1-04-201 -l -00	2.1	0,17			
13-16-1-04-201 -l -00	4.1	0,17			
13-16-1-04-201 -m -00	2.1	0,70			
13-16-1-04-201 -m -00	4.1	0,70			
13-16-1-04-201 -n -00	2.1	0,32			
13-16-1-04-201 -n -00	4.1	0,32			
13-16-1-04-201 -o -00	2.1	1,79			
13-16-1-04-201 -o -00	4.1	1,79			
13-16-1-04-201 -p -00	2.1	0,23			
13-16-1-04-201 -p -00	3.2	0,23			
13-16-1-04-201 -p -00	4.1	0,23			
13-16-1-04-201 -r -00	2.1	0,72			
13-16-1-04-201 -r -00	4.1	0,72			
13-16-1-04-202 -a -00	3.2	1,78			
13-16-1-04-202 -a -00	2.1	1,78			
13-16-1-04-202 -a -00	4.1	1,78			
13-16-1-04-202 -b -00	2.1	0,35			
13-16-1-04-202 -b -00	4.1	0,35			
13-16-1-04-202 -c -00	4.1	1,99			
13-16-1-04-202 -d -00	4.1	0,87			
13-16-1-04-202 -g -00	2.1	0,28			
13-16-1-04-202 -g -00	4.1	0,28			
13-16-1-04-203 -a -00	4.1	0,94	SADZ-WM	1,0Tszt	
13-16-1-04-203 -a -00	3.2	0,94	SADZ-WM	1,0Tszt	
13-16-1-04-203 -b -00	3.2	1,27			
13-16-1-04-203 -b -00	4.1	4,57			
13-16-1-04-203 -c -00	4.1	0,67			
13-16-1-04-203 -d -00	4.1	1,32	TPP	69,21m3	1,32ha
13-16-1-04-203 -f -00	4.1	0,45			skład drewna
13-16-1-04-203 -g -00	4.1	0,13			
13-16-1-04-203 -h -00	4.1	6,81			
13-16-1-04-203 -i -00	4.1	0,37	ZAW-BUD	3szt	0,37ha
13-16-1-04-203 -j -00	4.1	1,79			
13-16-1-04-203 -k -00	4.1	0,67			
13-16-1-04-203 -l -00	4.1	3,07			
13-16-1-04-203 -m -00	3.2	3,69			
13-16-1-04-203 -m -00	4.1	3,69			
13-16-1-04-204 -a -00	2.1	6,45			
13-16-1-04-204 -a -00	4.1	6,45			
13-16-1-04-204 -b -00	2.1	0,46			
13-16-1-04-204 -b -00	4.1	0,46			
13-16-1-04-204 -c -00	2.1	4,69			
13-16-1-04-204 -d -00	2.1	2,02			
13-16-1-04-204 -d -00	3.2	2,02			
13-16-1-04-204 -f -00	2.1	1,92			
13-16-1-04-204 -g -00	2.1	5,87			
13-16-1-04-204 -g -00	3.2	5,87			
13-16-1-04-204 -h -00	2.1	0,51			

13-16-1-04-204 -h -00	3.2	0,51			
13-16-1-04-204 -i -00	2.1	2,33			
13-16-1-04-204 -i -00	3.2	2,33			
13-16-1-04-204 -j -00	2.1	1,44			skład drewna
13-16-1-04-204 -j -00	3.2	1,44			skład drewna
13-16-1-04-204 -k -00	2.1	2,05			
13-16-1-04-204 -k -00	3.2	2,05			
13-16-1-04-204 -l -00	2.1	1,89			
13-16-1-04-204 -m -00	2.1	1,36			
13-16-1-04-204 -m -00	3.2	1,36			
13-16-1-04-204 -n -00	2.1	6,55			
13-16-1-04-204 -n -00	4.1	6,55			
13-16-1-04-204 -o -00	2.1	1,62			
13-16-1-04-204 -o -00	4.1	1,62			
13-16-1-04-205 -a -00	2.1	3,06			
13-16-1-04-205 -b -00	2.1	0,89			
13-16-1-04-205 -b -00	3.2	0,89			
13-16-1-04-205 -c -00	2.1	8,57	PTP	21,29m3	8,57ha
13-16-1-04-205 -d -00	2.1	13,34			
13-16-1-04-205 -f -00	2.1	0,87	TPP	38,19m3	0,87ha
13-16-1-04-205 -g -00	2.1	1,03			
13-16-1-04-205 -g -00	3.2	1,03			
13-16-1-04-205 -h -00	2.1	1,44			
13-16-1-04-205 -h -00	3.2	1,44			
13-16-1-04-205 -i -00	2.1	1,24			
13-16-1-04-205 -j -00	2.1	2,41			
13-16-1-04-205 -j -00	3.2	2,41			
13-16-1-04-205 -k -00	2.1	0,77			
13-16-1-04-205 -k -00	3.2	0,77			
13-16-1-04-205 -l -00	2.1	2,64			
13-16-1-04-205 -m -00	2.1	1,36			
13-16-1-04-205 -n -00	2.1	1,61			
13-16-1-04-205 -o -00	2.1	4,50			
13-16-1-04-205 -o -00	3.2	4,50			
13-16-1-04-205 -p -00	2.1	2,13			
13-16-1-04-205 -p -00	3.2	2,13			
13-16-1-04-205 -r -00	2.1	0,12			skład drewna
13-16-1-04-205 -r -00	3.2	0,12			skład drewna
13-16-1-04-205 -s -00	2.1	0,05			skład drewna
13-16-1-04-205 -s -00	3.2	0,05			skład drewna
Smreczyna					
13-16-1-05-109 -a -00	2.1	4,22			
13-16-1-05-109 -a -00	4.1	4,22			
13-16-1-05-109 -b -00	2.1	2,36			
13-16-1-05-109 -b -00	4.1	2,36			
13-16-1-05-109 -c -00	2.1	1,00			
13-16-1-05-109 -c -00	3.2	1,00			
13-16-1-05-109 -c -00	4.1	1,00			
13-16-1-05-109 -d -00	2.1	1,21			
13-16-1-05-109 -d -00	4.1	1,21			
13-16-1-05-109 -f -00	2.1	2,43			
13-16-1-05-109 -f -00	4.1	2,43			
13-16-1-05-109 -g -00	2.1	0,93			
13-16-1-05-109 -g -00	4.1	0,93			
13-16-1-05-109 -h -00	2.1	4,67			
13-16-1-05-109 -h -00	3.2	4,67			
13-16-1-05-109 -h -00	4.1	4,67			
13-16-1-05-109 -i -00	2.1	1,28			
13-16-1-05-109 -i -00	4.1	1,28			
13-16-1-05-109 -j -00	2.1	1,84			
13-16-1-05-109 -j -00	4.1	1,84	PR-4,70m3		
13-16-1-05-109 -k -00	2.1	0,10			
13-16-1-05-109 -k -00	3.2	0,10			
13-16-1-05-109 -k -00	4.1	0,10			
13-16-1-05-109 -l -00	2.1	0,22			pow referencyjne
13-16-1-05-109 -l -00	4.1	0,22			pow referencyjne
13-16-1-05-110 -a -00	2.1	2,08			
13-16-1-05-110 -a -00	4.1	2,08			
13-16-1-05-110 -b -00	2.1	2,50			
13-16-1-05-110 -b -00	4.1	2,50			
13-16-1-05-110 -c -00	2.1	4,78			

13-16-1-05-110 -c -00	4.1	4,78			
13-16-1-05-110 -d -00	2.1	2,83			
13-16-1-05-110 -d -00	4.1	2,83			
13-16-1-05-110 -f -00	2.1	2,26			
13-16-1-05-110 -f -00	4.1	2,26			
13-16-1-05-110 -g -00	3.2	3,12			
13-16-1-05-110 -g -00	2.1	3,12			
13-16-1-05-110 -g -00	4.1	3,12			
13-16-1-05-110 -h -00	2.1	2,74			
13-16-1-05-110 -h -00	3.2	2,74			
13-16-1-05-110 -h -00	4.1	2,74			
13-16-1-05-110 -i -00	3.2	1,06			
13-16-1-05-110 -i -00	2.1	1,06			
13-16-1-05-110 -i -00	4.1	1,06			
13-16-1-05-110 -j -00	2.1	0,05			linie energ
13-16-1-05-110 -j -00	3.2	0,05			linie energ
13-16-1-05-111 -a -00	2.1	8,85	ZAP-REPEL-0,50ha		
13-16-1-05-111 -a -00	4.1	8,85			
13-16-1-05-111 -b -00	2.1	2,65			
13-16-1-05-111 -b -00	3.2	2,65			
13-16-1-05-111 -b -00	4.1	2,65			
13-16-1-05-111 -c -00	2.1	1,63			
13-16-1-05-111 -c -00	4.1	1,63			
13-16-1-05-111 -d -00	2.1	1,56			
13-16-1-05-111 -d -00	4.1	1,56			
13-16-1-05-111 -f -00	2.1	7,11	CW-0,30 ha		
13-16-1-05-111 -f -00	3.2	7,11			
13-16-1-05-111 -f -00	4.1	7,11			
13-16-1-05-112 -a -00	2.1	2,85	PR-1,40 m3		
13-16-1-05-112 -a -00	4.1	2,85			
13-16-1-05-112 -b -00	3.1	0,00			
13-16-1-05-112 -b -00	2.1	1,26			
13-16-1-05-112 -b -00	4.1	1,26			
13-16-1-05-112 -c -00	2.1	1,16			
13-16-1-05-112 -c -00	3.2	1,16			
13-16-1-05-112 -c -00	4.1	1,16			
13-16-1-05-112 -d -00	3.1	0,55			pow referencyjne
13-16-1-05-112 -d -00	2.1	0,55			pow referencyjne
13-16-1-05-112 -d -00	4.1	0,55			pow referencyjne
13-16-1-05-112 -f -00	2.1	4,96			
13-16-1-05-112 -f -00	3.1	4,96			
13-16-1-05-112 -f -00	4.1	4,96			
13-16-1-05-112 -g -00	2.1	0,72			
13-16-1-05-112 -g -00	4.1	0,72			
13-16-1-05-112 -h -00	2.1	0,96	PR-1,40 m3	PR-1,40 m3	
13-16-1-05-112 -h -00	4.1	0,96	PR-1,40 m3	PR-1,40 m3	
13-16-1-05-112 -i -00	2.1	5,20	PR-1,40 m3	PR-1,40 m3	
13-16-1-05-112 -i -00	4.1	5,20			
13-16-1-05-113 -a -00	2.1	1,98			
13-16-1-05-113 -a -00	4.1	1,98			
13-16-1-05-113 -b -00	2.1	5,32			
13-16-1-05-113 -b -00	4.1	5,32			
13-16-1-05-113 -c -00	2.1	1,65			
13-16-1-05-113 -c -00	4.1	1,65			
13-16-1-05-113 -d -00	2.1	6,79			
13-16-1-05-113 -d -00	3.2	6,79			
13-16-1-05-113 -d -00	4.1	6,79			
13-16-1-05-113 -f -00	4.1	0,16			
13-16-1-05-114 -a -00	2.1	10,90	PTP-32,68m3	KOSZ-CHN-0,15ha	ZAB-REPEL-0,20ha
13-16-1-05-114 -a -00	4.1	10,90			
13-16-1-05-114 -b -00	2.1	0,14			skład drewna
13-16-1-05-114 -c -00	2.1	0,80			
13-16-1-05-114 -c -00	4.1	0,80			
13-16-1-05-114 -d -00	2.1	2,55	TWP-37,49m3		
13-16-1-05-114 -d -00	3.2	2,55			
13-16-1-05-114 -d -00	4.1	2,55			
13-16-1-05-114 -f -00	2.1	8,30			
13-16-1-05-114 -f -00	4.1	8,30			
13-16-1-05-114 -g -00	2.1	1,11			
13-16-1-05-114 -g -00	4.1	1,11			
13-16-1-05-114 -h -00	2.1	0,11			potok

13-16-1-05-114 -h -00	3.2	0,11			potok
13-16-1-05-115 -a -00	2.1	1,78			potok
13-16-1-05-115 -ax -00	2.1	0,12			pow referencyjna
13-16-1-05-115 -ax -00	4.1	0,12			pow referencyjna
13-16-1-05-115 -b -00	2.1	3,05			
13-16-1-05-115 -b -00	4.1	3,05			
13-16-1-05-115 -bx -00	4.1	0,09			pow referencyjna
13-16-1-05-115 -c -00	2.1	0,33			ps
13-16-1-05-115 -cx -00	4.1	0,83			pow referencyjna
13-16-1-05-115 -d -00	2.1	3,55	PTP-5,19m3		
13-16-1-05-115 -d -00	4.1	3,55			
13-16-1-05-115 -dx -00	2.1	1,17			pow referencyjna
13-16-1-05-115 -dx -00	3.2	1,17			pow referencyjna
13-16-1-05-115 -dx -00	4.1	1,17			pow referencyjna
13-16-1-05-115 -f -00	2.1	7,72			
13-16-1-05-115 -f -00	4.1	7,72			
13-16-1-05-115 -fx -00	2.1	0,35			pow referencyjna
13-16-1-05-115 -fx -00	3.1	0,35			pow referencyjna
13-16-1-05-115 -fx -00	4.1	0,35			pow referencyjna
13-16-1-05-115 -g -00	2.1	2,92	PTP-8,38m3		
13-16-1-05-115 -g -00	4.1	2,92			
13-16-1-05-115 -gx -00	2.1	0,40			pow referencyjna
13-16-1-05-115 -gx -00	4.1	0,40			pow referencyjna
13-16-1-05-115 -h -00	2.1	1,65			
13-16-1-05-115 -h -00	4.1	1,65			
13-16-1-05-115 -hx -00	2.1	0,50			pow referencyjna
13-16-1-05-115 -hx -00	4.1	0,50			pow referencyjna
13-16-1-05-115 -i -00	3.2	7,88			
13-16-1-05-115 -i -00	2.1	7,88			
13-16-1-05-115 -i -00	4.1	7,88			
13-16-1-05-115 -ix -00	3.1	0,90			pow referencyjna
13-16-1-05-115 -ix -00	2.1	0,90			pow referencyjna
13-16-1-05-115 -ix -00	4.1	0,90			pow referencyjna
13-16-1-05-115 -j -00	3.2	0,68			
13-16-1-05-115 -j -00	2.1	0,68			
13-16-1-05-115 -j -00	4.1	0,68			
13-16-1-05-115 -k -00	2.1	1,53			
13-16-1-05-115 -k -00	4.1	1,53			
13-16-1-05-115 -l -00	2.1	0,36			potok
13-16-1-05-115 -l -00	3.2	0,36			potok
13-16-1-05-115 -m -00	2.1	0,90			
13-16-1-05-115 -m -00	4.1	0,90			
13-16-1-05-115 -n -00	2.1	1,24			
13-16-1-05-115 -n -00	4.1	1,24			
13-16-1-05-115 -o -00	2.1	0,48			
13-16-1-05-115 -o -00	4.1	0,48			
13-16-1-05-115 -p -00	2.1	0,63			pow referencyjne
13-16-1-05-115 -p -00	3.2	0,63			pow referencyjne
13-16-1-05-115 -p -00	4.1	0,63			pow referencyjne
13-16-1-05-115 -r -00	2.1	0,85			
13-16-1-05-115 -r -00	4.1	0,85			
13-16-1-05-115 -s -00	2.1	1,37			
13-16-1-05-115 -s -00	4.1	1,37			
13-16-1-05-115 -t -00	2.1	0,35			
13-16-1-05-115 -t -00	4.1	0,35			
13-16-1-05-115 -w -00	2.1	0,99	ZAP-REPEL-0,30ha		pow referencyjne
13-16-1-05-115 -w -00	4.1	0,99			pow referencyjne
13-16-1-05-115 -x -00	3.2	0,20			pow referencyjne
13-16-1-05-115 -x -00	2.1	0,20			pow referencyjne
13-16-1-05-115 -x -00	4.1	0,20			pow referencyjne
13-16-1-05-115 -y -00	2.1	0,32			pow referencyjne
13-16-1-05-115 -y -00	4.1	0,32			pow referencyjne
13-16-1-05-115 -z -00	2.1	0,54			pow referencyjne
13-16-1-05-115 -z -00	4.1	0,54			pow referencyjne
13-16-1-05-116 -a -00	2.1	4,75			
13-16-1-05-116 -a -00	4.1	4,75			
13-16-1-05-116 -b -00	2.1	3,60			
13-16-1-05-116 -b -00	4.1	3,60			
13-16-1-05-116 -c -00	3.1	1,73			pow referencyjne
13-16-1-05-116 -c -00	2.1	1,73			pow referencyjne
13-16-1-05-116 -c -00	4.1	1,73			pow referencyjne

13-16-1-05-116 -d -00	2.1	0,45			ps
13-16-1-05-116 -f -00	2.1	2,47			łaka
13-16-1-05-116 -g -00	2.1	0,09			ps
13-16-1-05-116 -h -00	2.1	0,71			ps
13-16-1-05-116 -i -00	2.1	0,72			rola
13-16-1-05-116 -j -00	2.1	1,78			rola
13-16-1-05-116 -jx -00	4.1	0,88			
13-16-1-05-116 -k -00	2.1	0,57			ps
13-16-1-05-116 -l -00	2.1	0,35			zab inne
13-16-1-05-116 -m -00	2.1	0,25			ps
13-16-1-05-166 -a -00	2.1	0,39			
13-16-1-05-166 -a -00	3.2	0,39			
13-16-1-05-166 -a -00	4.1	0,39			
13-16-1-05-166 -b -00	2.1	4,24			
13-16-1-05-166 -b -00	4.1	4,24			
13-16-1-05-166 -c -00	2.1	0,33			kopaliny
13-16-1-05-166 -d -00	2.1	1,40			
13-16-1-05-166 -d -00	3.2	1,40			
13-16-1-05-166 -d -00	4.1	1,40			
13-16-1-05-166 -f -00	2.1	0,12			
13-16-1-05-166 -f -00	4.1	0,12			
13-16-1-05-166 -g -00	2.1	0,74			
13-16-1-05-166 -g -00	4.1	0,74			
13-16-1-05-166 -h -00	2.1	1,81			
13-16-1-05-166 -h -00	4.1	1,81			
13-16-1-05-166 -i -00	2.1	1,94			
13-16-1-05-166 -i -00	4.1	1,94			
13-16-1-05-166 -j -00	3.1	4,64			
13-16-1-05-166 -j -00	2.1	4,64			
13-16-1-05-166 -j -00	4.1	4,64			
13-16-1-05-166 -k -00	2.1	1,66			
13-16-1-05-166 -k -00	4.1	1,66			
13-16-1-05-166 -l -00	2.1	0,87			
13-16-1-05-166 -l -00	4.1	0,87			
13-16-1-05-166 -m -00	3.2	0,85			
13-16-1-05-166 -m -00	4.1	0,85			
13-16-1-05-166 -n -00	2.1	8,24	ZAB-REPEL-0,65ha		
13-16-1-05-166 -n -00	4.1	8,24			
13-16-1-05-166 -n -00	3.2	8,24			
13-16-1-05-166 -o -00	2.1	3,05			
13-16-1-05-166 -o -00	4.1	3,05			
13-16-1-05-166 -o -00	3.2	3,05			
13-16-1-05-166 -p -00	2.1	1,30			
13-16-1-05-166 -p -00	4.1	1,30			
13-16-1-05-166 -r -00	2.1	2,80			
13-16-1-05-166 -r -00	4.1	2,80			
13-16-1-05-166 -s -00	2.1	0,91			
13-16-1-05-166 -s -00	4.1	0,91			
13-16-1-05-167 -a -00	4.1	0,20			
13-16-1-05-167 -b -00	3.2	0,89			
13-16-1-05-167 -b -00	4.1	0,89			
13-16-1-05-167 -c -00	4.1	0,94			
13-16-1-05-167 -d -00	2.1	14,99			
13-16-1-05-167 -d -00	4.1	14,99	TPP-474,97m3		
13-16-1-05-167 -f -00	2.1	1,40			
13-16-1-05-167 -f -00	4.1	1,40			
13-16-1-05-167 -g -00	2.1	2,60	PR-22,58m3		
13-16-1-05-167 -g -00	4.1	2,60			
13-16-1-05-167 -h -00	2.1	0,80			
13-16-1-05-167 -h -00	3.2	0,80			
13-16-1-05-167 -h -00	4.1	0,80			
13-16-1-05-167 -i -00	2.1	2,84	PTP-4,83m3		
13-16-1-05-167 -i -00	4.1	2,84			
13-16-1-05-167 -j -00	2.1	0,91			
13-16-1-05-167 -j -00	4.1	0,91			
13-16-1-05-168 -a -00	2.1	18,32	TPP-943,79m3		
13-16-1-05-168 -a -00	4.1	18,32			
13-16-1-05-168 -b -00	2.1	1,34			
13-16-1-05-168 -b -00	4.1	1,34			
13-16-1-05-168 -c -00	2.1	7,76	RBIV-884,39m3	PORZ-SPAL-1160m3p	
13-16-1-05-168 -c -00	4.1	7,76	PBD-ODNRB-1,10ha	GRODZ-SG-0,30ha	ZAB-REPEL-0,80ha

13-16-1-05-168 -d -00	2.1	1,44			
13-16-1-05-168 -d -00	4.1	1,44			
13-16-1-05-168 -f -00	2.1	4,81	PR-14,89m3	KOSZ-CHN-0,30ha	
13-16-1-05-168 -f -00	4.1	4,81			
13-16-1-05-168 -g -00	2.1	2,17	TPP-160,65m3		
13-16-1-05-168 -g -00	4.1	2,17			
13-16-1-05-168 -h -00	2.1	2,32			
13-16-1-05-168 -h -00	3.2	0,51			
13-16-1-05-168 -h -00	4.1	2,32			
13-16-1-05-169 -a -00	2.1	1,43			
13-16-1-05-169 -a -00	4.1	1,43			
13-16-1-05-169 -b -00	2.1	1,18			
13-16-1-05-169 -b -00	4.1	1,18			
13-16-1-05-169 -c -00	2.1	15,07	PR-5,88m3		
13-16-1-05-169 -c -00	4.1	18,96			
13-16-1-05-169 -d -00	2.1	1,47	PTP-1,84m3		
13-16-1-05-169 -d -00	4.1	1,47			
13-16-1-05-169 -f -00	2.1	5,07	PR-5,82m3		
13-16-1-05-169 -f -00	4.1	5,07			
13-16-1-05-169 -g -00	2.1	3,38			
13-16-1-05-169 -g -00	4.1	3,38			
13-16-1-05-169 -h -00	2.1	1,86			
13-16-1-05-169 -h -00	4.1	1,86			
13-16-1-05-169 -i -00	2.1	1,92			
13-16-1-05-169 -i -00	4.1	1,92			
13-16-1-05-169 -j -00	2.1	0,05			skład drewna
13-16-1-05-169 -k -00	2.1	0,04			urz wodne
13-16-1-05-169 -l -00	2.1	0,01			urz wodne
13-16-1-05-170 -a -00	2.1	2,55			
13-16-1-05-170 -a -00	4.1	2,55			
13-16-1-05-170 -b -00	2.1	3,85			
13-16-1-05-170 -b -00	4.1	3,85			
13-16-1-05-170 -c -00	2.1	1,54			
13-16-1-05-170 -c -00	4.1	1,54			
13-16-1-05-170 -d -00	2.1	1,63			
13-16-1-05-170 -d -00	4.1	1,63			
13-16-1-05-170 -f -00	2.1	1,44	ZAB-REPEL-0,12ha		
13-16-1-05-170 -f -00	4.1	1,44			
13-16-1-05-170 -g -00	3.2	0,82			
13-16-1-05-170 -g -00	2.1	0,82			
13-16-1-05-170 -g -00	4.1	0,82			
13-16-1-05-171 -a -00	2.1	0,87			
13-16-1-05-171 -a -00	4.1	0,87			
13-16-1-05-171 -b -00	2.1	1,89			
13-16-1-05-171 -b -00	4.1	1,89			
13-16-1-05-171 -c -00	2.1	3,50			
13-16-1-05-171 -c -00	4.1	3,50			
13-16-1-05-171 -d -00	2.1	0,36			
13-16-1-05-171 -d -00	4.1	0,36			
13-16-1-05-171 -f -00	2.1	1,88			
13-16-1-05-171 -f -00	4.1	1,88			
13-16-1-05-171 -g -00	2.1	12,00	PR-10,13m3	KOSZ-CHN-0,20ha	
13-16-1-05-171 -g -00	4.1	12,00			
13-16-1-05-171 -h -00	3.2	1,53			
13-16-1-05-171 -h -00	2.1	1,53			
13-16-1-05-171 -h -00	4.1	1,53			
13-16-1-05-171 -i -00	2.1	9,67	PTP-4,45m3		
13-16-1-05-171 -i -00	4.1	9,67			
13-16-1-05-171 -j -00	2.1	1,70			
13-16-1-05-171 -j -00	4.1	1,70			
13-16-1-05-171 -k -00	2.1	2,15	TPp-136,36m3		
13-16-1-05-171 -k -00	4.1	2,15			
13-16-1-05-171 -l -00	2.1	0,35			skład drewna
13-16-1-05-171 -m -00	2.1	0,08			
13-16-1-05-171 -m -00	4.1	0,08			
13-16-1-05-172 -a -00	2.1	0,87			
13-16-1-05-172 -a -00	3.2	0,87			
13-16-1-05-172 -a -00	4.1	0,87			
13-16-1-05-172 -b -00	2.1	1,72	TWP-38,63m3	ZAB-MWD-1,72ha	
13-16-1-05-172 -b -00	4.1	1,72			
13-16-1-05-172 -c -00	2.1	2,15			

13-16-1-05-172 -c -00	4.1	2,15			
13-16-1-05-172 -d -00	2.1	0,42			
13-16-1-05-172 -d -00	4.1	0,42			
13-16-1-05-172 -f -00	2.1	8,18			
13-16-1-05-172 -f -00	4.1	8,18			
13-16-1-05-172 -g -00	2.1	5,73	PR-16,88m3		
13-16-1-05-172 -g -00	4.1	5,73			
13-16-1-05-172 -h -00	2.1	0,60			
13-16-1-05-172 -h -00	4.1	0,60			
13-16-1-05-172 -i -00	2.1	4,30			
13-16-1-05-172 -i -00	4.1	4,30			
13-16-1-05-172 -j -00	2.1	4,82			
13-16-1-05-172 -j -00	4.1	4,82			
13-16-1-05-172 -k -00	2.1	2,24	PRZEST-458,78m3	PORZ-SPAL-500m3p	
13-16-1-05-172 -k -00	4.1	2,24			
13-16-1-05-172 -l -00	2.1	5,51			
13-16-1-05-172 -l -00	4.1	5,51			
13-16-1-05-173 -a -00	2.1	7,27			
13-16-1-05-173 -a -00	3.2	0,69			
13-16-1-05-173 -a -00	4.1	7,27			
13-16-1-05-173 -b -00	3.2	0,53			
13-16-1-05-173 -b -00	2.1	0,53			
13-16-1-05-173 -b -00	4.1	0,53			
13-16-1-05-173 -c -00	2.1	0,34			kopalnia kamienia
13-16-1-05-173 -d -00	2.1	9,96			
13-16-1-05-173 -d -00	4.1	9,96			
13-16-1-05-173 -f -00	2.1	4,61			
13-16-1-05-173 -f -00	4.1	4,61			
13-16-1-05-173 -g -00	2.1	2,37			
13-16-1-05-173 -g -00	4.1	2,37			
13-16-1-05-173 -h -00	2.1	1,78			
13-16-1-05-173 -h -00	4.1	1,78			
13-16-1-05-173 -i -00	2.1	0,42			
13-16-1-05-173 -i -00	4.1	0,42			
13-16-1-05-174 -a -00	2.1	6,22			
13-16-1-05-174 -a -00	4.1	6,22			
13-16-1-05-174 -b -00	2.1	1,67			
13-16-1-05-174 -b -00	4.1	1,67			
13-16-1-05-174 -c -00	2.1	1,39	RBIIBU-872,02m3	CP-1,39ha	PORZ-SPAL-270m3p
13-16-1-05-174 -c -00	4.1	1,39			
13-16-1-05-174 -c -00	3.2	1,39			
13-16-1-05-174 -d -00	2.1	1,66			
13-16-1-05-174 -d -00	4.1	1,66			
13-16-1-05-174 -d -00	3.2	1,66			
13-16-1-05-174 -f -00	2.1	0,83			
13-16-1-05-174 -f -00	4.1	0,83			
13-16-1-05-174 -g -00	2.1	2,13			
13-16-1-05-174 -g -00	3.2	2,13			
13-16-1-05-174 -g -00	4.1	2,13			
13-16-1-05-174 -h -00	2.1	1,00			
13-16-1-05-174 -h -00	4.1	1,00			
13-16-1-05-174 -i -00	3.2	0,94	PTP-1,30m3		
13-16-1-05-174 -i -00	2.1	0,94			
13-16-1-05-174 -i -00	4.1	0,94			
13-16-1-05-174 -j -00	2.1	1,22			
13-16-1-05-174 -j -00	4.1	1,22			
13-16-1-05-175 -a -00	2.1	6,20			
13-16-1-05-175 -a -00	4.1	6,20			
13-16-1-05-175 -a -00	3.2	6,20			
13-16-1-05-175 -b -00	3.2	0,00			
13-16-1-05-175 -b -00	2.1	1,72	PTP-6,73m3		
13-16-1-05-175 -b -00	4.1	1,72			
13-16-1-05-175 -c -00	2.1	5,49			
13-16-1-05-175 -c -00	4.1	5,49			
13-16-1-05-175 -d -00	2.1	1,08			
13-16-1-05-175 -d -00	4.1	1,08			
13-16-1-05-175 -f -00	2.1	1,87			
13-16-1-05-175 -f -00	4.1	1,87			
13-16-1-05-175 -g -00	2.1	2,30			
13-16-1-05-175 -g -00	4.1	2,30			
13-16-1-05-175 -h -00	2.1	3,06	PTP-2,69m3		

13-16-1-05-175 -h -00	4.1	3,06			
13-16-1-05-175 -i -00	2.1	0,20			urz wodne
13-16-1-05-176 -a -00	2.1	1,51			
13-16-1-05-176 -a -00	4.1	1,51			
13-16-1-05-176 -b -00	2.1	18,73	RBIVD-2864,15m3	PORZ-STOS-2700m3p	
13-16-1-05-176 -b -00	4.1	18,73	PBD-ODNRB-0,30ha	GRODZ-SG-0,25ha	
13-16-1-05-176 -c -00	2.1	1,23			
13-16-1-05-176 -c -00	4.1	1,23			
13-16-1-05-176 -d -00	2.1	2,03	ZAP-REPEL-0,20ha		
13-16-1-05-176 -d -00	4.1	2,03			
13-16-1-05-176 -f -00	2.1	5,07			
13-16-1-05-176 -f -00	4.1	5,07			
13-16-1-05-176 -g -00	2.1	1,63			
13-16-1-05-176 -g -00	4.1	1,63			
13-16-1-05-176 -h -00	2.1	2,41			
13-16-1-05-176 -h -00	4.1	2,41			
13-16-1-05-176 -i -00	2.1	1,87	TWP-10,02	ZAB-MWD-1,87ha	
13-16-1-05-176 -i -00	4.1	1,87			
13-16-1-05-176 -j -00	2.1	1,63			
13-16-1-05-176 -j -00	4.1	1,63			
13-16-1-05-176 -k -00	2.1	0,01	ZAB-REPEL-0,20ha		urz wodne
13-16-1-05-176 -l -00	2.1	0,78			
13-16-1-05-176 -l -00	4.1	0,78			
13-16-1-05-176 -m -00	2.1	0,26			skład drewna
13-16-1-05-177 -a -00	2.1	0,73			
13-16-1-05-177 -a -00	4.1	0,73			
13-16-1-05-177 -b -00	2.1	5,56			
13-16-1-05-177 -b -00	4.1	5,56			
13-16-1-05-177 -c -00	2.1	1,59			
13-16-1-05-177 -c -00	4.1	1,59			
13-16-1-05-177 -d -00	2.1	2,21			
13-16-1-05-177 -d -00	4.1	2,21			
13-16-1-05-177 -f -00	2.1	4,74			
13-16-1-05-177 -f -00	4.1	4,74			
13-16-1-05-177 -g -00	2.1	4,48			
13-16-1-05-177 -g -00	4.1	4,48			
13-16-1-05-177 -h -00	2.1	3,60			
13-16-1-05-177 -h -00	4.1	3,60			
13-16-1-05-177 -i -00	2.1	6,00	PR-20,67m3	KOSZ-CHN-0,50ha	
13-16-1-05-177 -i -00	4.1	6,00	ZAP-REPEL-1,30ha		
13-16-1-05-177 -j -00	2.1	0,57			
13-16-1-05-177 -j -00	3.2	0,57			
13-16-1-05-177 -j -00	4.1	0,57			
13-16-1-05-178 -a -00	2.1	2,82			
13-16-1-05-178 -a -00	4.1	2,82			
13-16-1-05-178 -b -00	2.1	7,44	PR-6,01m3	CP-3,72ha	
13-16-1-05-178 -b -00	4.1	7,44	PBD-ODNRB-1,20ha	ZAB-REPEL-1,10ha	
13-16-1-05-178 -c -00	2.1	3,43			
13-16-1-05-178 -c -00	4.1	3,43			
13-16-1-05-178 -d -00	2.1	6,50	PR-10,81m3		
13-16-1-05-178 -d -00	4.1	6,50			
13-16-1-05-178 -f -00	2.1	1,06			
13-16-1-05-178 -f -00	4.1	1,06			
13-16-1-05-178 -g -00	2.1	1,05			
13-16-1-05-178 -g -00	4.1	1,05			
13-16-1-05-178 -h -00	2.1	1,81			
13-16-1-05-178 -h -00	4.1	1,81			
13-16-1-05-178 -i -00	2.1	4,49			
13-16-1-05-178 -i -00	4.1	4,49			
13-16-1-05-178 -j -00	2.1	1,02			
13-16-1-05-178 -j -00	3.2	1,02			
13-16-1-05-178 -j -00	4.1	1,02			
13-16-1-05-178 -k -00	2.1	1,03			
13-16-1-05-178 -k -00	4.1	1,03			
13-16-1-05-178 -l -00	2.1	0,33			urz wodne
13-16-1-05-178 -m -00	2.1	0,82			
13-16-1-05-178 -m -00	4.1	0,82			
13-16-1-05-178 -n -00	2.1	7,10			
13-16-1-05-178 -n -00	4.1	7,10			
13-16-1-05-178 -o -00	2.1	1,18			

13-16-1-05-178 -o -00	4.1	1,18			
13-16-1-05-179 -a -00	2.1	5,06			łaka
13-16-1-05-179 -b -00	2.1	1,80			
13-16-1-05-179 -b -00	4.1	1,80			
13-16-1-05-179 -c -00	2.1	5,13	TPP-149,27m3		
13-16-1-05-179 -c -00	4.1	5,13			
13-16-1-05-179 -d -00	2.1	1,40			
13-16-1-05-179 -d -00	4.1	1,40			
13-16-1-05-179 -f -00	2.1	7,50			
13-16-1-05-179 -f -00	4.1	7,50			
13-16-1-05-179 -g -00	2.1	0,63			
13-16-1-05-179 -g -00	4.1	0,63			
13-16-1-05-179 -h -00	2.1	0,18			
13-16-1-05-179 -h -00	4.1	0,18			
13-16-1-05-181 -a -00	2.1	4,21			
13-16-1-05-181 -a -00	4.1	4,21			
13-16-1-05-181 -b -00	2.1	2,17			
13-16-1-05-181 -b -00	4.1	2,17			
13-16-1-05-181 -c -00	2.1	2,03			
13-16-1-05-181 -c -00	3.2	2,03			
13-16-1-05-181 -c -00	4.1	2,03			
13-16-1-05-181 -d -00	2.1	1,75			
13-16-1-05-181 -d -00	4.1	1,75			
13-16-1-05-181 -f -00	2.1	3,36			ps
13-16-1-05-181 -g -00	2.1	2,12			
13-16-1-05-181 -g -00	4.1	2,12			
13-16-1-05-182 -a -00	2.1	2,76			
13-16-1-05-182 -a -00	4.1	2,76			
13-16-1-05-182 -b -00	2.1	5,30			
13-16-1-05-182 -b -00	4.1	5,30			
13-16-1-05-182 -c -00	2.1	2,22			
13-16-1-05-182 -c -00	4.1	2,22			
13-16-1-05-182 -d -00	2.1	3,84			
13-16-1-05-182 -d -00	4.1	3,84			
13-16-1-05-182 -f -00	2.1	0,07			urz wodne
13-16-1-05-182 -g -00	2.1	0,13			urz wodne
13-16-1-05-183 -a -00	2.1	2,46			
13-16-1-05-183 -a -00	4.1	2,46			
13-16-1-05-183 -b -00	2.1	2,91	PTP-2,10m3		
13-16-1-05-183 -b -00	4.1	2,91			
13-16-1-05-183 -c -00	2.1	1,04			
13-16-1-05-183 -c -00	4.1	1,04			
13-16-1-05-183 -d -00	2.1	3,45			
13-16-1-05-183 -d -00	4.1	3,45			
13-16-1-05-183 -f -00	2.1	5,19			
13-16-1-05-183 -f -00	4.1	5,19			
13-16-1-05-183 -g -00	2.1	0,64			
13-16-1-05-183 -g -00	4.1	0,64			
13-16-1-05-183 -h -00	2.1	3,90			
13-16-1-05-183 -h -00	4.1	3,90			
13-16-1-05-183 -i -00	2.1	2,42			
13-16-1-05-183 -i -00	4.1	2,42			
13-16-1-05-183 -j -00	2.1	4,36	ZAB-REPEL-0,30ha		
13-16-1-05-183 -j -00	4.1	4,36			
13-16-1-05-183 -k -00	2.1	0,73			
13-16-1-05-183 -k -00	4.1	0,73			
13-16-1-05-183 -l -00	2.1	1,00			
13-16-1-05-183 -l -00	4.1	1,00			
13-16-1-05-184 -a -00	2.1	13,01	PR-11,96m3		
13-16-1-05-184 -a -00	4.1	13,01			
13-16-1-05-184 -b -00	2.1	4,00			
13-16-1-05-184 -b -00	4.1	4,00			
13-16-1-05-184 -c -00	2.1	11,95	PTP-9,30m3		
13-16-1-05-184 -c -00	4.1	11,95			
13-16-1-05-184 -d -00	2.1	2,09			
13-16-1-05-184 -d -00	4.1	2,09			
13-16-1-05-185 -a -00	2.1	1,97			
13-16-1-05-185 -a -00	4.1	1,97			
13-16-1-05-185 -b -00	2.1	7,05			
13-16-1-05-185 -b -00	4.1	7,05			
13-16-1-05-185 -c -00	2.1	2,32			

13-16-1-05-185 -c -00	4.1	2,32			
13-16-1-05-185 -d -00	2.1	2,91	PTP-8,35m3		
13-16-1-05-185 -d -00	4.1	2,91			
13-16-1-05-185 -f -00	2.1	1,87			
13-16-1-05-185 -f -00	4.1	1,87			
13-16-1-05-185 -g -00	2.1	10,43	RBIVD-124,03m3	PBD-ODNRB-3.44ha	
13-16-1-05-185 -g -00	4.1	10,43	GRODZ-SG-2,20ha		
13-16-1-05-185 -h -00	2.1	1,28			
13-16-1-05-185 -h -00	4.1	1,28			
13-16-1-05-185 -i -00	2.1	9,30	PR-10,72m3		
13-16-1-05-185 -i -00	4.1	9,30			
13-16-1-05-185 -j -00	2.1	0,33	ZAB-REPEL-0,17ha		
13-16-1-05-185 -j -00	4.1	0,33			
13-16-1-05-185 -k -00	2.1	2,35	ZAB-REPEL-0,20ha		
13-16-1-05-185 -k -00	4.1	2,35			
13-16-1-05-197 -a -00	2.1	9,36	PTP-80,06m3		
13-16-1-05-197 -a -00	4.1	9,36			
13-16-1-05-197 -b -00	2.1	4,09			
13-16-1-05-197 -b -00	4.1	4,09			
13-16-1-05-197 -c -00	2.1	4,64	KOSZ-CHN-1,00ha	ZAB-REPEL-1,20ha	
13-16-1-05-197 -c -00	4.1	4,64			
13-16-1-05-197 -d -00	2.1	2,60	ZAB-REPEL-0,80ha		
13-16-1-05-197 -d -00	4.1	2,60			
13-16-1-05-198 -a -00	2.1	0,88			
13-16-1-05-198 -a -00	4.1	0,88			
13-16-1-05-198 -b -00	2.1	2,42			
13-16-1-05-198 -b -00	4.1	2,42			
13-16-1-05-198 -c -00	2.1	1,07			
13-16-1-05-198 -c -00	4.1	1,07			
13-16-1-05-198 -d -00	2.1	1,78			
13-16-1-05-198 -d -00	4.1	1,78			
13-16-1-05-198 -f -00	2.1	0,56			
13-16-1-05-198 -f -00	4.1	0,56			
13-16-1-05-198 -g -00	3.2	0,89			
13-16-1-05-198 -g -00	2.1	0,89			
13-16-1-05-198 -g -00	4.1	0,89			
13-16-1-05-198 -h -00	2.1	2,30			
13-16-1-05-198 -h -00	4.1	2,30			
13-16-1-05-198 -i -00	2.1	8,39	ZAW-BUD-6szt		
13-16-1-05-198 -i -00	3.2	0,00			
13-16-1-05-198 -i -00	4.1	8,39			
13-16-1-05-198 -j -00	2.1	0,90	TPP-112,18m3		
13-16-1-05-198 -j -00	4.1	0,90			
13-16-1-05-198 -k -00	2.1	8,64	RBIVD-1448,25m3	PORZ-SPAL-1400m3p	
13-16-1-05-198 -k -00	4.1	8,64	ZAB-REPEL-0,85ha		
13-16-1-05-198 -l -00	2.1	3,39			
13-16-1-05-198 -l -00	4.1	3,39			
13-16-1-05-198 -m -00	2.1	1,30	ZAW-BUD-6szt		
13-16-1-05-198 -m -00	4.1	1,30			
13-16-1-05-198 -n -00	2.1	2,95	ZAW-BUD-9szt		
13-16-1-05-198 -n -00	4.1	2,95			
13-16-1-05-199 -a -00	2.1	4,71	ZAB-REPEL-1,20ha		
13-16-1-05-199 -a -00	4.1	4,71			
13-16-1-05-199 -b -00	2.1	11,95			
13-16-1-05-199 -b -00	4.1	11,95			
13-16-1-05-199 -c -00	2.1	1,20			
13-16-1-05-199 -c -00	4.1	1,20			
13-16-1-05-199 -d -00	2.1	1,56	ZAW-BUD-8szt		
13-16-1-05-199 -d -00	4.1	1,56			
13-16-1-05-200 -a -00	2.1	7,65	ZAW-BUD-9szt		
13-16-1-05-200 -a -00	4.1	7,65			
13-16-1-05-200 -b -00	2.1	1,43			
13-16-1-05-200 -b -00	4.1	1,43			
13-16-1-05-200 -c -00	2.1	3,93	ZAW-BUD-13szt	ZAB-REPEL-0,50ha	
13-16-1-05-200 -c -00	4.1	3,93			
13-16-1-05-200 -d -00	2.1	0,11			
13-16-1-05-200 -d -00	4.1	0,11			
Lesica					
13-16-1-06-125 -a -00	2.1	2,80			
13-16-1-06-125 -a -00	4.1	2,80			
13-16-1-06-125 -a -00	3.2	2,76			

13-16-1-06-125 -b -00	2.1	8,17			
13-16-1-06-125 -b -00	4.1	8,17			
13-16-1-06-125 -c -00	2.1	0,31			
13-16-1-06-125 -d -00	2.1	1,63			
13-16-1-06-125 -d -00	4.1	1,63			
13-16-1-06-125 -f -00	2.1	1,36			
13-16-1-06-125 -f -00	4.1	1,36			
13-16-1-06-125 -g -00	2.1	0,46			
13-16-1-06-125 -g -00	4.1	0,46			
13-16-1-06-125 -h -00	3.1	0,17	ZAB-REPEL	0,55 ha	0,55 ha
13-16-1-06-125 -h -00	2.1	11,79	ZAB-REPEL	0,55 ha	0,55 ha
13-16-1-06-125 -h -00	4.1	11,79	ZAB-REPEL	0,55 ha	0,55 ha
13-16-1-06-125 -h -00	3.2	3,86	ZAB-REPEL	0,55 ha	0,55 ha
13-16-1-06-125 -i -00	2.1	2,95			
13-16-1-06-125 -j -00	2.1	0,06			
13-16-1-06-125 -k -00	2.1	2,29			
13-16-1-06-125 -k -00	4.1	2,29			
13-16-1-06-125 -l -00	2.1	0,71			
13-16-1-06-125 -l -00	3.1	0,71			
13-16-1-06-125 -l -00	4.1	0,71			
13-16-1-06-125 -m -00	2.1	0,16			
13-16-1-06-126 -a -00	2.1	10,91	PR/ ZAB-REPEL	2,91 m3/ 0,43 ha	10,91 ha/ 0,43 ha
13-16-1-06-126 -a -00	4.1	10,91	PR/ ZAB-REPEL	2,91 m3/ 0,43 ha	10,91 ha/ 0,43 ha
13-16-1-06-126 -b -00	2.1	2,36	ZAB-REPEL	0,30 ha	0,30 ha
13-16-1-06-126 -b -00	4.1	2,36	ZAB-REPEL	0,30 ha	0,30 ha
13-16-1-06-126 -b -00	3.2	0,73	ZAB-REPEL	0,30 ha	0,30 ha
13-16-1-06-126 -c -00	2.1	1,74			
13-16-1-06-126 -c -00	4.1	1,74			
13-16-1-06-126 -d -00	2.1	0,24			
13-16-1-06-126 -f -00	2.1	1,68			
13-16-1-06-126 -f -00	4.1	1,68			
13-16-1-06-126 -g -00	2.1	1,64			
13-16-1-06-126 -g -00	4.1	1,64			
13-16-1-06-126 -h -00	2.1	0,22			
13-16-1-06-126 -i -00	2.1	0,19			
13-16-1-06-126 -j -00	2.1	0,70			
13-16-1-06-126 -k -00	2.1	2,30			
13-16-1-06-126 -l -00	2.1	3,22			
13-16-1-06-126 -l -00	4.1	3,22			
13-16-1-06-126 -m -00	2.1	1,47			
13-16-1-06-126 -m -00	4.1	1,47			
13-16-1-06-126 -n -00	2.1	1,67			
13-16-1-06-126 -n -00	4.1	1,67			
13-16-1-06-126 -o -00	2.1	0,47			
13-16-1-06-126 -p -00	2.1	1,70			
13-16-1-06-126 -p -00	4.1	1,70			
13-16-1-06-126 -r -00	2.1	2,70			
13-16-1-06-126 -r -00	4.1	2,70			
13-16-1-06-126 -s -00	2.1	0,53			
13-16-1-06-126 -s -00	4.1	0,53			
13-16-1-06-126 -t -00	2.1	1,20			
13-16-1-06-126 -t -00	4.1	1,20			
13-16-1-06-126 -w -00	2.1	0,81			
13-16-1-06-126 -w -00	4.1	0,81			
13-16-1-06-126 -x -00	2.1	1,10	ZAB-REPEL	0,30 ha	0,30 ha
13-16-1-06-126 -x -00	4.1	1,10	ZAB-REPEL	0,30 ha	0,30 ha
13-16-1-06-130 -a -00	2.1	1,12			
13-16-1-06-130 -a -00	4.1	1,12			
13-16-1-06-130 -b -00	2.1	2,32			
13-16-1-06-130 -b -00	4.1	2,32			
13-16-1-06-130 -c -00	2.1	1,48	TPN	32 m3	1,48 ha
13-16-1-06-130 -c -00	4.1	1,48	TPN	32 m3	1,48 ha
13-16-1-06-130 -d -00	2.1	1,63			
13-16-1-06-130 -d -00	3.2	1,63			
13-16-1-06-130 -d -00	4.1	1,63			
13-16-1-06-130 -f -00	3.2	0,00			
13-16-1-06-130 -f -00	2.1	2,00			
13-16-1-06-130 -f -00	4.1	2,00			
13-16-1-06-130 -g -00	2.1	1,84			
13-16-1-06-130 -g -00	4.1	1,84			
13-16-1-06-130 -h -00	2.1	6,98	TWN/ SAN-PD	53,03 m3/ 6,98 ha	6,98 ha/ 6,98 ha

13-16-1-06-130 -h -00	4.1	6,98	TWN/ SAN-PD	53,03 m3/ 6,98 ha	6,98 ha/ 6,98 ha
13-16-1-06-130 -i -00	2.1	1,22			
13-16-1-06-130 -i -00	4.1	1,22			
13-16-1-06-130 -i -00	3.2	1,22			
13-16-1-06-130 -j -00	2.1	14,41	PR	9,71 m3	14,41 ha
13-16-1-06-130 -j -00	4.1	14,41	PR	9,71 m3	14,41 ha
13-16-1-06-131 -a -00	2.1	3,88	ZAB-REPEL	2,5 ha	2,5 ha
13-16-1-06-131 -a -00	4.1	3,88	ZAB-REPEL	2,5 ha	2,5 ha
13-16-1-06-131 -a -00	3.2	3,88	ZAB-REPEL	2,5 ha	2,5 ha
13-16-1-06-131 -b -00	2.1	2,15	PR/ ZAB-REPEL	19,53 m3/ 0,60 ha	2,15 ha/ 0,60 ha
13-16-1-06-131 -b -00	4.1	2,15	PR/ ZAB-REPEL	19,53 m3/ 0,60 ha	2,15 ha/ 0,60 ha
13-16-1-06-131 -b -00	3.2	0,00	PR/ ZAB-REPEL	19,53 m3/ 0,60 ha	2,15 ha/ 0,60 ha
13-16-1-06-131 -c -00	2.1	11,53	RB IVD/ PORZ- SPAL/STOS/ SADZ/ GRODZ-SG/ ZAB-REPEL	921,72 m3/ 400/680 M3P/ 5,18 TSZT/ 4,57 HM/ 0,34 ha	11,53 ha/ 2 ha/ 1,12 ha/ 0,24 ha/ 0,34 ha
13-16-1-06-131 -c -00	4.1	11,53	RB IVD/ PORZ- SPAL/STOS/ SADZ/ GRODZ-SG/ ZAB-REPEL	921,72 m3/ 400/680 M3P/ 5,18 TSZT/ 4,57 HM/ 0,34 ha	11,53 ha/ 2 ha/ 1,12 ha/ 0,24 ha/ 0,34 ha
13-16-1-06-131 -c -00	3.2	0,00	RB IVD/ PORZ- SPAL/STOS/ SADZ/ GRODZ-SG/ ZAB-REPEL	921,72 m3/ 400/680 M3P/ 5,18 TSZT/ 4,57 HM/ 0,34 ha	11,53 ha/ 2 ha/ 1,12 ha/ 0,24 ha/ 0,34 ha
13-16-1-06-131 -d -00	2.1	1,44	RB IVD/ PORZ- SPAL/STOS/ SADZ/ GRODZ-SG/ ZAB-REPEL	87,98 m3/ 70/70 M3P/ 1,96 TSZT/ 1,94 HM/ 0,15 ha	1,44 ha/ 0,50 ha/ 0,43 ha/ 0,62 ha/ 0,15 ha
13-16-1-06-131 -d -00	4.1	1,44	RB IVD/ PORZ- SPAL/STOS/ SADZ/ GRODZ-SG/ ZAB-REPEL	87,98 m3/ 70/70 M3P/ 1,96 TSZT/ 1,94 HM/ 0,15 ha	1,44 ha/ 0,50 ha/ 0,43 ha/ 0,62 ha/ 0,15 ha
13-16-1-06-131 -f -00	2.1	4,22			
13-16-1-06-131 -f -00	4.1	4,22			
13-16-1-06-131 -g -00	2.1	3,41			
13-16-1-06-131 -g -00	4.1	3,41			
13-16-1-06-131 -h -00	2.1	4,97			
13-16-1-06-131 -h -00	4.1	4,97			
13-16-1-06-131 -i -00	2.1	1,05			
13-16-1-06-131 -i -00	4.1	1,05			
13-16-1-06-131 -j -00	2.1	2,90			
13-16-1-06-131 -k -00	2.1	3,72			
13-16-1-06-131 -k -00	4.1	3,72			
13-16-1-06-131 -l -00	2.1	0,44			
13-16-1-06-131 -m -00	2.1	0,53			
13-16-1-06-131 -n -00	2.1	0,70			
13-16-1-06-132 -a -00	2.1	2,48	ZAB-REPEL	0,40 ha	0,40 ha
13-16-1-06-132 -a -00	4.1	2,48	ZAB-REPEL	0,40 ha	0,40 ha
13-16-1-06-132 -b -00	2.1	1,53	RB IIB/PORZ-STOS	43,80 m3/ 39 M3P	1,53 ha/ 0,30 ha
13-16-1-06-132 -b -00	4.1	1,53	RB IIB/PORZ-STOS	43,80 m3/ 39 M3P	1,53 ha/ 0,30 ha
13-16-1-06-132 -c -00	2.1	7,55			
13-16-1-06-132 -c -00	4.1	7,55			
13-16-1-06-132 -d -00	2.1	4,01			
13-16-1-06-132 -d -00	4.1	4,01			
13-16-1-06-132 -f -00	2.1	1,36			
13-16-1-06-132 -f -00	3.2	0,00			
13-16-1-06-132 -f -00	4.1	1,36			
13-16-1-06-132 -g -00	2.1	8,72			
13-16-1-06-132 -g -00	4.1	8,72			
13-16-1-06-132 -g -00	3.2	8,72			
13-16-1-06-132 -h -00	2.1	5,30			
13-16-1-06-132 -h -00	3.2	5,30			
13-16-1-06-132 -h -00	4.1	5,30			
13-16-1-06-132 -i -00	2.1	4,35			
13-16-1-06-132 -i -00	3.2	4,35			
13-16-1-06-132 -i -00	4.1	4,35			
13-16-1-06-132 -j -00	2.1	2,07			
13-16-1-06-132 -j -00	4.1	2,07			
13-16-1-06-132 -k -00	2.1	1,56			
13-16-1-06-132 -k -00	4.1	1,56			
13-16-1-06-132 -l -00	2.1	0,18			

13-16-1-06-132 -l -00	4.1	0,18			
13-16-1-06-133 -a -00	2.1	9,04			
13-16-1-06-133 -a -00	4.1	9,04			
13-16-1-06-133 -b -00	2.1	0,84			
13-16-1-06-133 -b -00	4.1	0,84			
13-16-1-06-133 -c -00	2.1	1,02			
13-16-1-06-133 -c -00	4.1	1,02			
13-16-1-06-133 -d -00	2.1	4,93			
13-16-1-06-133 -d -00	4.1	4,93			
13-16-1-06-133 -f -00	2.1	3,44	RB IVD	38,82 m3	3,44 ha
13-16-1-06-133 -f -00	4.1	3,44	RB IVD	38,82 m3	3,44 ha
13-16-1-06-133 -g -00	2.1	1,76			
13-16-1-06-133 -g -00	4.1	1,76			
13-16-1-06-133 -h -00	2.1	0,73			
13-16-1-06-133 -h -00	4.1	0,73			
13-16-1-06-133 -i -00	2.1	3,60			
13-16-1-06-133 -i -00	4.1	3,60			
13-16-1-06-133 -j -00	2.1	3,58			
13-16-1-06-133 -j -00	4.1	3,58			
13-16-1-06-134 -a -00	2.1	11,49	RB IVD/PORZ- SPAL/STOS/ SADZ/ ZAB- REPEL	997,06 m3/800/980 M3P/ 1,23 TSZT/ 0,50 ha	11,49 ha/ 1,50 ha/ 0,20 ha/ 0,50 ha
13-16-1-06-134 -a -00	4.1	11,49	RB IVD/PORZ- SPAL/STOS/ SADZ/ ZAB- REPEL	997,06 m3/800/980 M3P/ 1,23 TSZT/ 0,50 ha	11,49 ha/ 1,50 ha/ 0,20 ha/ 0,50 ha
13-16-1-06-134 -b -00	2.1	1,95			
13-16-1-06-134 -b -00	3.2	0,00			
13-16-1-06-134 -b -00	4.1	1,95			
13-16-1-06-134 -c -00	2.1	1,57			
13-16-1-06-134 -c -00	4.1	1,57			
13-16-1-06-134 -d -00	2.1	2,12	ZAB-REPEL	1,05 ha	1,05 ha
13-16-1-06-134 -d -00	3.2	2,12	ZAB-REPEL	1,05 ha	1,05 ha
13-16-1-06-134 -d -00	4.1	2,12	ZAB-REPEL	1,05 ha	1,05 ha
13-16-1-06-134 -f -00	2.1	5,58	RB IVD/ PORZ- SPAL/STOS/ SADZ	119,63 m3/ 100/119 M3P/ 0,53 TSZT	5,58 ha/0,60 ha/ 0,13 ha
13-16-1-06-134 -f -00	4.1	5,58	RB IVD/ PORZ- SPAL/STOS/ SADZ	119,63 m3/ 100/119 M3P/ 0,53 TSZT	5,58 ha/0,60 ha/ 0,13 ha
13-16-1-06-135 -a -00	2.1	1,66	PR	10,03 m3	1,66 ha
13-16-1-06-135 -a -00	4.1	1,66	PR	10,03 m3	1,66 ha
13-16-1-06-135 -b -00	2.1	3,56			
13-16-1-06-135 -b -00	4.1	3,56			
13-16-1-06-135 -c -00	2.1	1,70	ZAB-REPEL	0,66 ha	0,66 ha
13-16-1-06-135 -c -00	4.1	1,70	ZAB-REPEL	0,66 ha	0,66 ha
13-16-1-06-135 -d -00	2.1	5,22	CW-SZTM/ ZAB-REPEL	5,22 ha/ 1,50 ha	5,22 ha/ 1,50 ha
13-16-1-06-135 -d -00	4.1	5,22	CW-SZTM/ ZAB-REPEL	5,22 ha/ 1,50 ha	5,22 ha/ 1,50 ha
13-16-1-06-135 -d -00	3.2	5,22	CW-SZTM/ ZAB-REPEL	5,22 ha/ 1,50 ha	5,22 ha/ 1,50 ha
13-16-1-06-135 -f -00	2.1	5,91			
13-16-1-06-135 -f -00	3.2	0,58			
13-16-1-06-135 -f -00	4.1	5,91			
13-16-1-06-135 -g -00	2.1	2,19	SADZ/ ZAB-REPEL	1,29 TSZT/ 0,50 ha	0,22 ha/ 0,50 ha
13-16-1-06-135 -g -00	4.1	2,19	SADZ/ ZAB-REPEL	1,29 TSZT/ 0,50 ha	0,22 ha/ 0,50 ha
13-16-1-06-135 -g -00	3.2	2,19	SADZ/ ZAB-REPEL	1,29 TSZT/ 0,50 ha	0,22 ha/ 0,50 ha
13-16-1-06-135 -h -00	2.1	3,64	RB IIBU/ PORZ- SPAL/STOS/ SADZ/ GRODZ-SG/ ZAB-REPEL	150,13 m3/ 250/270 M3P/ 2,66 TSZT/ 2,62 HM/ 1,49 ha	3,64 ha/ 0,50 ha/ 0,54 ha/ 0,30 ha/ 1,49 ha
13-16-1-06-135 -h -00	4.1	3,64	RB IIBU/ PORZ- SPAL/STOS/ SADZ/ GRODZ-SG/ ZAB-REPEL	150,13 m3/ 250/270 M3P/ 2,66 TSZT/ 2,62 HM/ 1,49 ha	3,64 ha/ 0,50 ha/ 0,54 ha/ 0,30 ha/ 1,49 ha
13-16-1-06-135 -h -00	3.2	1,00	RB IIBU/ PORZ- SPAL/STOS/ SADZ/ GRODZ-SG/ ZAB-REPEL	150,13 m3/ 250/270 M3P/ 2,66 TSZT/ 2,62 HM/ 1,49 ha	1 ha/ 0,50 ha/ 0,54 ha/ 0,30 ha/ 1,49 ha
13-16-1-06-135 -i -00	2.1	0,96			pow.referencyjna
13-16-1-06-135 -i -00	4.1	0,96			pow.referencyjna
13-16-1-06-138 -a -00	2.1	12,41	PR	17,09 m3	12,41 ha
13-16-1-06-138 -a -00	4.1	12,41	PR	17,09 m3	12,41 ha

13-16-1-06-138 -b -00	2.1	2,18			
13-16-1-06-138 -b -00	4.1	2,18			
13-16-1-06-138 -c -00	2.1	1,46			
13-16-1-06-138 -c -00	4.1	1,46			
13-16-1-06-138 -d -00	2.1	6,97			
13-16-1-06-138 -d -00	4.1	6,97			
13-16-1-06-139 -a -00	2.1	1,81			
13-16-1-06-139 -a -00	4.1	1,81			
13-16-1-06-139 -b -00	2.1	4,51			
13-16-1-06-139 -b -00	4.1	4,51			
13-16-1-06-139 -c -00	2.1	1,34	CW-SZTM/ ZAB-REPEL	0,94 ha/ 0,30 ha	0,94 ha/ 0,30 ha
13-16-1-06-139 -c -00	4.1	1,34	CW-SZTM/ ZAB-REPEL	0,94 ha/ 0,30 ha	0,94 ha/ 0,30 ha
13-16-1-06-139 -d -00	2.1	7,26	TWN/ SAN-PD	41,88 m3/ 7,26 ha	7,26 ha/ 7,26 ha
13-16-1-06-139 -d -00	4.1	7,26	TWN/ SAN-PD	41,88 m3/ 7,26 ha	7,26 ha/ 7,26 ha
13-16-1-06-139 -f -00	2.1	3,43			
13-16-1-06-139 -f -00	4.1	3,43			
13-16-1-06-139 -g -00	2.1	0,11			
13-16-1-06-139 -h -00	2.1	2,43			
13-16-1-06-139 -h -00	4.1	2,43			
13-16-1-06-139 -i -00	2.1	1,66	TPN	51,69 m3	1,66 ha
13-16-1-06-139 -i -00	4.1	1,66	TPN	51,69 m3	1,66 ha
13-16-1-06-139 -j -00	2.1	4,65			
13-16-1-06-139 -j -00	4.1	4,65			
13-16-1-06-140 -a -00	2.1	1,65	CP-NAT /ZAB-REPEL	0,33 ha/ 0,25 ha	0,33 ha/ 0,25 ha
13-16-1-06-140 -a -00	4.1	1,65	CP-NAT /ZAB-REPEL	0,33 ha/ 0,25 ha	0,33 ha/ 0,25 ha
13-16-1-06-140 -b -00	2.1	0,97			
13-16-1-06-140 -b -00	4.1	0,97			
13-16-1-06-140 -c -00	2.1	13,42			
13-16-1-06-140 -c -00	4.1	13,42			
13-16-1-06-140 -d -00	2.1	1,65	RB IIB/ PORZ-STOS	60,95 m3/ 50 M3P	1,65 ha/ 0,30 ha
13-16-1-06-140 -d -00	4.1	1,65	RB IIB/ PORZ-STOS	60,95 m3/ 50 M3P	1,65 ha/ 0,30 ha
13-16-1-06-140 -f -00	2.1	5,90	TWN/ SAN-PD	55,86 m3/ 5,9 ha	5,9 ha/ 5,9 ha
13-16-1-06-140 -f -00	4.1	5,90	TWN/ SAN-PD	55,86 m3/ 5,9 ha	5,9 ha/ 5,9 ha
13-16-1-06-140 -g -00	2.1	3,04	CP-NAT	1,22 ha	1,22 ha
13-16-1-06-140 -g -00	4.1	3,04	CP-NAT	1,22 ha	1,22 ha
13-16-1-06-140 -h -00	2.1	1,33			
13-16-1-06-140 -h -00	4.1	1,33			
13-16-1-06-140 -i -00	2.1	0,82			
13-16-1-06-140 -i -00	4.1	0,82			
13-16-1-06-141 -a -00	2.1	6,18	RB IVD/ CP-NAT/ PORZ-STOS/ZAB-REPEL	292,11 m3/ 3,09 ha/ 150 M3P/ 0,10 ha	6,18 ha/ 3,09 ha/ 1 ha/ 0,10 ha
13-16-1-06-141 -a -00	3.2	1,79	RB IVD/ CP-NAT/ PORZ-STOS/ZAB-REPEL	292,11 m3/ 3,09 ha/ 150 M3P/ 0,10 ha	6,18 ha/ 3,09 ha/ 1 ha/ 0,10 ha
13-16-1-06-141 -a -00	4.1	6,18	RB IVD/ CP-NAT/ PORZ-STOS/ZAB-REPEL	292,11 m3/ 3,09 ha/ 150 M3P/ 0,10 ha	6,18 ha/ 3,09 ha/ 1 ha/ 0,10 ha
13-16-1-06-141 -b -00	2.1	15,01			
13-16-1-06-141 -b -00	4.1	15,01			
13-16-1-06-141 -c -00	2.1	1,22	CP-NAT	0,49 ha	0,49 ha
13-16-1-06-141 -c -00	4.1	1,22	CP-NAT	0,49 ha	0,49 ha
13-16-1-06-141 -d -00	2.1	1,26	ZAB-REPEL	0,45 ha	0,45 ha
13-16-1-06-141 -d -00	3.2	1,26	ZAB-REPEL	0,45 ha	0,45 ha
13-16-1-06-141 -d -00	4.1	1,26	ZAB-REPEL	0,45 ha	0,45 ha
13-16-1-06-142 -a -00	2.1	3,01			
13-16-1-06-142 -a -00	4.1	3,01			
13-16-1-06-142 -b -00	2.1	11,09	PTW	39,81 m3	11,09 ha
13-16-1-06-142 -b -00	4.1	11,09	PTW	39,81 m3	11,09 ha
13-16-1-06-142 -c -00	2.1	2,28	PTP	5,56 m3	2,28 ha
13-16-1-06-142 -c -00	4.1	2,28	PTP	5,56 m3	2,28 ha
13-16-1-06-142 -d -00	2.1	0,04			
13-16-1-06-142 -f -00	2.1	8,44			
13-16-1-06-142 -f -00	4.1	8,44			
13-16-1-06-142 -g -00	2.1	1,58	PTP	8,80 m3	1,58 ha
13-16-1-06-142 -g -00	4.1	1,58	PTP	8,80 m3	1,58 ha
13-16-1-06-142 -h -00	2.1	1,55	ZAB-REPEL	0,35 ha	0,35 ha
13-16-1-06-142 -h -00	4.1	1,55	ZAB-REPEL	0,35 ha	0,35 ha
13-16-1-06-144 -a -00	2.1	8,70			

13-16-1-06-144 -a -00	4.1	8,70			
13-16-1-06-144 -b -00	2.1	6,01	PR/ ZAB-REPEL	5,40 m3/ 0,25 ha	6,01 ha/ 0,25 ha
13-16-1-06-144 -b -00	4.1	6,01	PR/ ZAB-REPEL	5,40 m3/ 0,25 ha	6,01 ha/ 0,25 ha
13-16-1-06-151 -a -00	2.1	0,19			
13-16-1-06-151 -b -00	2.1	8,58	PTP	2,05 m3	8,58 ha
13-16-1-06-151 -b -00	4.1	8,58	PTP	2,05 m3	8,58 ha
13-16-1-06-151 -c -00	2.1	5,62	RB IIAU	98,67 m3	5,62 ha
13-16-1-06-151 -c -00	4.1	5,62	RB IIAU	98,67 m3	5,62 ha
13-16-1-06-151 -d -00	2.1	2,46	PR	3,77 m3	2,46 ha
13-16-1-06-151 -d -00	4.1	2,46	PR	3,77 m3	2,46 ha
13-16-1-06-151 -f -00	2.1	1,52	PR	9,04 m3	1,52 ha
13-16-1-06-151 -f -00	4.1	1,52	PR	9,04 m3	1,52 ha
13-16-1-06-151 -g -00	2.1	2,54			
13-16-1-06-151 -g -00	4.1	2,54			
13-16-1-06-151 -h -00	2.1	2,40			
13-16-1-06-151 -h -00	4.1	2,40			
13-16-1-06-151 -i -00	2.1	0,74			
13-16-1-06-151 -j -00	2.1	1,04			
13-16-1-06-151 -j -00	4.1	1,04			
13-16-1-06-151 -k -00	2.1	1,45			
13-16-1-06-151 -k -00	4.1	1,45			
13-16-1-06-151 -l -00	2.1	1,27			pow.referencyjna
13-16-1-06-151 -l -00	4.1	1,27			pow.referencyjna
13-16-1-06-151 -m -00	2.1	2,97	PTW/ SAN-PD	6,94 m3/ 0,30 ha	2,97 ha/ 0,30 ha
13-16-1-06-151 -m -00	4.1	2,97	PTW/ SAN-PD	6,94 m3/ 0,30 ha	2,97 ha/ 0,30 ha
13-16-1-06-151 -n -00	2.1	2,25			
13-16-1-06-151 -n -00	4.1	2,25			
13-16-1-06-151 -o -00	2.1	1,23	PTP/ SAN-PD	13,88 m3/ 0,10 ha	1,23 ha/ 0,10 ha
13-16-1-06-151 -o -00	4.1	1,23	PTP/ SAN-PD	13,88 m3/ 0,10 ha	1,23 ha/ 0,10 ha
13-16-1-06-154 -a -00	2.1	2,64			
13-16-1-06-154 -a -00	4.1	2,64			
13-16-1-06-154 -a -00	6.0	0,00			
13-16-1-06-154 -b -00	2.1	1,42			
13-16-1-06-154 -b -00	6.0	0,00			
13-16-1-06-154 -b -00	4.1	1,42			
13-16-1-06-154 -c -00	2.1	1,54			
13-16-1-06-154 -c -00	4.1	1,54			
13-16-1-06-154 -d -00	2.1	1,08			
13-16-1-06-154 -d -00	4.1	1,08			
13-16-1-06-154 -f -00	2.1	8,19	PR	127,67 m3	8,19 ha
13-16-1-06-154 -f -00	4.1	8,19	PR	127,67 m3	8,19 ha
13-16-1-06-164 -a -00	2.1	10,18	PR/ ZAB-REPEL	150,97 m3/ 0,65 ha	10,18 ha/ 0,65 ha
13-16-1-06-164 -a -00	4.1	10,18	PR/ ZAB-REPEL	150,97 m3/ 0,65 ha	10,18 ha/ 0,65 ha
13-16-1-06-164 -b -00	2.1	1,79			
13-16-1-06-164 -b -00	4.1	1,79			
13-16-1-06-164 -c -00	2.1	2,02			
13-16-1-06-164 -c -00	4.1	2,02			
13-16-1-06-164 -d -00	2.1	9,47	PR	53,94 m3	9,47 ha
13-16-1-06-164 -d -00	4.1	9,47	PR	53,94 m3	9,47 ha
13-16-1-06-164 -f -00	3.2	2,13			
13-16-1-06-164 -f -00	2.1	2,13			
13-16-1-06-164 -f -00	4.1	2,13			
13-16-1-06-165 -a -00	2.1	3,16			pow.referencyjna
13-16-1-06-165 -a -00	4.1	3,16			pow.referencyjna
13-16-1-06-165 -b -00	2.1	18,83	TPN	348,96 m3	18,83 ha
13-16-1-06-165 -b -00	4.1	18,83	TPN	348,96 m3	18,83 ha
13-16-1-06-165 -c -00	2.1	1,32	RB IIB	52,26 m3	1,32 ha
13-16-1-06-165 -c -00	4.1	1,32	RB IIB	52,26 m3	1,32 ha
13-16-1-06-165 -d -00	2.1	1,36	RB IIB	48,87 m3	1, 36 ha
13-16-1-06-165 -d -00	3.2	1,36	RB IIB	48,87 m3	1, 36 ha
13-16-1-06-165 -d -00	4.1	1,36	RB IIB	48,87 m3	1, 36 ha
13-16-1-06-165 -f -00	2.1	4,99	CP-NAT	4,99 ha	4,99 ha
13-16-1-06-165 -f -00	4.1	4,99	CP-NAT	4,99 ha	4,99 ha
13-16-1-06-165 -f -00	3.2	4,99	CP-NAT	4,99 ha	4,99 ha
13-16-1-06-165 -g -00	2.1	5,77	RB IVD/ CP-NAT/ ZAB-REPEL	218,94 m3/ 1,73 ha/ 0,25 ha	5,77 ha/ 1,73 ha/ 0,25 ha
13-16-1-06-165 -g -00	4.1	5,77	RB IVD/ CP-NAT/ ZAB-REPEL	218,94 m3/ 1,73 ha/ 0,25 ha	5,77 ha/ 1,73 ha/ 0,25 ha
13-16-1-06-165 -h -00	2.1	1,24	TPN	18,42 m3	1,24 ha
13-16-1-06-165 -h -00	4.1	1,24	TPN	18,42 m3	1,24 ha
13-16-1-06-165 -i -00	2.1	0,76			pow.referencyjna

13-16-1-06-165 -i -00	4.1	0,76			pow.referencyjna
13-16-1-06-165 -j -00	2.1	0,76			pow.referencyjna
13-16-1-06-165 -j -00	4.1	0,76			pow.referencyjna
13-16-1-06-165 -k -00	2.1	1,31			
13-16-1-06-165 -k -00	4.1	1,31			
13-16-1-06-165 -l -00	2.1	0,19			
13-16-1-06-180 -a -00	2.1	0,87			pow.referencyjna
13-16-1-06-180 -a -00	4.1	0,87			pow.referencyjna
13-16-1-06-180 -b -00	2.1	6,88	RB IVD	454,52 m3	6,88 ha
13-16-1-06-180 -b -00	4.1	6,88	RB IVD	454,52 m3	6,88 ha
13-16-1-06-180 -c -00	2.1	3,03			
13-16-1-06-180 -c -00	4.1	3,03			
13-16-1-06-180 -c -00	3.2	3,03			
13-16-1-06-180 -d -00	2.1	4,39	RB IVD/ PORZ-STOS	662,10 m3/ 130 M3P	4,39 ha/ 0,20 ha
13-16-1-06-180 -d -00	4.1	4,39	RB IVD/ PORZ-STOS	662,10 m3/ 130 M3P	4,39 ha/ 0,20 ha
13-16-1-06-180 -f -00	2.1	9,86	RB IVD	793,17 m3	9,86 ha
13-16-1-06-180 -f -00	4.1	9,86	RB IVD	793,17 m3	9,86 ha
13-16-1-06-180 -g -00	2.1	0,69	ZAB-REPEL	0,22 ha	0,22 ha
13-16-1-06-180 -g -00	3.2	0,69	ZAB-REPEL	0,22 ha	0,22 ha
13-16-1-06-180 -g -00	4.1	0,69	ZAB-REPEL	0,22 ha	0,22 ha
13-16-1-06-180 -h -00	2.1	1,22			
13-16-1-06-180 -h -00	4.1	1,22			
13-16-1-06-180 -h -00	3.2	0,18			
13-16-1-06-180 -i -00	2.1	0,73			
13-16-1-06-180 -i -00	4.1	0,73			
13-16-1-06-180 -j -00	2.1	2,02			pow.referencyjna
13-16-1-06-180 -j -00	4.1	2,02			pow.referencyjna
13-16-1-06-180 -k -00	2.1	1,61			
13-16-1-06-180 -k -00	4.1	1,61			
13-16-1-06-180 -l -00	2.1	4,57			
13-16-1-06-180 -l -00	4.1	4,57			
13-16-1-06-180 -m -00	2.1	0,65			
13-16-1-06-180 -m -00	4.1	0,65			
13-16-1-06-186 -a -00	2.1	1,08			
13-16-1-06-186 -b -00	2.1	1,38			
13-16-1-06-186 -b -00	4.1	1,38			
13-16-1-06-186 -c -00	2.1	1,63			
13-16-1-06-186 -c -00	4.1	1,63			
13-16-1-06-186 -d -00	2.1	3,90	PR/ ZAB-REPEL	14,04 m3/ 0,25 ha	3,9 ha/ 0,25 ha
13-16-1-06-186 -d -00	4.1	3,90	PR/ ZAB-REPEL	14,04 m3/ 0,25 ha	3,9 ha/ 0,25 ha
13-16-1-06-186 -f -00	2.1	0,23			
13-16-1-06-186 -g -00	2.1	3,05	PTP	5,53 m3	3,05 ha
13-16-1-06-186 -g -00	4.1	3,05	PTP	5,53 m3	3,05 ha
13-16-1-06-186 -h -00	2.1	1,29			
13-16-1-06-186 -h -00	3.2	1,29			
13-16-1-06-186 -h -00	4.1	1,29			
13-16-1-06-186 -i -00	2.1	4,08			
13-16-1-06-186 -i -00	4.1	4,08			
13-16-1-06-187 -a -00	2.1	8,06	TPN	100,70 m3	8,06 ha
13-16-1-06-187 -a -00	4.1	8,06	TPN	100,70 m3	8,06 ha
13-16-1-06-187 -b -00	2.1	13,25			
13-16-1-06-187 -b -00	4.1	13,25			
13-16-1-06-187 -c -00	2.1	0,04			
13-16-1-06-187 -d -00	2.1	8,47			
13-16-1-06-187 -d -00	4.1	8,47			
13-16-1-06-187 -f -00	2.1	0,13			
13-16-1-06-187 -g -00	2.1	1,32			
13-16-1-06-187 -g -00	4.1	1,32			
13-16-1-06-188 -a -00	2.1	4,55			
13-16-1-06-188 -a -00	4.1	4,55			
13-16-1-06-188 -b -00	2.1	11,28			
13-16-1-06-188 -b -00	4.1	11,28			
13-16-1-06-188 -c -00	2.1	11,61	ZAB-REPEL	0,50 ha	0,50 ha
13-16-1-06-188 -c -00	4.1	11,61	ZAB-REPEL	0,50 ha	0,50 ha
13-16-1-06-188 -d -00	2.1	6,02			
13-16-1-06-188 -d -00	4.1	6,02			
13-16-1-06-189 -a -00	2.1	1,86			
13-16-1-06-189 -a -00	4.1	1,86			
13-16-1-06-189 -b -00	2.1	5,02			
13-16-1-06-189 -b -00	4.1	5,02			
13-16-1-06-189 -c -00	2.1	1,91	PTP	4,24 m3	1,91 ha

13-16-1-06-189 -c -00	4.1	1,91	PTP	4,24 m3	1,91 ha
13-16-1-06-189 -d -00	2.1	6,49	PTP	14,05 m3	6,49 ha
13-16-1-06-189 -d -00	4.1	6,49	PTP	14,05 m3	6,49 ha
13-16-1-06-189 -f -00	2.1	8,60			
13-16-1-06-189 -f -00	4.1	8,60			
13-16-1-06-189 -g -00	2.1	16,16	PR/ CW-SZTM	16,02 m3/ 0,20 ha	16,16 ha/ 0,20 ha
13-16-1-06-189 -g -00	4.1	16,16	PR/ CW-SZTM	16,02 m3/ 0,20 ha	16,16 ha/ 0,20 ha
13-16-1-06-189 -h -00	2.1	2,96			
13-16-1-06-189 -h -00	4.1	2,96			
13-16-1-06-190 -a -00	2.1	1,65			
13-16-1-06-190 -a -00	4.1	1,65			
13-16-1-06-190 -b -00	2.1	3,63			
13-16-1-06-190 -b -00	4.1	3,63			
13-16-1-06-190 -c -00	2.1	0,76	PTP	2,59 m3	0,76 ha
13-16-1-06-190 -c -00	4.1	0,76	PTP	2,59 m3	0,76 ha
13-16-1-06-190 -d -00	2.1	4,27			
13-16-1-06-190 -d -00	4.1	4,27			
13-16-1-06-190 -f -00	2.1	3,21			
13-16-1-06-190 -f -00	4.1	3,21			
13-16-1-06-190 -g -00	2.1	0,92			
13-16-1-06-190 -g -00	4.1	0,92			
13-16-1-06-190 -h -00	2.1	2,43			
13-16-1-06-190 -i -00	2.1	1,49			
13-16-1-06-190 -j -00	2.1	1,29			
13-16-1-06-190 -j -00	4.1	1,29			
13-16-1-06-190 -k -00	2.1	3,68			
13-16-1-06-190 -k -00	4.1	3,68			
13-16-1-06-190 -l -00	2.1	3,47			
13-16-1-06-190 -l -00	4.1	3,47			
13-16-1-06-190 -m -00	2.1	0,90			
13-16-1-06-190 -m -00	4.1	0,90			
13-16-1-06-190 -n -00	2.1	1,29			
13-16-1-06-190 -n -00	4.1	1,29			
13-16-1-06-190 -o -00	2.1	0,12			
13-16-1-06-191 -a -00	2.1	0,96	ZAB-REPEL	0,15 ha	0,15 ha
13-16-1-06-191 -a -00	3.2	0,96	ZAB-REPEL	0,15 ha	0,15 ha
13-16-1-06-191 -a -00	4.1	0,96	ZAB-REPEL	0,15 ha	0,15 ha
13-16-1-06-191 -b -00	2.1	2,58			
13-16-1-06-191 -b -00	4.1	2,58			
13-16-1-06-191 -c -00	2.1	0,04			
13-16-1-06-191 -c -00	4.1	0,04			
13-16-1-06-191 -d -00	2.1	4,36	PR	13,18 m3	4,36 ha
13-16-1-06-191 -d -00	3.2	0,00	PR	13,18 m3	0 ha
13-16-1-06-191 -d -00	4.1	4,36	PR	13,18 m3	4,36 ha
13-16-1-06-191 -f -00	2.1	1,38			
13-16-1-06-191 -f -00	4.1	1,38			
13-16-1-06-191 -g -00	2.1	2,19			
13-16-1-06-191 -g -00	4.1	2,19			
13-16-1-06-191 -h -00	2.1	7,64	ZAB-REPEL	1,40 ha	1,40 ha
13-16-1-06-191 -h -00	3.2	1,96	ZAB-REPEL	1,40 ha	1,40 ha
13-16-1-06-191 -h -00	4.1	7,64	ZAB-REPEL	1,40 ha	1,40 ha
13-16-1-06-191 -i -00	2.1	2,15			
13-16-1-06-191 -i -00	4.1	2,15			
13-16-1-06-191 -j -00	2.1	3,12			
13-16-1-06-191 -j -00	4.1	3,12			
13-16-1-06-191 -k -00	2.1	1,69	CP-NAT	1,66 ha	1,66 ha
13-16-1-06-191 -k -00	4.1	1,69	CP-NAT	1,66 ha	1,66 ha
13-16-1-06-191 -l -00	2.1	3,85	PTP	8,65 m3	3,85 ha
13-16-1-06-191 -l -00	4.1	3,85	PTP	8,65 m3	3,85 ha
13-16-1-06-191 -m -00	2.1	1,34			
13-16-1-06-191 -m -00	4.1	1,34			
13-16-1-06-191 -n -00	2.1	1,68			
13-16-1-06-191 -n -00	4.1	1,68			
13-16-1-06-192 -a -00	2.1	2,35	PTP	3,09 m3	2,35 ha
13-16-1-06-192 -a -00	4.1	2,35	PTP	3,09 m3	2,35 ha
13-16-1-06-192 -b -00	2.1	2,93			
13-16-1-06-192 -b -00	4.1	2,93			
13-16-1-06-192 -c -00	2.1	5,48	PR	21,20 m3	5,48 ha
13-16-1-06-192 -c -00	4.1	5,48	PR	21,20 m3	5,48 ha
13-16-1-06-192 -d -00	2.1	3,91			
13-16-1-06-192 -d -00	4.1	3,91			

13-16-1-06-192 -f -00	2.1	1,86			
13-16-1-06-192 -f -00	4.1	1,86			
13-16-1-06-192 -g -00	2.1	3,00	PTP	0,71 m3	3 ha
13-16-1-06-192 -g -00	4.1	3,00	PTP	0,71 m3	3 ha
13-16-1-06-192 -h -00	2.1	4,69	ZAB-REPEL	1 ha	1 ha
13-16-1-06-192 -h -00	3.2	0,71	ZAB-REPEL	1 ha	1 ha
13-16-1-06-192 -h -00	4.1	4,69	ZAB-REPEL	1 ha	1 ha
13-16-1-06-192 -i -00	2.1	3,59	PR	11,35 m3	3,59 ha
13-16-1-06-192 -i -00	4.1	3,59	PR	11,35 m3	3,59 ha
13-16-1-06-192 -j -00	2.1	3,26			
13-16-1-06-192 -j -00	4.1	3,26			
13-16-1-06-192 -k -00	2.1	0,08			
13-16-1-06-192 -k -00	4.1	0,08			
13-16-1-06-193 -a -00	2.1	2,17			
13-16-1-06-193 -a -00	4.1	2,17			
13-16-1-06-193 -b -00	2.1	1,56			
13-16-1-06-193 -b -00	4.1	1,56			
13-16-1-06-193 -c -00	2.1	5,53	PR/ ZAB-REPEL	2,56 m3/ 0,5 ha	5,53 ha/ 0,5 ha
13-16-1-06-193 -c -00	4.1	5,53	PR/ ZAB-REPEL	2,56 m3/ 0,5 ha	5,53 ha/ 0,5 ha
13-16-1-06-193 -d -00	2.1	16,78	PR/ ZAB-REPEL	69,75 m3/ 2 ha	16,78 ha/ 2 ha
13-16-1-06-193 -d -00	4.1	16,78	PR/ ZAB-REPEL	69,75 m3/ 2 ha	16,78 ha/ 2 ha
13-16-1-06-193 -f -00	2.1	1,05			
13-16-1-06-193 -f -00	4.1	1,05			
13-16-1-06-193 -g -00	2.1	9,06			
13-16-1-06-193 -g -00	4.1	9,06			
13-16-1-06-193 -h -00	2.1	0,37			
13-16-1-06-193 -h -00	4.1	0,37			
13-16-1-06-194 -a -00	2.1	3,06			
13-16-1-06-194 -a -00	4.1	3,06			
13-16-1-06-194 -b -00	2.1	1,86			
13-16-1-06-194 -b -00	4.1	1,86			
13-16-1-06-194 -c -00	2.1	1,14			
13-16-1-06-194 -c -00	4.1	1,14			
13-16-1-06-194 -d -00	2.1	1,62			
13-16-1-06-194 -d -00	4.1	1,62			
13-16-1-06-194 -f -00	2.1	4,65			
13-16-1-06-194 -f -00	4.1	4,65			
13-16-1-06-194 -g -00	2.1	8,48	PTP	16,79 m3	8,48 ha
13-16-1-06-194 -g -00	4.1	8,48	PTP	16,79 m3	8,48 ha
13-16-1-06-195 -a -00	2.1	2,76			
13-16-1-06-195 -a -00	4.1	2,76			
13-16-1-06-195 -b -00	2.1	4,37			
13-16-1-06-195 -b -00	4.1	4,37			
13-16-1-06-195 -c -00	2.1	9,87	PR	7,08 m3	9,87 ha
13-16-1-06-195 -c -00	4.1	9,87	PR	7,08 m3	9,87 ha
13-16-1-06-195 -d -00	2.1	5,01	RB IVD/ PORZ- SPAL/STOS	404,8 m3/ 300/450 M3P	5,01 ha/ 0,60 ha
13-16-1-06-195 -d -00	4.1	5,01	RB IVD/ PORZ- SPAL/STOS	404,8 m3/ 300/450 M3P	5,01 ha/ 0,60 ha
13-16-1-06-195 -f -00	2.1	5,99			
13-16-1-06-195 -f -00	4.1	5,99			
13-16-1-06-195 -g -00	2.1	2,18			
13-16-1-06-195 -g -00	4.1	2,18			
13-16-1-06-195 -h -00	2.1	6,53			
13-16-1-06-195 -h -00	4.1	6,53			
13-16-1-06-196 -a -00	2.1	0,75	ZAB-REPEL	0,10 ha	0,10 ha
13-16-1-06-196 -a -00	4.1	0,75	ZAB-REPEL	0,10 ha	0,10 ha
13-16-1-06-196 -b -00	2.1	8,61			
13-16-1-06-196 -b -00	4.1	8,61			
13-16-1-06-196 -c -00	2.1	3,56	ZAB-REPEL	0,60 ha	0,60 ha
13-16-1-06-196 -c -00	4.1	3,56	ZAB-REPEL	0,60 ha	0,60 ha
13-16-1-06-196 -c -00	3.2	1,22	ZAB-REPEL	0,60 ha	0,60 ha
13-16-1-06-196 -d -00	2.1	2,13	PTP	1,68 m3	2,13 ha
13-16-1-06-196 -d -00	4.1	2,13	PTP	1,68 m3	2,13 ha
13-16-1-06-196 -f -00	2.1	2,62			
13-16-1-06-196 -f -00	4.1	2,62			
13-16-1-06-196 -g -00	2.1	1,24			
13-16-1-06-196 -g -00	4.1	1,24			
13-16-1-06-196 -h -00	2.1	4,51			
13-16-1-06-196 -h -00	4.1	4,51			
13-16-1-06-196 -i -00	4.1	4,36			

13-16-1-06-196 -j -00	2.1	0,27			
13-16-1-06-196 -j -00	4.1	0,27			
13-16-1-06-196 -k -00	2.1	0,37			
13-16-1-06-196 -k -00	4.1	0,37			
Idzików					
13-16-2-07-20 -a -00	4.1	4,05			
13-16-2-07-20 -b -00	3.2	2,01			
13-16-2-07-20 -b -00	4.1	2,01			
13-16-2-07-20 -c -00	4.1	1,58			
13-16-2-07-20 -d -00	4.1	2,28			
13-16-2-07-20 -f -00	4.1	1,87			
13-16-2-07-20 -g -00	4.1	0,89			
13-16-2-07-21 -a -00	4.1	1,54			
13-16-2-07-21 -b -00	4.1	3,76			
13-16-2-07-21 -c -00	4.1	3,72			
13-16-2-07-21 -d -00	4.1	1,12			
13-16-2-07-21 -f -00	4.1	3,32			
13-16-2-07-21 -g -00	4.1	0,80			
13-16-2-07-21 -h -00	4.1	8,97			
13-16-2-07-22 -a -00	3.2	7,86			
13-16-2-07-22 -a -00	4.1	7,86			
13-16-2-07-22 -b -00	4.1	0,87			
13-16-2-07-22 -c -00	4.1	0,97			
13-16-2-07-22 -d -00	4.1	9,24			
13-16-2-07-22 -f -00	4.1	0,91			
13-16-2-07-22 -g -00	4.1	1,80			
13-16-2-07-22 -i -00	3.2	1,18			pow referencyjne
13-16-2-07-22 -i -00	4.1	1,18			pow referencyjne
13-16-2-07-23 -a -00	4.1	2,87	TWP	149 m3	
13-16-2-07-23 -b -00	4.1	1,28	TWP	62 m3	
13-16-2-07-23 -c -00	4.1	1,06	TPP	50 m3	
13-16-2-07-23 -d -00	4.1	6,70	TPP	163 m3	
13-16-2-07-23 -f -00	4.1	2,50			
13-16-2-07-23 -g -00	4.1	3,94			
13-16-2-07-23 -h -00	4.1	1,28	CP	1,28 ha	
13-16-2-07-23 -i -00	4.1	4,35			
13-16-2-07-24 -a -00	4.1	3,31			
13-16-2-07-24 -b -00	4.1	3,80			
13-16-2-07-24 -c -00	3.2	3,82			
13-16-2-07-24 -c -00	4.1	3,82			
13-16-2-07-24 -d -00	4.1	1,40			
13-16-2-07-25 -a -00	4.1	3,27			
13-16-2-07-25 -b -00	4.1	6,54			
13-16-2-07-25 -c -00	3.2	0,68			
13-16-2-07-25 -c -00	4.1	0,68			
13-16-2-07-25 -d -00	4.1	3,01			
13-16-2-07-25 -f -00	4.1	1,28			
13-16-2-07-25 -g -00	4.1	3,22			
13-16-2-07-25 -h -00	4.1	1,11	TPP	119 m3	
13-16-2-07-25 -i -00	4.1	0,82	TPP	31 m3	
13-16-2-07-26 -a -00	4.1	3,31			
13-16-2-07-26 -b -00	4.1	9,90	RB IV D	1335 m3	
13-16-2-07-26 -c -00	4.1	2,93			
13-16-2-07-26 -d -00	4.1	2,17			
13-16-2-07-27 -a -00	4.1	2,92			
13-16-2-07-27 -b -00	4.1	3,60			
13-16-2-07-27 -c -00	4.1	1,03			
13-16-2-07-27 -d -00	4.1	3,50			
13-16-2-07-27 -f -00	4.1	7,62			
13-16-2-07-27 -g -00	4.1	4,40			
13-16-2-07-27 -h -00	3.2	0,74	CP-P	2,10 m3 0,74ha	
13-16-2-07-27 -h -00	4.1	0,74			
13-16-2-07-27 -i -00	4.1	1,20			
13-16-2-07-27 -j -00	3.2	0,31			potok
13-16-2-07-28 -a -00	4.1	2,22			
13-16-2-07-28 -b -00	4.1	2,83			
13-16-2-07-28 -b -00	3.2	1,10			
13-16-2-07-28 -c -00	4.1	3,63			
13-16-2-07-28 -c -00	3.2	3,63			
13-16-2-07-28 -d -00	4.1	2,13			
13-16-2-07-28 -f -00	3.2	6,64			

13-16-2-07-28 -f -00	4.1	6,64			
13-16-2-07-28 -g -00	4.1	1,57			
13-16-2-07-28 -h -00	4.1	1,08			
13-16-2-07-28 -i -00	3.2	0,15			potok
13-16-2-07-29 -a -00	4.1	4,60			
13-16-2-07-29 -b -00	3.2	2,14			
13-16-2-07-29 -b -00	4.1	2,14			
13-16-2-07-29 -c -00	4.1	2,46			
13-16-2-07-29 -d -00	4.1	1,16			
13-16-2-07-29 -f -00	4.1	1,96			
13-16-2-07-29 -g -00	4.1	0,84			
13-16-2-07-29 -h -00	4.1	1,22			
13-16-2-07-29 -i -00	4.1	4,21			
13-16-2-07-29 -j -00	3.2	0,05			potok
13-16-2-07-30 -a -00	4.1	3,47			
13-16-2-07-30 -b -00	3.2	1,57			
13-16-2-07-30 -b -00	4.1	1,57			
13-16-2-07-30 -c -00	4.1	5,38			
13-16-2-07-30 -d -00	4.1	0,66			
13-16-2-07-30 -f -00	4.1	0,59			
13-16-2-07-31 -a -00	4.1	8,55			
13-16-2-07-31 -b -00	3.2	3,78	CW	0,50 ha	
13-16-2-07-31 -b -00	4.1	3,78			
13-16-2-07-31 -c -00	4.1	5,10			
13-16-2-07-31 -d -00	4.1	1,06			
13-16-2-07-31 -f -00	4.1	0,88			
13-16-2-07-31 -g -00	3.2	0,67			
13-16-2-07-31 -g -00	4.1	3,33			
13-16-2-07-31 -h -00	4.1	2,52			
13-16-2-07-31 -j -00	4.1	0,98			
13-16-2-07-31 -k -00	3.2	0,94			
13-16-2-07-31 -k -00	4.1	0,94			
13-16-2-07-32 -a -00	3.2	3,67			
13-16-2-07-32 -a -00	4.1	3,67			
13-16-2-07-32 -b -00	4.1	1,32			
13-16-2-07-32 -c -00	4.1	0,99	RB IV D	64 m3	PBD-ODNRB pow.0,31 ha Jd 1/2 1.42 TSZT O-GRODZN 2.61 HM
13-16-2-07-32 -d -00	4.1	16,54	RB IV D	2565 m3	PBD-ODNRB pow. 1,12 ha Jd1/2 5,25 TSZT O-GRODZN 7,17 HM
13-16-2-07-32 -g -00	4.1	2,01			
13-16-2-07-33 -a -00	4.1	12,85			
13-16-2-07-33 -b -00	4.1	3,41			
13-16-2-07-33 -c -00	4.1	0,99			
13-16-2-07-33 -d -00	4.1	3,87			
13-16-2-07-33 -f -00	4.1	1,66			
13-16-2-07-33 -g -00	4.1	1,78			
13-16-2-07-33 -h -00	4.1	3,53			
13-16-2-07-33 -i -00	4.1	0,59			
13-16-2-07-33 -k -00	4.1	1,38			
13-16-2-07-34 -a -00	4.1	11,27			
13-16-2-07-34 -b -00	4.1	5,27			plantacja nasienna
13-16-2-07-34 -c -00	4.1	2,01			
13-16-2-07-35 -a -00	4.1	1,14			
13-16-2-07-35 -b -00	3.2	0,00			
13-16-2-07-35 -b -00	4.1	2,37			
13-16-2-07-35 -c -00	3.2	13,07			
13-16-2-07-35 -c -00	4.1	13,07			
13-16-2-07-35 -d -00	4.1	0,80			
13-16-2-07-35 -f -00	4.1	8,78			
13-16-2-07-35 -g -00	4.1	1,90			
13-16-2-07-35 -g -00	3.2	1,90			
13-16-2-07-36 -a -00	4.1	18,56			
13-16-2-07-36 -b -00	4.1	3,09			
13-16-2-07-36 -c -00	4.1	0,71			
13-16-2-07-36 -d -00	4.1	3,59			
13-16-2-07-36 -f -00	4.1	0,87			
13-16-2-07-37 -a -00	4.1	1,20			
13-16-2-07-37 -b -00	4.1	11,86			
13-16-2-07-37 -c -00	4.1	2,74			

13-16-2-07-37 -d -00	4.1	0,51			
13-16-2-07-38 -a -00	4.1	7,43	CP	5,94 ha	PBD-ODNRB pow. 0,65 ha Bk1/0 1,2 TSZT Sw1/2 1,2 TSZT Md 1/1 ,21 TSZT ZAB-UPAL 0,10 ha
13-16-2-07-38 -b -00	4.1	2,33			
13-16-2-07-38 -c -00	4.1	1,57			
13-16-2-07-39 -a -00	3.2	5,03			
13-16-2-07-39 -a -00	4.1	5,03			
13-16-2-07-39 -b -00	3.2	2,35			
13-16-2-07-39 -b -00	4.1	2,35			
13-16-2-07-39 -d -00	4.1	4,27			
13-16-2-07-39 -f -00	4.1	7,10			
13-16-2-07-40 -a -00	4.1	9,94	CP	4,97 ha	
13-16-2-07-40 -b -00	4.1	2,16			
13-16-2-07-41 -a -00	4.1	0,54			
13-16-2-07-41 -b -00	4.1	3,42			
13-16-2-07-41 -c -00	4.1	1,69			
13-16-2-07-41 -d -00	4.1	1,22			
13-16-2-07-41 -f -00	4.1	2,57			
13-16-2-07-41 -g -00	3.2	1,53			
13-16-2-07-41 -g -00	4.1	1,53			
13-16-2-07-41 -h -00	4.1	2,09			
13-16-2-07-41 -i -00	4.1	3,11			
13-16-2-07-41 -j -00	4.1	3,08			
13-16-2-07-41 -k -00	4.1	0,66			
13-16-2-07-41 -l -00	4.1	3,93			
13-16-2-07-41 -m -00	4.1	0,52			
13-16-2-07-41 -n -00	4.1	1,39			
13-16-2-07-41 -o -00	4.1	3,14			
13-16-2-07-41 -p -00	4.1	1,73			
13-16-2-07-42 -a -00	4.1	1,52	TPP	104 m3	
13-16-2-07-42 -b -00	4.1	3,62			
13-16-2-07-42 -c -00	3.2	1,61			
13-16-2-07-42 -c -00	4.1	1,61			
13-16-2-07-42 -d -00	4.1	17,10			
13-16-2-07-43 -a -00	4.1	8,67			
13-16-2-07-43 -b -00	4.1	3,06			
13-16-2-07-43 -d -00	4.1	3,40	RB IV DU	928 m3	
13-16-2-07-43 -f -00	3.2	8,89			
13-16-2-07-43 -f -00	4.1	8,89			
13-16-2-07-44 -a -00	4.1	7,05	TPP	627 m3	
13-16-2-07-44 -b -00	4.1	0,82			
13-16-2-07-44 -c -00	3.2	5,92			
13-16-2-07-44 -c -00	4.1	5,92			
13-16-2-07-44 -d -00	4.1	2,50			
13-16-2-07-44 -f -00	4.1	2,15	RB IV D	248 m3	
13-16-2-07-44 -g -00	4.1	6,28	RB IV D	1445 m3	
13-16-2-07-45 -a -00	4.1	1,93			
13-16-2-07-45 -b -00	4.1	2,47			
13-16-2-07-45 -c -00	4.1	3,54			
13-16-2-07-45 -d -00	4.1	4,43	TPP	258 m3	
13-16-2-07-45 -f -00	4.1	2,45			
13-16-2-07-45 -g -00	4.1	2,42			
13-16-2-07-45 -h -00	4.1	1,67			
13-16-2-07-45 -i -00	4.1	3,27			
13-16-2-07-45 -j -00	4.1	1,11			
13-16-2-07-45 -o -00	3.2	0,20			pow referencyjne
13-16-2-07-45 -o -00	4.1	0,20			pow referencyjne
13-16-2-07-46 -a -00	4.1	3,86			
13-16-2-07-46 -b -00	4.1	3,13			
13-16-2-07-46 -c -00	4.1	9,18			
13-16-2-07-46 -d -00	4.1	0,96			
13-16-2-07-46 -f -00	4.1	2,69			
13-16-2-07-46 -g -00	3.1	1,36			pow referencyjne
13-16-2-07-46 -g -00	4.1	1,36			pow referencyjne
13-16-2-07-47 -a -00	4.1	4,95			
13-16-2-07-47 -b -00	4.1	1,52			
13-16-2-07-47 -c -00	4.1	0,99			
13-16-2-07-47 -d -00	4.1	1,07			
13-16-2-07-47 -f -00	4.1	2,83			

13-16-2-07-47 -g -00	4.1	5,05			
13-16-2-07-47 -h -00	4.1	1,37			
13-16-2-07-47 -i -00	4.1	2,72			
13-16-2-07-47 -j -00	4.1	2,20			
13-16-2-07-48 -a -00	4.1	0,92			
13-16-2-07-48 -b -00	4.1	4,61			
13-16-2-07-48 -c -00	4.1	2,94			
13-16-2-07-48 -d -00	4.1	11,40	CW	0,50 ha	
13-16-2-07-48 -d -00	3.2	2,99			
13-16-2-07-48 -f -00	4.1	2,34			
13-16-2-07-48 -g -00	3.2	5,67			
13-16-2-07-48 -g -00	4.1	5,67			
13-16-2-07-49 -a -00	4.1	0,81			
13-16-2-07-49 -b -00	4.1	2,20			
13-16-2-07-49 -c -00	4.1	1,68			
13-16-2-07-49 -d -00	4.1	1,63			
13-16-2-07-49 -f -00	4.1	1,91			
13-16-2-07-49 -g -00	4.1	2,29			
13-16-2-07-49 -h -00	4.1	9,95			
13-16-2-07-50 -a -00	3.2	9,94			
13-16-2-07-50 -a -00	4.1	9,94			pow referencyjne
13-16-2-07-50 -a -00	6.0	9,94			pow referencyjne
13-16-2-07-50 -b -00	4.1	1,25			
13-16-2-07-50 -c -00	4.1	0,54			
13-16-2-07-50 -d -00	4.1	0,51			
13-16-2-07-50 -f -00	4.1	0,67			
13-16-2-07-50 -g -00	4.1	1,00			
13-16-2-07-51 -a -00	1.1.2	1,89			
13-16-2-07-51 -a -00	4.1	1,89			
13-16-2-07-51 -b -00	1.1.2	6,01			
13-16-2-07-51 -b -00	4.1	6,01			
13-16-2-07-51 -c -00	1.1.2	9,77			
13-16-2-07-51 -c -00	4.1	9,77			
13-16-2-07-51 -c -00	3.2	0,11			
13-16-2-07-51 -d -00	1.1.2	0,52			
13-16-2-07-51 -d -00	3.2	0,52			
13-16-2-07-51 -d -00	4.1	0,52			
13-16-2-07-51 -f -00	1.1.2	0,59			
13-16-2-07-51 -f -00	4.1	0,59			
13-16-2-07-51 -g -00	3.2	1,34			
13-16-2-07-51 -g -00	1.1.2	1,34			
13-16-2-07-51 -g -00	4.1	1,34			
13-16-2-07-51 -h -00	1.1.2	1,59			
13-16-2-07-51 -h -00	4.1	1,59			
13-16-2-07-52 -a -00	1.1.2	4,84	RB IVD	686 m3	PBD-ODNRB pow 0,61 ha 2,8 TSZT Jd1/2 O-GRODZN 4,84 HM
13-16-2-07-52 -a -00	4.1	4,84			
13-16-2-07-52 -b -00	1.1.2	5,52	TPP	401 m3	
13-16-2-07-52 -b -00	4.1	5,52			
13-16-2-07-52 -c -00	1.1.2	5,54			
13-16-2-07-52 -c -00	4.1	5,54			
13-16-2-07-52 -d -00	1.1.2	9,17			
13-16-2-07-52 -d -00	4.1	9,17			
13-16-2-07-52 -f -00	1.1.2	1,15			
13-16-2-07-52 -f -00	4.1	1,15			
13-16-2-07-53 -a -00	1.1.2	2,15	TPP	157 m3	
13-16-2-07-53 -a -00	4.1	2,15			
13-16-2-07-53 -b -00	1.1.2	1,39			
13-16-2-07-53 -b -00	4.1	1,39			
13-16-2-07-53 -c -00	1.1.2	4,78			
13-16-2-07-53 -c -00	3.2	4,78			
13-16-2-07-53 -c -00	4.1	4,78			
13-16-2-07-53 -d -00	1.1.2	1,04			
13-16-2-07-53 -d -00	4.1	1,04			
13-16-2-07-53 -f -00	1.1.2	0,45			skład drewna
13-16-2-07-53 -g -00	1.1.2	0,15			urz wodne
13-16-2-07-53 -h -00	1.1.2	0,95			
13-16-2-07-53 -h -00	4.1	0,95			
13-16-2-07-54 -a -00	3.2	1,51			
13-16-2-07-54 -a -00	1.1.2	1,51			

13-16-2-07-54	-a -00	4.1	1,51			
13-16-2-07-54	-b -00	1.1.2	2,75			
13-16-2-07-54	-b -00	3.2	2,75			
13-16-2-07-54	-c -00	1.1.2	6,47			
13-16-2-07-54	-c -00	4.1	6,47			
13-16-2-07-54	-d -00	1.1.2	1,11			
13-16-2-07-54	-d -00	4.1	1,11			
13-16-2-07-54	-f -00	3.2	0,92			
13-16-2-07-54	-f -00	1.1.2	0,92			
13-16-2-07-54	-f -00	4.1	0,92			
13-16-2-07-54	-g -00	1.1.2	1,24			
13-16-2-07-54	-g -00	4.1	1,24			
13-16-2-07-54	-h -00	1.1.2	2,88			
13-16-2-07-54	-h -00	4.1	2,88			
13-16-2-07-54	-h -00	3.2	0,07			
13-16-2-07-54	-i -00	3.2	1,09			
13-16-2-07-54	-i -00	1.1.2	1,09			
13-16-2-07-54	-i -00	4.1	1,09			
13-16-2-07-54	-j -00	3.2	1,65			
13-16-2-07-54	-j -00	1.1.2	1,65			
13-16-2-07-54	-j -00	4.1	1,65			
13-16-2-07-54	-k -00	1.1.2	2,07			
13-16-2-07-54	-k -00	3.2	0,00			
13-16-2-07-54	-k -00	4.1	2,07			
13-16-2-07-54	-l -00	1.1.2	1,05			
13-16-2-07-54	-l -00	4.1	1,05			
13-16-2-07-54	-m -00	1.1.2	2,00			
13-16-2-07-54	-m -00	4.1	2,00			
13-16-2-07-54	-n -00	1.1.2	1,46			
13-16-2-07-54	-n -00	3.2	1,46			
13-16-2-07-54	-n -00	4.1	1,46			
13-16-2-07-55	-a -00	1.1.2	0,73			
13-16-2-07-55	-a -00	4.1	0,73			
13-16-2-07-55	-b -00	1.1.2	2,74			
13-16-2-07-55	-b -00	4.1	2,74			
13-16-2-07-55	-c -00	1.1.2	3,28			
13-16-2-07-55	-c -00	3.2	0,10			
13-16-2-07-55	-c -00	4.1	3,28			
13-16-2-07-55	-d -00	1.1.2	2,38			
13-16-2-07-55	-d -00	4.1	2,38			
13-16-2-07-55	-f -00	1.1.2	0,89			
13-16-2-07-55	-f -00	4.1	0,89			
13-16-2-07-55	-g -00	1.1.2	2,91			
13-16-2-07-55	-g -00	4.1	2,91			
13-16-2-07-55	-h -00	1.1.2	0,81			
13-16-2-07-55	-h -00	4.1	0,81			
13-16-2-07-55	-i -00	1.1.2	2,95			
13-16-2-07-55	-i -00	3.2	2,95			
13-16-2-07-55	-i -00	4.1	2,95			
13-16-2-07-55	-j -00	1.1.2	1,88			
13-16-2-07-55	-j -00	4.1	1,88			
13-16-2-07-55	-k -00	1.1.2	2,11			
13-16-2-07-55	-k -00	4.1	2,11			
13-16-2-07-56	-a -00	3.2	0,88			pow referencyjne
13-16-2-07-56	-a -00	1.1.2	0,88			pow referencyjne
13-16-2-07-56	-a -00	4.1	0,88			pow referencyjne
13-16-2-07-56	-b -00	1.1.2	5,16			
13-16-2-07-56	-b -00	4.1	5,16			
13-16-2-07-56	-c -00	1.1.2	2,03			
13-16-2-07-56	-c -00	4.1	2,03			
13-16-2-07-56	-d -00	1.1.2	3,19			
13-16-2-07-56	-d -00	4.1	3,19			
13-16-2-07-56	-f -00	1.1.2	3,68			
13-16-2-07-56	-f -00	4.1	3,68			
13-16-2-07-56	-g -00	1.1.2	0,86	CP-P	4 m3	
13-16-2-07-56	-g -00	1.1.2	0,86	CP	0,86 ha	
13-16-2-07-56	-h -00	1.1.2	2,90			
13-16-2-07-56	-h -00	4.1	2,90			
13-16-2-07-56	-i -00	1.1.2	6,02			
13-16-2-07-56	-i -00	4.1	6,02			
13-16-2-07-56	-j -00	1.1.2	0,85			

13-16-2-07-56	-j -00	4.1	0,85		
13-16-2-07-56	-k -00	3.2	0,58		
13-16-2-07-56	-k -00	1.1.2	0,58		
13-16-2-07-56	-k -00	4.1	0,58		
13-16-2-07-57	-a -00	1.1.2	5,95		
13-16-2-07-57	-a -00	4.1	5,95		
13-16-2-07-57	-b -00	1.1.2	2,06		
13-16-2-07-57	-b -00	4.1	2,06		
13-16-2-07-57	-c -00	1.1.2	2,51		
13-16-2-07-57	-c -00	4.1	2,51		
13-16-2-07-57	-d -00	1.1.2	6,50		
13-16-2-07-57	-d -00	4.1	6,50		
13-16-2-07-57	-f -00	1.1.2	7,93		
13-16-2-07-57	-f -00	4.1	7,93		
13-16-2-07-58	-a -00	1.1.2	11,81		
13-16-2-07-58	-a -00	4.1	11,81		
13-16-2-07-58	-b -00	1.1.2	7,48		
13-16-2-07-58	-b -00	4.1	7,48		
13-16-2-07-58	-c -00	1.1.2	4,50		
13-16-2-07-58	-c -00	4.1	4,50		
13-16-2-07-58	-d -00	1.1.2	4,30		
13-16-2-07-58	-d -00	4.1	4,30		
13-16-2-07-58	-f -00	1.1.2	1,21		
13-16-2-07-58	-f -00	4.1	1,21		
13-16-2-07-58	-g -00	1.1.2	3,89		
13-16-2-07-58	-g -00	4.1	3,89		
13-16-2-07-58	-h -00	1.1.2	2,24		
13-16-2-07-58	-h -00	4.1	2,24		
13-16-2-07-58	-i -00	1.1.2	0,97		
13-16-2-07-58	-i -00	4.1	0,97		
13-16-2-07-58	-j -00	1.1.2	1,10		
13-16-2-07-58	-j -00	4.1	1,10		
13-16-2-07-58	-k -00	1.1.2	2,61		
13-16-2-07-58	-k -00	4.1	2,61		
13-16-2-07-58	-l -00	1.1.2	2,87		
13-16-2-07-58	-l -00	4.1	2,87		
13-16-2-07-58	-m -00	1.1.2	1,37		
13-16-2-07-58	-m -00	4.1	1,37		
13-16-2-07-58	-n -00	1.1.2	0,77		
13-16-2-07-58	-n -00	4.1	0,77		
13-16-2-07-59	-a -00	1.1.2	4,10		
13-16-2-07-59	-a -00	4.1	4,10		
13-16-2-07-59	-b -00	1.1.2	5,90		
13-16-2-07-59	-b -00	4.1	5,90		
13-16-2-07-59	-c -00	1.1.2	1,64		
13-16-2-07-59	-c -00	4.1	1,64		
13-16-2-07-59	-d -00	1.1.2	1,95		
13-16-2-07-59	-d -00	3.2	1,95		
13-16-2-07-59	-d -00	4.1	1,95		
13-16-2-07-59	-f -00	1.1.2	9,78		
13-16-2-07-59	-f -00	4.1	9,78		
13-16-2-07-59	-g -00	1.1.2	1,24		
13-16-2-07-59	-g -00	4.1	1,24		
13-16-2-07-59	-h -00	1.1.2	1,58		
13-16-2-07-59	-h -00	4.1	1,58		
13-16-2-07-59	-i -00	1.1.2	1,84		
13-16-2-07-59	-i -00	4.1	1,84		
13-16-2-07-59	-j -00	1.1.2	3,67		
13-16-2-07-59	-j -00	4.1	3,67		
13-16-2-07-59	-k -00	1.1.2	3,03		
13-16-2-07-59	-k -00	4.1	3,03		
13-16-2-07-59	-k -00	3.2	3,03		
13-16-2-07-59	-l -00	1.1.2	3,48		
13-16-2-07-59	-l -00	4.1	3,48		
13-16-2-07-60	-a -00	1.1.2	2,04		
13-16-2-07-60	-a -00	4.1	2,04		
13-16-2-07-60	-b -00	1.1.2	2,27		
13-16-2-07-60	-b -00	4.1	2,27		
13-16-2-07-60	-c -00	1.1.2	0,92		
13-16-2-07-60	-c -00	4.1	0,92		
13-16-2-07-60	-d -00	3.2	0,00		

13-16-2-07-60 -d -00	1.1.2	9,55			
13-16-2-07-60 -d -00	4.1	9,55			
13-16-2-07-60 -f -00	1.1.2	1,96			
13-16-2-07-60 -f -00	4.1	1,96			
13-16-2-07-60 -g -00	1.1.2	8,25			
13-16-2-07-60 -g -00	3.2	8,25			
13-16-2-07-60 -g -00	4.1	8,25			
13-16-2-07-60 -h -00	1.1.2	0,81			
13-16-2-07-60 -h -00	4.1	0,81			
13-16-2-07-60 -i -00	1.1.2	1,89			
13-16-2-07-60 -i -00	4.1	1,89			
13-16-2-07-60 -j -00	1.1.2	1,66			
13-16-2-07-60 -j -00	4.1	1,66			
13-16-2-07-60 -k -00	1.1.2	0,57			
13-16-2-07-60 -k -00	4.1	0,57			
13-16-2-07-60 -l -00	1.1.2	1,64			
13-16-2-07-60 -l -00	3.2	0,53			
13-16-2-07-60 -l -00	4.1	1,64			
Biała Woda					
13-16-2-08-100 -a -00	1.1.2	13,34	PR	10,27 m3	13,34 ha
13-16-2-08-100 -a -00	4.1	13,34	O-ZWWTÓRT	4 szt.	13,34 ha
13-16-2-08-101 -a -00	1.1.2	5,05			
13-16-2-08-101 -a -00	3.2	0,10			
13-16-2-08-101 -a -00	4.1	5,05			
13-16-2-08-101 -a -00	4.2	5,05			
13-16-2-08-101 -b -00	1.1.2	2,48			
13-16-2-08-101 -b -00	4.2	2,48	O-DOKARM	20 kg	2,48 ha
13-16-2-08-101 -b -00	3.2	2,48			
13-16-2-08-101 -b -00	4.1	2,48			
13-16-2-08-101 -c -00	1.1.2	2,99			
13-16-2-08-101 -c -00	4.1	2,99			
13-16-2-08-101 -c -00	4.2	2,99			
13-16-2-08-101 -c -00	3.2	2,99			
13-16-2-08-101 -d -00	1.1.2	1,01			
13-16-2-08-101 -d -00	4.1	1,01			
13-16-2-08-101 -d -00	4.2	1,01			
13-16-2-08-101 -f -00	1.1.2	2,67			
13-16-2-08-101 -f -00	4.1	2,67			
13-16-2-08-101 -f -00	4.2	2,67			
13-16-2-08-101 -f -00	3.2	2,67			
13-16-2-08-102 -a -00	1.1.2	19,18	PR	20,23 m3	19,18 ha
13-16-2-08-102 -a -00	4.1	19,18	PBD-ODNRB	0,66 ha	19,18 ha
13-16-2-08-102 -b -00	1.1.2	1,83			
13-16-2-08-102 -b -00	4.1	1,83			
13-16-2-08-102 -c -00	1.1.2	0,93			
13-16-2-08-102 -c -00	4.1	0,93			
13-16-2-08-102 -d -00	1.1.2	1,31			
13-16-2-08-102 -d -00	4.1	1,31			
13-16-2-08-102 -f -00	1.1.2	0,80			
13-16-2-08-102 -f -00	4.1	0,80			
13-16-2-08-102 -g -00	1.1.2	0,64			
13-16-2-08-102 -g -00	4.1	0,64			
13-16-2-08-102 -h -00	1.1.2	1,24	TPP	58,08 m3	1,24 ha
13-16-2-08-102 -i -00	1.1.2	1,41			ps
13-16-2-08-102 -j -00	1.1.2	1,41	TPP/O-GRODZS/O-ZGRYZD	121,67 m3/300 zł/100 szt	1,41 ha
13-16-2-08-102 -k -00	1.1.2	2,22			ps
13-16-2-08-103 -a -00	1.1.2	2,75			
13-16-2-08-103 -a -00	4.1	2,75			
13-16-2-08-103 -b -00	1.1.2	2,93			
13-16-2-08-103 -b -00	4.1	2,93			
13-16-2-08-103 -c -00	1.1.2	5,00			
13-16-2-08-103 -c -00	4.1	5,00			
13-16-2-08-103 -d -00	1.1.2	1,10			
13-16-2-08-103 -d -00	4.1	1,10			
13-16-2-08-103 -f -00	1.1.2	1,69	PR	5,79 m3	1,69 ha
13-16-2-08-103 -f -00	4.1	1,69	CP/O-ZWWTÓRT	0,95 ha/1 szt.	1,69 ha
13-16-2-08-103 -g -00	1.1.2	1,96			
13-16-2-08-103 -g -00	4.1	1,96			
13-16-2-08-109 -a -00	1.1.2	18,98			
13-16-2-08-109 -a -00	4.1	18,98			

13-16-2-08-109 -b -00	1.1.2	1,25			
13-16-2-08-109 -b -00	4.1	1,25			
13-16-2-08-109 -c -00	1.1.2	0,53			
13-16-2-08-109 -c -00	4.1	0,53			
13-16-2-08-109 -d -00	1.1.2	0,98			
13-16-2-08-109 -d -00	4.1	0,98			
13-16-2-08-110 -a -00	1.1.2	4,58	PR	5,79 m3	4,58 ha
13-16-2-08-110 -a -00	4.1	4,58	O-ZWWTÓRT	10 szt.	4,58 ha
13-16-2-08-110 -b -00	1.1.2	5,27			
13-16-2-08-110 -b -00	4.1	5,27			
13-16-2-08-110 -c -00	1.1.2	5,60			
13-16-2-08-110 -c -00	4.1	5,60			
13-16-2-08-61 -a -00	1.1.2	19,54	PR	5,75 m3	19,54 ha
13-16-2-08-61 -a -00	4.1	19,54			
13-16-2-08-61 -b -00	1.1.2	3,59	IVD	168 m3	3,59 ha
13-16-2-08-61 -b -00	4.1	3,59	MA-PORZ	1,10 ha	3,59 ha
13-16-2-08-61 -c -00	1.1.2	1,00			
13-16-2-08-61 -c -00	4.1	1,00			
13-16-2-08-61 -c -00	3.2	1,00			
13-16-2-08-61 -d -00	1.1.2	2,38			
13-16-2-08-61 -d -00	4.1	2,38			
13-16-2-08-61 -f -00	1.1.2	0,50			ps
13-16-2-08-61 -g -00	1.1.2	1,22			
13-16-2-08-61 -g -00	4.1	1,22			
13-16-2-08-61 -h -00	1.1.2	0,02			potok
13-16-2-08-61 -h -00	3.2	0,02			potok
13-16-2-08-62 -a -00	1.1.2	0,89			
13-16-2-08-62 -b -00	1.1.2	0,62			
13-16-2-08-62 -b -00	4.1	0,62			
13-16-2-08-62 -b -00	3.2	0,62			
13-16-2-08-62 -c -00	1.1.2	1,00			
13-16-2-08-62 -c -00	4.1	1,00			
13-16-2-08-62 -d -00	1.1.2	4,00			
13-16-2-08-62 -d -00	4.1	4,00	O-GRODZS	100 zł	4,00 ha
13-16-2-08-62 -f -00	1.1.2	0,37			łąka
13-16-2-08-62 -g -00	1.1.2	3,82			
13-16-2-08-62 -g -00	4.1	3,82	O-GRODZS	100 zł	3,82 ha
13-16-2-08-62 -h -00	1.1.2	2,04			
13-16-2-08-62 -h -00	4.1	2,04	O-GRODZS	100 zł	2,04 ha
13-16-2-08-62 -h -00	3.2	2,04			
13-16-2-08-62 -i -00	1.1.2	0,81			
13-16-2-08-62 -i -00	4.1	0,81			
13-16-2-08-62 -j -00	1.1.2	0,45			ps
13-16-2-08-63 -a -00	1.1.2	3,71			
13-16-2-08-63 -a -00	4.1	3,71			
13-16-2-08-63 -b -00	1.1.2	3,29			
13-16-2-08-63 -b -00	4.1	3,29			
13-16-2-08-63 -c -00	1.1.2	2,31			
13-16-2-08-63 -c -00	3.2	2,31			
13-16-2-08-63 -c -00	4.1	2,31			
13-16-2-08-63 -d -00	1.1.2	2,32			
13-16-2-08-63 -d -00	4.1	2,32			
13-16-2-08-63 -d -00	3.2	2,32			
13-16-2-08-63 -f -00	1.1.2	5,21	PTW	2,22 m3	5,21 ha
13-16-2-08-63 -f -00	3.2	5,21			
13-16-2-08-63 -f -00	4.1	5,21			
13-16-2-08-64 -a -00	1.1.2	0,89	IVD	43,29 m3	0,89 ha
13-16-2-08-64 -a -00	4.1	0,89	MA-PORZ	0,45 ha	0,89 ha
13-16-2-08-64 -b -00	1.1.2	15,29			
13-16-2-08-64 -b -00	4.1	15,29	O-PROGNOŚ	8 szt.	15,29 ha
13-16-2-08-65 -a -00	1.1.2	7,23			
13-16-2-08-65 -a -00	4.1	7,23	PBD-ODNRB/O-GRODZN	0,30 ha/0,29 ha	7,23 ha
13-16-2-08-65 -b -00	1.1.2	14,52	IVD/ PR	1470,35m3/4,56 m3	14,52 ha
13-16-2-08-65 -b -00	4.1	14,52	MA-PORZ/O-ZWWTÓRK/O-ZWWTÓRT	7,00 ha/16 szt./5 szt.	14,52 ha
13-16-2-08-66 -a -00	1.1.2	1,19	IIB/PR	85,66 m3/2,52 M3	1,19 ha
13-16-2-08-66 -a -00	4.1	1,19	O-PROGNOF/O-ZWWTÓRK	1 szt./3 szt.	1,19 ha
13-16-2-08-66 -b -00	1.1.2	4,05	TWP	13,82m3	4,05 ha

13-16-2-08-66	-b -00	4.1	4,05	PIEL-POZ	2,00 ha	4,05 ha
13-16-2-08-66	-c -00	1.1.2	2,97			
13-16-2-08-66	-c -00	4.1	2,97			
13-16-2-08-66	-d -00	1.1.2	3,02			
13-16-2-08-66	-d -00	4.1	3,02			
13-16-2-08-66	-f -00	1.1.2	1,93			
13-16-2-08-66	-f -00	4.1	1,93			
13-16-2-08-66	-g -00	1.1.2	1,08			
13-16-2-08-66	-g -00	4.1	1,08			
13-16-2-08-66	-h -00	1.1.2	3,83			
13-16-2-08-66	-h -00	4.1	3,83			
13-16-2-08-66	-i -00	1.1.2	2,11			
13-16-2-08-66	-i -00	4.1	2,11			
13-16-2-08-66	-j -00	1.1.2	0,91			
13-16-2-08-66	-j -00	4.1	0,91			
13-16-2-08-66	-k -00	1.1.2	0,02			Chatka na Suchoniu
13-16-2-08-67	-a -00	1.1.2	9,78			
13-16-2-08-67	-a -00	3.2	0,00			
13-16-2-08-67	-a -00	4.1	9,78			
13-16-2-08-67	-b -00	1.1.2	7,10			
13-16-2-08-67	-b -00	4.1	7,10	O-PROGNOF/O-PROGNOŚ	1 szt./8 szt.	7,1 ha
13-16-2-08-67	-c -00	1.1.2	1,47	PTP	5,09 m3	1,47 ha
13-16-2-08-67	-c -00	3.2	1,47			
13-16-2-08-67	-c -00	4.1	1,47			
13-16-2-08-68	-a -00	1.1.2	15,96			pow referencyjne
13-16-2-08-68	-a -00	4.2	15,96			pow referencyjne
13-16-2-08-68	-a -00	4.1	15,96			pow referencyjne
13-16-2-08-68	-b -00	1.1.2	0,90			
13-16-2-08-68	-b -00	4.2	0,90			
13-16-2-08-68	-b -00	4.1	0,90			
13-16-2-08-68	-c -00	1.1.2	8,85			pow referencyjne
13-16-2-08-68	-c -00	4.2	8,85			pow referencyjne
13-16-2-08-68	-c -00	4.1	8,85			pow referencyjne
13-16-2-08-68	-d -00	1.1.2	2,99	TWP	59,43 m3	2,99 ha
13-16-2-08-68	-d -00	4.2	2,99	PIEL-POZ	1,50 ha	2,99 ha
13-16-2-08-68	-d -00	4.1	2,99			
13-16-2-08-68	-f -00	1.1.2	0,74			
13-16-2-08-68	-f -00	4.2	0,74			
13-16-2-08-68	-f -00	4.1	0,74			
13-16-2-08-68	-g -00	1.1.2	2,96			pow referencyjne
13-16-2-08-68	-g -00	4.1	2,96			pow referencyjne
13-16-2-08-68	-g -00	4.2	2,96			pow referencyjne
13-16-2-08-69	-a -00	1.1.2	1,93			
13-16-2-08-69	-a -00	4.2	1,93			
13-16-2-08-69	-a -00	4.1	1,93			
13-16-2-08-69	-b -00	1.1.2	1,00			
13-16-2-08-69	-b -00	4.2	1,00			
13-16-2-08-69	-b -00	4.1	1,00			
13-16-2-08-69	-c -00	1.1.2	1,12			
13-16-2-08-69	-c -00	4.1	1,12			
13-16-2-08-69	-c -00	4.2	1,12			
13-16-2-08-69	-d -00	1.1.2	6,58			
13-16-2-08-69	-d -00	4.2	6,58			
13-16-2-08-69	-d -00	3.2	6,58			
13-16-2-08-69	-d -00	4.1	6,58			
13-16-2-08-69	-f -00	1.1.2	1,50			
13-16-2-08-69	-f -00	4.1	1,50	O-PROGNOF	1 szt.	1,5 ha
13-16-2-08-69	-f -00	4.2	1,50			
13-16-2-08-69	-g -00	1.1.2	2,21			
13-16-2-08-69	-g -00	4.1	2,21			
13-16-2-08-69	-g -00	3.2	0,59			
13-16-2-08-69	-g -00	4.2	2,21			
13-16-2-08-69	-h -00	1.1.2	4,35			
13-16-2-08-69	-h -00	4.2	4,35			
13-16-2-08-69	-h -00	3.2	4,35			
13-16-2-08-69	-h -00	4.1	4,35			
13-16-2-08-69	-i -00	1.1.2	3,68			
13-16-2-08-69	-i -00	3.2	3,68			
13-16-2-08-69	-i -00	4.1	3,68			
13-16-2-08-69	-i -00	4.2	3,68			

13-16-2-08-69	-j -00	1.1.2	0,99			
13-16-2-08-69	-j -00	4.1	0,99			
13-16-2-08-69	-j -00	3.2	0,99			
13-16-2-08-69	-j -00	4.2	0,99			
13-16-2-08-70	-a -00	1.1.2	2,16			
13-16-2-08-70	-a -00	4.1	2,16			
13-16-2-08-70	-b -00	1.1.2	6,25	PR	4,86 m3	6,25 ha
13-16-2-08-70	-b -00	4.1	6,25	O-ZWWTÓRK	6 szt.	6,25 ha
13-16-2-08-70	-c -00	1.1.2	4,93			
13-16-2-08-70	-c -00	4.1	4,93	TPP	619,19 m3	4,93 ha
13-16-2-08-70	-d -00	1.1.2	4,91			
13-16-2-08-70	-d -00	4.1	4,91			
13-16-2-08-70	-d -00	3.2	4,91			
13-16-2-08-70	-f -00	1.1.2	0,89			
13-16-2-08-70	-f -00	3.2	0,89			
13-16-2-08-70	-f -00	4.1	0,89			
13-16-2-08-70	-g -00	1.1.2	4,35			
13-16-2-08-70	-g -00	3.2	4,35			
13-16-2-08-70	-g -00	4.1	4,35			
13-16-2-08-70	-h -00	1.1.2	0,93			
13-16-2-08-70	-h -00	4.1	0,93			
13-16-2-08-71	-a -00	1.1.2	1,12	PR	1,78 m3	1,12 ha
13-16-2-08-71	-a -00	1.1.2		O-ZWWTÓRK	1 szt.	1,12 ha
13-16-2-08-71	-b -00	4.1	0,81			
13-16-2-08-71	-c -00	1.1.2	1,80			
13-16-2-08-71	-c -00	4.1	1,80			
13-16-2-08-71	-d -00	1.1.2	3,78			
13-16-2-08-71	-d -00	4.1	3,78			
13-16-2-08-71	-f -00	1.1.2	3,56			
13-16-2-08-71	-f -00	4.1	3,56	PBD-ODNRB/O-GRODZN	0,91 ha/0,23 ha	3,56 ha
13-16-2-08-71	-g -00	1.1.2	10,38			
13-16-2-08-71	-g -00	4.1	10,38			
13-16-2-08-71	-h -00	1.1.2	0,66	IVD	107,2 m3	0,66 ha
13-16-2-08-71	-h -00	4.1	0,66			
13-16-2-08-71	-i -00	1.1.2	0,81			
13-16-2-08-71	-i -00	4.1	0,81			
13-16-2-08-71	-j -00	1.1.2	0,55			
13-16-2-08-71	-j -00	4.1	0,55			
13-16-2-08-71	-k -00	1.1.2	0,13			skład drewna
13-16-2-08-71	-l -00	1.1.2	1,39	PR	44,93 m3	1,39 ha
13-16-2-08-71	-l -00	4.1	1,39	O-GRODZS	350 zł	1,39 ha
13-16-2-08-71	-m -00	1.1.2	0,31			ps
13-16-2-08-71	-m -00	3.2	0,31			ps
13-16-2-08-71	-n -00	1.1.2	1,69			
13-16-2-08-71	-n -00	3.2	1,69	PBD-ODNRB/O-GRODZN	0,44 ha/0,38 ha	1,69 ha
13-16-2-08-71	-o -00	1.1.2	0,10			ps
13-16-2-08-71	-o -00	3.2	0,10			ps
13-16-2-08-71	-p -00	1.1.2	0,52			skład drewna
13-16-2-08-71	-p -00	3.2	0,52			skład drewna
13-16-2-08-71	-r -00	1.1.2	0,38			ps
13-16-2-08-71	-r -00	3.2	0,38			ps
13-16-2-08-71	-s -00	1.1.2	0,62			
13-16-2-08-71	-t -00	4.1	1,00			
13-16-2-08-71	-w -00	4.1	1,61			
13-16-2-08-72	-a -00	1.1.2	5,30			
13-16-2-08-72	-a -00	4.2	5,30			
13-16-2-08-72	-a -00	4.1	5,30			
13-16-2-08-72	-a -00	3.2	5,30			
13-16-2-08-72	-b -00	1.1.2	1,97			
13-16-2-08-72	-b -00	3.2	1,97			
13-16-2-08-72	-b -00	4.2	1,97			
13-16-2-08-72	-b -00	4.1	1,97			
13-16-2-08-72	-c -00	1.1.2	1,34			
13-16-2-08-72	-c -00	4.1	1,34			
13-16-2-08-72	-c -00	3.2	1,34			
13-16-2-08-72	-c -00	4.2	1,34			
13-16-2-08-73	-a -00	1.1.2	5,19			
13-16-2-08-73	-a -00	3.2	5,19			

13-16-2-08-73	-a -00	4.2	5,19			
13-16-2-08-73	-a -00	4.1	5,19			
13-16-2-08-73	-b -00	1.1.2	3,82			
13-16-2-08-73	-b -00	4.1	3,82			
13-16-2-08-73	-b -00	4.2	3,82			
13-16-2-08-73	-b -00	3.2	1,42			
13-16-2-08-73	-c -00	1.1.2	7,63	PTW	5,83 m3	7,63 ha
13-16-2-08-73	-c -00	4.2	7,63			
13-16-2-08-73	-c -00	4.1	7,63			
13-16-2-08-73	-c -00	3.2	7,63			
13-16-2-08-73	-d -00	1.1.2	5,24	IIAU	374,26 m3	5,24 ha
13-16-2-08-73	-d -00	4.1	5,24	MA-PORZ	2,00 ha	5,24 ha
13-16-2-08-73	-d -00	4.2	5,24	O-DOKARM	20 kg	5,24 ha
13-16-2-08-73	-f -00	1.1.2	2,86			
13-16-2-08-73	-f -00	4.1	2,86			
13-16-2-08-73	-f -00	4.2	2,86			
13-16-2-08-73	-g -00	1.1.2	2,13			ps
13-16-2-08-74	-a -00	1.1.2	3,08			
13-16-2-08-74	-a -00	4.2	3,08			
13-16-2-08-74	-a -00	4.1	3,08			
13-16-2-08-74	-b -00	1.1.2	1,11			
13-16-2-08-74	-b -00	4.1	1,11			
13-16-2-08-74	-b -00	4.2	1,11			
13-16-2-08-74	-c -00	1.1.2	0,94			
13-16-2-08-74	-d -00	1.1.2	4,38			
13-16-2-08-74	-d -00	3.2	4,38			
13-16-2-08-74	-d -00	4.1	4,38			
13-16-2-08-74	-d -00	4.2	4,38			
13-16-2-08-74	-f -00	1.1.2	0,50			ps
13-16-2-08-74	-g -00	1.1.2	0,20			potok
13-16-2-08-75	-a -00	1.1.2	4,24			
13-16-2-08-75	-a -00	3.2	4,24			
13-16-2-08-75	-a -00	4.2	4,24			
13-16-2-08-75	-a -00	4.1	4,24			
13-16-2-08-75	-b -00	1.1.2	0,90			ps
13-16-2-08-75	-c -00	1.1.2	1,08			pow referencyjne
13-16-2-08-75	-c -00	3.2	1,08			pow referencyjne
13-16-2-08-75	-c -00	4.2	1,08			pow referencyjne
13-16-2-08-75	-c -00	4.1	1,08			pow referencyjne
13-16-2-08-75	-d -00	1.1.2	6,22			
13-16-2-08-75	-d -00	4.2	6,22	O-GRODZS	200 zł	6,22 ha
13-16-2-08-75	-d -00	4.1	6,22			
13-16-2-08-75	-f -00	1.1.2	2,44			
13-16-2-08-75	-f -00	4.2	2,44			
13-16-2-08-75	-f -00	4.1	2,44			
13-16-2-08-75	-g -00	1.1.2	1,70			
13-16-2-08-75	-g -00	4.1	1,70			
13-16-2-08-75	-g -00	4.2	1,70			
13-16-2-08-75	-h -00	1.1.2	0,63			
13-16-2-08-75	-h -00	4.1	0,63			
13-16-2-08-75	-h -00	3.2	0,63			
13-16-2-08-75	-h -00	4.2	0,63			
13-16-2-08-75	-i -00	1.1.2	3,21			
13-16-2-08-75	-i -00	4.1	3,21	O-GRODZS	150 zł	3,21 ha
13-16-2-08-75	-i -00	4.2	3,21			
13-16-2-08-75	-j -00	1.1.2	1,01	TPP	55,25 m3	1,01 ha
13-16-2-08-75	-j -00	4.2	1,01			
13-16-2-08-75	-j -00	4.1	1,01			
13-16-2-08-75	-k -00	3.2	0,10			potok
13-16-2-08-75	-l -00	1.1.2	0,18			ps
13-16-2-08-75	-t -00	4.2	0,34			
13-16-2-08-75	-t -00	4.1	0,34			
13-16-2-08-75	-w -00	4.2	0,38			
13-16-2-08-75	-w -00	4.1	0,38			
13-16-2-08-76	-a -00	1.1.2	2,72	TPP	118,69 m3	2,72 ha
13-16-2-08-76	-a -00	4.2	2,72			
13-16-2-08-76	-a -00	3.2	2,72			
13-16-2-08-76	-a -00	4.1	2,72			
13-16-2-08-76	-b -00	1.1.2	18,06	PR	81,11 m3	18,06 ha
13-16-2-08-76	-b -00	4.1	18,06	CP/CW	6,00 ha/1,00 ha	18,06 ha
13-16-2-08-76	-b -00	4.2	18,06	O-PROGNOF	1 szt.	18,06 ha

13-16-2-08-76	-c -00	1.1.2	3,56			
13-16-2-08-76	-c -00	4.2	3,56			
13-16-2-08-76	-c -00	4.1	3,56			
13-16-2-08-77	-a -00	1.1.2	2,59	TPP	77,73 m3	2,59 ha
13-16-2-08-77	-a -00	4.1	2,59			
13-16-2-08-77	-a -00	3.2	2,59			
13-16-2-08-77	-b -00	1.1.2	2,70	TPP	90,08 m3	2,7 ha
13-16-2-08-77	-b -00	3.2	2,70			
13-16-2-08-77	-b -00	4.1	2,70			
13-16-2-08-77	-c -00	1.1.2	2,03			
13-16-2-08-77	-c -00	4.1	2,03			
13-16-2-08-77	-d -00	1.1.2	12,43	PR	10,54 m3	12,43 ha
13-16-2-08-77	-d -00	4.1	12,43	O-PROGNOŚ	8 szt.	12,43 ha
13-16-2-08-77	-f -00	1.1.2	1,38			
13-16-2-08-77	-f -00	4.1	1,38			
13-16-2-08-77	-g -00	1.1.2	3,09			
13-16-2-08-77	-g -00	4.1	3,09			
13-16-2-08-77	-h -00	1.1.2	0,60			
13-16-2-08-77	-h -00	4.1	0,60			
13-16-2-08-77	-i -00	1.1.2	1,22			
13-16-2-08-77	-i -00	3.2	1,22			
13-16-2-08-77	-i -00	4.1	1,22			
13-16-2-08-77	-j -00	1.1.2	1,28			
13-16-2-08-77	-j -00	3.2	1,28			
13-16-2-08-77	-j -00	4.1	1,28			
13-16-2-08-77	-k -00	1.1.2	3,05			
13-16-2-08-77	-k -00	3.2	0,00			
13-16-2-08-77	-k -00	4.1	3,05			
13-16-2-08-77	-l -00	1.1.2	0,99			
13-16-2-08-77	-l -00	4.1	0,99			
13-16-2-08-78	-a -00	1.1.2	1,70			
13-16-2-08-78	-a -00	4.1	1,70			
13-16-2-08-78	-b -00	1.1.2	0,67			
13-16-2-08-78	-b -00	4.1	0,67			
13-16-2-08-78	-c -00	1.1.2	10,03			
13-16-2-08-78	-c -00	4.1	10,03			
13-16-2-08-78	-d -00	1.1.2	1,14			
13-16-2-08-78	-d -00	4.1	1,14			
13-16-2-08-78	-f -00	1.1.2	0,80			
13-16-2-08-78	-f -00	4.1	0,80			
13-16-2-08-78	-g -00	1.1.2	0,91			
13-16-2-08-78	-g -00	4.1	0,91			
13-16-2-08-78	-g -00	3.2	0,91			
13-16-2-08-78	-h -00	1.1.2	1,80			
13-16-2-08-78	-h -00	4.1	1,80			
13-16-2-08-78	-i -00	1.1.2	1,99			
13-16-2-08-78	-i -00	4.1	1,99			
13-16-2-08-78	-j -00	1.1.2	1,42			
13-16-2-08-78	-j -00	4.1	1,42			
13-16-2-08-79	-a -00	1.1.2	2,86			
13-16-2-08-79	-a -00	4.1	2,86			
13-16-2-08-79	-a -00	4.2	2,86			
13-16-2-08-79	-b -00	1.1.2	1,19			
13-16-2-08-79	-b -00	4.2	1,19			
13-16-2-08-79	-b -00	4.1	1,19			
13-16-2-08-79	-c -00	1.1.2	8,34			
13-16-2-08-79	-c -00	3.2	0,00			
13-16-2-08-79	-c -00	4.2	8,34			
13-16-2-08-79	-c -00	4.1	8,34			
13-16-2-08-79	-d -00	1.1.2	1,88			
13-16-2-08-79	-d -00	3.2	1,88			
13-16-2-08-79	-d -00	4.2	1,88			
13-16-2-08-79	-d -00	4.1	1,88			
13-16-2-08-79	-f -00	1.1.2	0,17			potok
13-16-2-08-79	-f -00	3.2	0,17			potok
13-16-2-08-80	-a -00	1.1.2	1,98			
13-16-2-08-80	-a -00	4.2	1,98			
13-16-2-08-80	-a -00	3.2	1,98			
13-16-2-08-80	-a -00	4.1	1,98			
13-16-2-08-80	-b -00	1.1.2	3,06			
13-16-2-08-80	-b -00	4.1	3,06			

13-16-2-08-80	-b -00	4.2	3,06			
13-16-2-08-80	-b -00	3.2	3,06			
13-16-2-08-80	-c -00	1.1.2	2,62	PR	4,75 m3	2,62 ha
13-16-2-08-80	-c -00	4.1	2,62			
13-16-2-08-80	-c -00	4.2	2,62			
13-16-2-08-80	-d -00	1.1.2	2,78			
13-16-2-08-80	-d -00	4.1	2,78			
13-16-2-08-80	-d -00	4.2	2,78			
13-16-2-08-80	-d -00	3.2	2,78			
13-16-2-08-80	-f -00	1.1.2	1,21	PTP	7,06 m3	1,21 ha
13-16-2-08-80	-f -00	4.1	1,21			
13-16-2-08-80	-f -00	4.2	1,21			
13-16-2-08-80	-g -00	1.1.2	0,93			
13-16-2-08-80	-g -00	4.2	0,93			
13-16-2-08-80	-g -00	4.1	0,93			
13-16-2-08-81	-a -00	1.1.2	3,19			
13-16-2-08-81	-a -00	4.2	3,19			
13-16-2-08-81	-a -00	4.1	3,19			
13-16-2-08-81	-b -00	1.1.2	1,51			
13-16-2-08-81	-b -00	4.1	1,51			
13-16-2-08-81	-b -00	4.2	1,51			
13-16-2-08-81	-c -00	1.1.2	1,48			
13-16-2-08-81	-c -00	3.2	1,48			
13-16-2-08-81	-c -00	4.2	1,48			
13-16-2-08-81	-c -00	4.1	1,48			
13-16-2-08-81	-d -00	1.1.2	3,99			
13-16-2-08-81	-d -00	3.2	1,31			
13-16-2-08-81	-d -00	4.2	3,99			
13-16-2-08-81	-d -00	4.1	3,99			
13-16-2-08-82	-a -00	1.1.2	2,00	TPP	149,19 m3	2,00 ha
13-16-2-08-82	-a -00	4.1	2,00			
13-16-2-08-82	-a -00	3.2	2,00			
13-16-2-08-82	-b -00	1.1.2	5,46			
13-16-2-08-82	-b -00	4.1	5,46			
13-16-2-08-82	-b -00	3.2	5,46			
13-16-2-08-82	-c -00	1.1.2	7,30			
13-16-2-08-82	-c -00	3.2	7,30			
13-16-2-08-82	-c -00	4.1	7,30			
13-16-2-08-83	-a -00	1.1.2	0,96			
13-16-2-08-83	-a -00	3.2	0,96			
13-16-2-08-83	-a -00	4.1	0,96			
13-16-2-08-83	-b -00	1.1.2	7,54			
13-16-2-08-83	-b -00	4.1	7,54			
13-16-2-08-83	-c -00	1.1.2	7,73	PTP	28,39 m3	7,73 ha
13-16-2-08-83	-c -00	4.1	7,73			
13-16-2-08-83	-c -00	3.2	0,00			
13-16-2-08-83	-d -00	1.1.2	1,97	PTP	3,39 m3	1,97 ha
13-16-2-08-83	-d -00	4.1	1,97			
13-16-2-08-83	-d -00	3.2	1,97			
13-16-2-08-83	-f -00	1.1.2	4,27	PTP	5,30 m3	4,27 ha
13-16-2-08-83	-f -00	4.1	4,27			
13-16-2-08-83	-f -00	3.2	4,27			
13-16-2-08-84	-a -00	1.1.2	1,00			
13-16-2-08-84	-a -00	3.2	1,00			
13-16-2-08-84	-a -00	4.1	1,00	O-DOKARM	20 kg	1,00 ha
13-16-2-08-84	-a -00	4.2	1,00			
13-16-2-08-84	-b -00	1.1.2	3,40			
13-16-2-08-84	-b -00	4.2	3,40			
13-16-2-08-84	-b -00	4.1	3,40			
13-16-2-08-84	-c -00	1.1.2	2,15			
13-16-2-08-84	-c -00	4.1	2,15	CP	2,10 ha	2,15 ha
13-16-2-08-84	-c -00	4.2	2,15	O-GRODZS	300 zł	2,15 ha
13-16-2-08-84	-d -00	1.1.2	1,80			
13-16-2-08-84	-d -00	4.2	1,80			
13-16-2-08-84	-d -00	4.1	1,80			
13-16-2-08-84	-f -00	1.1.2	2,49			
13-16-2-08-84	-f -00	4.1	2,49			
13-16-2-08-84	-f -00	4.2	2,49			
13-16-2-08-84	-g -00	1.1.2	4,27			
13-16-2-08-84	-g -00	4.2	4,27	PBD-ODNRB	0,1 ha	4,27 ha
13-16-2-08-84	-g -00	4.1	4,27			

13-16-2-08-84	-h -00	1.1.2	2,26	PTP	2,10 m3	2,26 ha
13-16-2-08-84	-h -00	4.2	2,26			
13-16-2-08-84	-h -00	4.1	2,26			
13-16-2-08-84	-i -00	1.1.2	1,11			
13-16-2-08-84	-i -00	3.2	1,11			
13-16-2-08-84	-i -00	4.2	1,11			
13-16-2-08-84	-i -00	4.1	1,11			
13-16-2-08-84	-j -00	1.1.2	2,63			
13-16-2-08-84	-j -00	4.1	2,63			
13-16-2-08-84	-j -00	4.2	2,63			
13-16-2-08-85	-a -00	1.1.2	7,37			
13-16-2-08-85	-a -00	3.2	7,37			
13-16-2-08-85	-a -00	4.2	7,37			
13-16-2-08-85	-a -00	4.1	7,37			
13-16-2-08-85	-b -00	1.1.2	0,83			
13-16-2-08-85	-b -00	4.1	0,83			
13-16-2-08-85	-b -00	4.2	0,83			
13-16-2-08-85	-c -00	1.1.2	5,07			
13-16-2-08-85	-c -00	3.2	0,00			
13-16-2-08-85	-c -00	4.1	5,07			
13-16-2-08-85	-c -00	4.2	5,07			
13-16-2-08-85	-d -00	1.1.2	1,91	PR	3,10 m3	1,91 ha
13-16-2-08-85	-d -00	3.2	1,91			
13-16-2-08-85	-d -00	4.2	1,91			
13-16-2-08-85	-d -00	4.1	1,91			
13-16-2-08-85	-f -00	1.1.2	1,81	PTP	1,70 m23	1,81 ha
13-16-2-08-85	-f -00	3.2	1,81			
13-16-2-08-85	-f -00	4.1	1,81			
13-16-2-08-85	-f -00	4.2	1,81			
13-16-2-08-85	-g -00	1.1.2	0,15			linia energet.
13-16-2-08-85	-h -00	1.1.2	0,09			potok
13-16-2-08-85	-h -00	3.2	0,09			potok
13-16-2-08-86	-a -00	1.1.2	2,17			
13-16-2-08-86	-a -00	4.1	2,17			
13-16-2-08-86	-a -00	4.2	2,17			
13-16-2-08-86	-b -00	1.1.2	0,81			
13-16-2-08-86	-b -00	4.2	0,81			
13-16-2-08-86	-b -00	4.1	0,81			
13-16-2-08-86	-c -00	1.1.2	6,77			
13-16-2-08-86	-c -00	4.1	6,77			
13-16-2-08-86	-c -00	4.2	6,77			
13-16-2-08-86	-d -00	1.1.2	1,35			
13-16-2-08-86	-d -00	4.1	1,35			
13-16-2-08-86	-d -00	4.2	1,35			
13-16-2-08-86	-f -00	1.1.2	1,75			
13-16-2-08-86	-f -00	4.2	1,75			
13-16-2-08-86	-f -00	4.1	1,75			
13-16-2-08-86	-g -00	1.1.2	2,76			
13-16-2-08-86	-g -00	4.1	2,76	O-DOKARM	20 kg	2,76 ha
13-16-2-08-86	-g -00	4.2	2,76			
13-16-2-08-86	-g -00	3.2	2,76			
13-16-2-08-87	-a -00	1.1.2	17,07	PTP	3,85 m3	17,07 ha
13-16-2-08-87	-a -00	4.1	17,07	O-PROGNOŚ	8 szt.	17,07 ha
13-16-2-08-87	-b -00	1.1.2	1,16			
13-16-2-08-87	-b -00	4.1	1,16			
13-16-2-08-88	-a -00	1.1.2	8,80			
13-16-2-08-88	-a -00	4.1	8,80	O-PROGNOF	1 szt.	8,8 ha
13-16-2-08-88	-b -00	1.1.2	1,54			
13-16-2-08-88	-b -00	4.1	1,54			
13-16-2-08-88	-c -00	1.1.2	2,78			
13-16-2-08-88	-c -00	4.1	2,78			
13-16-2-08-89	-a -00	1.1.2	9,34			
13-16-2-08-89	-a -00	4.1	9,34	O-ZWWTÓRT	3 szt.	9,34 ha
13-16-2-08-89	-b -00	1.1.2	2,50			
13-16-2-08-89	-b -00	4.1	2,50			
13-16-2-08-90	-a -00	1.1.2	3,47	TPP	366,98 m3	3,47 ha
13-16-2-08-90	-a -00	4.1	3,47			
13-16-2-08-90	-b -00	1.1.2	3,70			
13-16-2-08-90	-b -00	3.2	3,70			
13-16-2-08-90	-b -00	4.1	3,70			
13-16-2-08-90	-c -00	1.1.2	3,23			

13-16-2-08-90	-c -00	3.2	3,23			
13-16-2-08-90	-c -00	4.1	3,23			
13-16-2-08-90	-d -00	1.1.2	1,40			
13-16-2-08-90	-d -00	3.2	1,40			
13-16-2-08-90	-d -00	4.1	1,40			
13-16-2-08-91	-a -00	1.1.2	3,65			
13-16-2-08-91	-a -00	3.2	1,04			
13-16-2-08-91	-a -00	4.1	3,65			
13-16-2-08-91	-b -00	1.1.2	4,63			
13-16-2-08-91	-b -00	3.2	4,63			
13-16-2-08-91	-b -00	4.1	4,63			
13-16-2-08-91	-c -00	1.1.2	1,79			
13-16-2-08-91	-c -00	3.2	0,00			
13-16-2-08-91	-c -00	4.1	1,79			
13-16-2-08-91	-d -00	1.1.2	1,13	TPP	21,05 m3	1,13 ha
13-16-2-08-91	-d -00	3.2	1,13			
13-16-2-08-91	-d -00	4.1	1,13			
13-16-2-08-91	-f -00	1.1.2	2,41	IIBU/PR	197,49 m3/9,07 m3	2,41 ha
13-16-2-08-91	-f -00	4.1	2,41			
13-16-2-08-92	-a -00	1.1.2	2,26	PR	1,70 m3	2,26 ha
13-16-2-08-92	-a -00	4.1	2,26	O-ZWWTÓRK	3 szt.	2,26 ha
13-16-2-08-92	-b -00	1.1.2	7,10	PTP	2,60 m3	7,1 ha
13-16-2-08-92	-b -00	4.1	7,10	O-ZWWTÓRK	6 szt.	7,1 ha
13-16-2-08-92	-c -00	1.1.2	2,87	PTP	38,55 m3	2,87 ha
13-16-2-08-92	-c -00	4.1	2,87	O-ZWWTÓRK	3 szt.	2,87 ha
13-16-2-08-93	-a -00	1.1.2	5,58	IVD	514,22 m3	5,58 ha
13-16-2-08-93	-a -00	4.1	5,58	MA-PORZ	4,00 ha	5,58 ha
13-16-2-08-93	-b -00	1.1.2	2,95	IVD	397,68 m3	2,95 ha
13-16-2-08-93	-b -00	4.1	2,95			
13-16-2-08-93	-c -00	1.1.2	0,69	TPP	29,59 m3	0,69 ha
13-16-2-08-93	-c -00	4.1	0,69			
13-16-2-08-93	-d -00	1.1.2	4,76	IVD	333,48 m3	4,76 ha
13-16-2-08-93	-d -00	4.1	4,76	O-ZGRYZD	141 szt.	4,76 ha
13-16-2-08-93	-f -00	1.1.2	2,20			
13-16-2-08-93	-f -00	4.1	2,20			
13-16-2-08-94	-a -00	1.1.2	2,37			
13-16-2-08-94	-a -00	4.1	2,37			
13-16-2-08-94	-b -00	1.1.2	2,21			
13-16-2-08-94	-b -00	4.1	2,21			
13-16-2-08-94	-c -00	1.1.2	2,46			
13-16-2-08-94	-c -00	4.1	2,46			
13-16-2-08-94	-d -00	1.1.2	10,17			
13-16-2-08-94	-d -00	4.1	10,17	O-PROGNOŚ	8 szt.	10,17 ha
13-16-2-08-94	-f -00	1.1.2	1,47			
13-16-2-08-94	-f -00	4.1	1,47			
13-16-2-08-94	-g -00	1.1.2	1,92			
13-16-2-08-94	-g -00	4.1	1,92			
13-16-2-08-94	-h -00	1.1.2	1,02			
13-16-2-08-94	-h -00	4.1	1,02			
13-16-2-08-95	-a -00	1.1.2	14,22			
13-16-2-08-95	-a -00	4.1	14,22			
13-16-2-08-95	-b -00	1.1.2	1,48			
13-16-2-08-95	-b -00	4.1	1,48			
13-16-2-08-95	-c -00	1.1.2	0,87			
13-16-2-08-95	-c -00	4.1	0,87			
13-16-2-08-95	-d -00	1.1.2	0,72			
13-16-2-08-95	-d -00	4.1	0,72			
13-16-2-08-95	-f -00	1.1.2	1,58			
13-16-2-08-95	-f -00	4.1	1,58			
13-16-2-08-95	-g -00	1.1.2	3,41			
13-16-2-08-95	-g -00	4.1	3,41			
13-16-2-08-95	-h -00	1.1.2	1,09			
13-16-2-08-95	-h -00	4.1	1,09			
13-16-2-08-95	-i -00	1.1.2	1,41			
13-16-2-08-95	-i -00	4.1	1,41			
13-16-2-08-95	-j -00	1.1.2	2,95			
13-16-2-08-95	-j -00	4.1	2,95	CP	1,00 ha	
13-16-2-08-96	-a -00	1.1.2	1,58			
13-16-2-08-96	-a -00	4.1	1,58			
13-16-2-08-96	-b -00	1.1.2	3,92			
13-16-2-08-96	-b -00	4.1	3,92			

13-16-2-08-96 -c -00	1.1.2	1,07			
13-16-2-08-96 -c -00	4.1	1,07			
13-16-2-08-96 -d -00	1.1.2	1,73			
13-16-2-08-96 -d -00	4.1	1,73			
13-16-2-08-96 -f -00	1.1.2	1,29			
13-16-2-08-96 -f -00	4.1	1,29			
13-16-2-08-96 -g -00	1.1.2	0,87			
13-16-2-08-96 -g -00	4.1	0,87			
13-16-2-08-97 -a -00	1.1.2	1,26			
13-16-2-08-97 -a -00	4.1	1,26			
13-16-2-08-97 -b -00	1.1.2	17,65	IVD/PR	2920,11 m3/4,59 m3	17,65 ha
13-16-2-08-97 -b -00	4.1	17,65	O-ZWWTÓRK	12 szt.	17,65 ha
13-16-2-08-98 -a -00	1.1.2	2,38	IVD/PR	365,33 m3/5,79 m3	2,38 ha
13-16-2-08-98 -a -00	4.1	2,38	MA-PORZ/O-GRODZS/O-ZWWTÓRK	1,30 ha/200 zł/3 szt.	2,38 ha
13-16-2-08-98 -b -00	1.1.2	0,90			
13-16-2-08-98 -b -00	4.1	0,90			
13-16-2-08-98 -c -00	1.1.2	4,15	PTW	0,77 m3	4,15 ha
13-16-2-08-98 -c -00	4.1	4,15			
13-16-2-08-98 -d -00	1.1.2	2,55	PR	3,88 m3	2,55 ha
13-16-2-08-98 -d -00	4.1	2,55	CW/O-ZWWTÓRK	0,50 ha/6 szt.	2,55 ha
13-16-2-08-99 -a -00	1.1.2	2,03			
13-16-2-08-99 -a -00	4.1	2,03			
13-16-2-08-99 -b -00	1.1.2	6,09			
13-16-2-08-99 -b -00	4.1	6,09			
13-16-2-08-99 -c -00	1.1.2	8,03	PR	24,51 m3	8,03 ha
13-16-2-08-99 -c -00	4.1	8,03	O-PROGNOŚ/O-ZWWTÓRK	8 szt./6 szt.	8,03 ha
13-16-2-08-99 -d -00	1.1.2	4,86			
13-16-2-08-99 -d -00	4.1	4,86			
13-16-2-08-99 -f -00	1.1.2	2,16			
13-16-2-08-99 -f -00	4.1	2,16			
13-16-2-08-99 -g -00	1.1.2	5,50			
13-16-2-08-99 -g -00	4.1	5,50			
Szklary					
13-16-2-09-104 -a -00	1.1.2	3,57	ZAB-REPEL PTP	0,20 ha 3,36 m3	3,57 ha
13-16-2-09-104 -a -00	4.1	3,57	ZAB-REPEL PTP	0,20 ha 3,36 m3	3,57 ha
13-16-2-09-104 -b -00	1.1.2	5,23	ZAB-REPEL	0,40 ha	
13-16-2-09-104 -b -00	4.1	5,23	ZAB-REPEL	0,40 ha	
13-16-2-09-104 -c -00	1.1.2	4,96	ZAB-REPEL	0,20 ha	
13-16-2-09-104 -c -00	4.1	4,96	ZAB-REPEL	0,20 ha	
13-16-2-09-104 -d -00	1.1.2	3,42	TWP SAN-PD	35,38 m3 3,00 ha	3,42 ha
13-16-2-09-104 -d -00	4.1	3,42	TWP SAN-PD	35,38 m3 3,00 ha	3,42 ha
13-16-2-09-104 -f -00	1.1.2	3,53			
13-16-2-09-104 -f -00	4.1	3,53			
13-16-2-09-105 -a -00	1.1.2	2,91	PTP	2,03 m3	2,91 ha
13-16-2-09-105 -a -00	4.1	2,91	PTP	2,03 m3	2,91 ha
13-16-2-09-105 -b -00	1.1.2	1,37	TWP	18,52 m3	1,37 ha
13-16-2-09-105 -b -00	4.1	1,37	TWP	18,52 m3	1,37 ha
13-16-2-09-105 -c -00	1.1.2	1,70	TWP	44,96 m3	1,70 ha
13-16-2-09-105 -c -00	4.1	1,70	TWP	44,96 m3	1,70 ha
13-16-2-09-105 -d -00	1.1.2	2,53	TWP SAN-PD	30,63 m3 1,50 ha	2,53 ha
13-16-2-09-105 -d -00	4.1	2,53	TWP SAN-PD	30,63 m3 1,50 ha	2,53 ha
13-16-2-09-106 -a -00	1.1.2	10,30	PR RBIV	12,37 m3 1519,14 m3	10,30 ha 10,30 ha
13-16-2-09-106 -a -00	4.1	10,30	PR RBIV	12,37 m3 1519,14 m3	10,30 ha 10,30 ha
13-16-2-09-106 -b -00	1.1.2	7,22	PR PR	4,13 m3 31,98 m3	7,22 ha 7,22 ha
13-16-2-09-106 -b -00	2.1	7,22	PR PR	4,13 m3 31,98 m3	7,22 ha 7,22 ha
13-16-2-09-106 -b -00	4.1	7,22	PR PR	4,13 m3 31,98 m3	7,22 ha 7,22 ha
13-16-2-09-107 -a -00	1.1.2	6,30			
13-16-2-09-107 -a -00	4.1	6,30			

13-16-2-09-107 -b -00	1.1.2	6,59	PTW	2,20 m3	6,59 ha
13-16-2-09-107 -b -00	4.1	6,59	PTW	2,20 m3	6,59 ha
13-16-2-09-107 -c -00	1.1.2	1,69			
13-16-2-09-107 -c -00	4.1	1,69			
13-16-2-09-107 -d -00	1.1.2	1,49			
13-16-2-09-107 -d -00	4.1	1,49			
13-16-2-09-107 -f -00	1.1.2	5,37	RBIVD CW-NAT	796,24 m3 2,64 ha	5,37 ha
13-16-2-09-107 -f -00	4.1	5,37	RBIVD CW-NAT	796,24 m3 2,64 ha	5,37 ha
13-16-2-09-107 -g -00	1.1.2	0,87			
13-16-2-09-107 -g -00	4.1	0,87			
13-16-2-09-108 -a -00	1.1.2	3,19	CP-NAT1	3,19 ha	
13-16-2-09-108 -a -00	4.1	3,19	CP-NAT1	3,19 ha	
13-16-2-09-108 -b -00	1.1.2	2,94			
13-16-2-09-108 -b -00	4.1	2,94			
13-16-2-09-108 -c -00	1.1.2	6,30	CW-NAT RBIV	3,15 ha 840,82 m3	6,30 ha
13-16-2-09-108 -c -00	4.1	6,30	CW-NAT RBIV	3,15 ha 840,82 m3	6,30 ha
13-16-2-09-108 -d -00	1.1.2	6,69	PR CW-NAT PR	109,60 m3 0,20 ha 1,61 m3	6,69 ha 6,69 ha
13-16-2-09-108 -d -00	4.1	6,69	PR CW-NAT PR	109,60 m3 0,20 ha 1,61 m3	6,69 ha 6,69 ha
13-16-2-09-111 -a -00	1.1.2	10,53	PR ZAB-REPEL PR	2,02 m3 1,30 ha 18,49 m3	10,53 ha 10,53 ha
13-16-2-09-111 -a -00	4.1	10,53	PR ZAB-REPEL PR	2,02 m3 1,30 ha 18,49 m3	10,53 ha 10,53 ha
13-16-2-09-111 -b -00	1.1.2	1,35			
13-16-2-09-111 -b -00	4.1	1,35			
13-16-2-09-111 -c -00	1.1.2	2,23	ZAB-REPEL	0,70 ha	
13-16-2-09-111 -c -00	4.1	2,23	ZAB-REPEL	0,70 ha	
13-16-2-09-111 -d -00	1.1.2	2,96	CP-SZTIL1 ZAB-REPEL	2,96 ha 0,70 ha	
13-16-2-09-111 -d -00	4.1	2,96	CP-SZTIL1 ZAB-REPEL	2,96 ha 0,70 ha	
13-16-2-09-111 -f -00	1.1.2	1,57	ZAB-REPEL	0,20 ha	
13-16-2-09-111 -f -00	4.1	1,57	ZAB-REPEL	0,20 ha	
13-16-2-09-111 -g -00	1.1.2	2,37			
13-16-2-09-111 -g -00	4.1	2,37			
13-16-2-09-111 -h -00	1.1.2	1,19			
13-16-2-09-111 -h -00	4.1	1,19			
13-16-2-09-111 -i -00	1.1.2	2,76	ZAB-REPEL	0,20 ha	
13-16-2-09-111 -i -00	4.1	2,76	ZAB-REPEL	0,20 ha	
13-16-2-09-112 -a -00	1.1.2	6,06	ZAB-REPEL PR	0,50 ha 7,56 m3	6,06 ha
13-16-2-09-112 -a -00	4.1	6,06	ZAB-REPEL PR	0,50 ha 7,56 m3	6,06 ha
13-16-2-09-112 -b -00	1.1.2	7,31	PR PR RBIV	1,68 m3 1,26 m3 394,87 m3	7,31 ha 7,31 ha 7,31 ha
13-16-2-09-112 -b -00	4.1	7,31	PR PR RBIV	1,68 m3 1,26 m3 394,87 m3	7,31 ha 7,31 ha 7,31 ha
13-16-2-09-112 -c -00	1.1.2	0,76			
13-16-2-09-112 -c -00	4.1	0,76			
13-16-2-09-113 -a -00	1.1.2	3,51	PR	3,86 m3	3,51 ha
13-16-2-09-113 -a -00	2.1	3,51	PR	3,86 m3	3,51 ha
13-16-2-09-113 -a -00	4.1	3,51	PR	3,86 m3	3,51 ha
13-16-2-09-113 -b -00	1.1.2	2,04			
13-16-2-09-113 -b -00	2.1	2,04			
13-16-2-09-113 -b -00	4.1	2,04			
13-16-2-09-113 -c -00	2.1	12,75	PR	19,95 m3	12,75 ha
13-16-2-09-113 -c -00	1.1.2	12,75	PR	19,95 m3	12,75 ha
13-16-2-09-113 -c -00	4.1	12,75	PR	19,95 m3	12,75 ha
13-16-2-09-114 -a -00	1.1.2	6,56			
13-16-2-09-114 -a -00	4.1	6,56			
13-16-2-09-114 -a -00	4.2	6,56			

13-16-2-09-114 -b -00	1.1.2	1,54			pow referencyjne
13-16-2-09-114 -b -00	4.1	1,54			pow referencyjne
13-16-2-09-114 -b -00	4.2	1,54			pow referencyjne
13-16-2-09-114 -c -00	1.1.2	0,62	CP-SZTIL1	0,62 ha	
13-16-2-09-114 -c -00	4.1	0,62	CP-SZTIL1	0,62 ha	
13-16-2-09-114 -c -00	4.2	0,62	CP-SZTIL1	0,62 ha	
13-16-2-09-114 -d -00	1.1.2	2,19			pow referencyjne
13-16-2-09-114 -d -00	4.1	2,19			pow referencyjne
13-16-2-09-114 -d -00	4.2	2,19			pow referencyjne
13-16-2-09-114 -f -00	1.1.2	0,80			
13-16-2-09-114 -f -00	4.2	0,80			
13-16-2-09-114 -f -00	4.1	0,80			
13-16-2-09-114 -g -00	1.1.2	0,63	CP-SZTIL1	0,63 ha	
13-16-2-09-114 -g -00	4.1	0,63	CP-SZTIL1	0,63 ha	
13-16-2-09-114 -g -00	4.2	0,63	CP-SZTIL1	0,63 ha	
13-16-2-09-114 -h -00	1.1.2	3,04			
13-16-2-09-114 -h -00	4.1	3,04			
13-16-2-09-114 -h -00	4.2	3,04			
13-16-2-09-114 -i -00	1.1.2	2,06			
13-16-2-09-114 -i -00	4.1	2,06			
13-16-2-09-114 -i -00	4.2	2,06			
13-16-2-09-114 -i -00	3.2	2,06			
13-16-2-09-114 -j -00	1.1.2	2,33			
13-16-2-09-114 -j -00	4.2	2,33			
13-16-2-09-114 -j -00	4.1	2,33			
13-16-2-09-115 -a -00	1.1.2	1,16			
13-16-2-09-115 -a -00	4.2	1,16			
13-16-2-09-115 -a -00	4.1	1,16			
13-16-2-09-115 -b -00	2.1	6,35			
13-16-2-09-115 -b -00	1.1.2	6,35			
13-16-2-09-115 -b -00	4.2	6,35			
13-16-2-09-115 -b -00	4.1	6,35			
13-16-2-09-115 -c -00	2.1	4,17			pow referencyjne
13-16-2-09-115 -c -00	1.1.2	4,17			pow referencyjne
13-16-2-09-115 -c -00	4.2	4,17			pow referencyjne
13-16-2-09-115 -c -00	4.1	4,17			pow referencyjne
13-16-2-09-115 -d -00	2.1	4,02			pow referencyjne
13-16-2-09-115 -d -00	1.1.2	4,02			pow referencyjne
13-16-2-09-115 -d -00	4.1	4,02			pow referencyjne
13-16-2-09-115 -d -00	4.2	4,02			pow referencyjne
13-16-2-09-115 -f -00	1.1.2	1,90			
13-16-2-09-115 -f -00	2.1	1,90			
13-16-2-09-115 -f -00	4.2	1,90			
13-16-2-09-115 -f -00	4.1	1,90			
13-16-2-09-116 -a -00	2.1	1,94			pow referencyjne
13-16-2-09-116 -a -00	1.1.2	1,94			pow referencyjne
13-16-2-09-116 -a -00	4.2	1,94			pow referencyjne
13-16-2-09-116 -a -00	4.1	1,94			pow referencyjne
13-16-2-09-116 -b -00	2.1	0,60			pow referencyjne
13-16-2-09-116 -b -00	1.1.2	0,60			pow referencyjne
13-16-2-09-116 -b -00	4.1	0,60			pow referencyjne
13-16-2-09-116 -b -00	4.2	0,60			pow referencyjne
13-16-2-09-116 -c -00	2.1	1,67			pow referencyjne
13-16-2-09-116 -c -00	1.1.2	1,67			pow referencyjne
13-16-2-09-116 -c -00	4.1	1,67			pow referencyjne
13-16-2-09-116 -c -00	4.2	1,67			pow referencyjne
13-16-2-09-116 -d -00	2.1	1,81			pow referencyjne
13-16-2-09-116 -d -00	1.1.2	1,81			pow referencyjne
13-16-2-09-116 -d -00	4.2	1,81			pow referencyjne
13-16-2-09-116 -d -00	4.1	1,81			pow referencyjne
13-16-2-09-116 -f -00	2.1	6,16			pow referencyjne
13-16-2-09-116 -f -00	1.1.2	6,16			pow referencyjne
13-16-2-09-116 -f -00	4.2	6,16			pow referencyjne
13-16-2-09-116 -f -00	4.1	6,16			pow referencyjne
13-16-2-09-116 -g -00	2.1	3,27			pow referencyjne
13-16-2-09-116 -g -00	1.1.2	3,27			pow referencyjne
13-16-2-09-116 -g -00	4.1	3,27			pow referencyjne
13-16-2-09-116 -g -00	4.2	3,27			pow referencyjne
13-16-2-09-116 -g -00	3.2	1,31			pow referencyjne
13-16-2-09-117 -a -00	2.1	2,67	CP-SZTIL1	2,67 ha	
13-16-2-09-117 -a -00	1.1.2	2,67	CP-SZTIL1	2,67 ha	

13-16-2-09-117 -a -00	3.2	2,67	CP-SZTIL1	2,67 ha	
13-16-2-09-117 -a -00	4.2	2,67	CP-SZTIL1	2,67 ha	
13-16-2-09-117 -a -00	4.1	2,67	CP-SZTIL1	2,67 ha	
13-16-2-09-117 -b -00	2.1	5,70	CP-SZTIL1	5,70 ha	
13-16-2-09-117 -b -00	1.1.2	5,70	CP-SZTIL1	5,70 ha	
13-16-2-09-117 -b -00	4.2	5,70	CP-SZTIL1	5,70 ha	
13-16-2-09-117 -b -00	4.1	5,70	CP-SZTIL1	5,70 ha	
13-16-2-09-117 -c -00	1.1.2	5,02	CP-SZTIL1	5,02 ha	
13-16-2-09-117 -c -00	2.1	5,02	CP-SZTIL1	5,02 ha	
13-16-2-09-117 -c -00	4.1	5,02	CP-SZTIL1	5,02 ha	
13-16-2-09-117 -c -00	4.2	5,02	CP-SZTIL1	5,02 ha	
13-16-2-09-117 -d -00	1.1.2	5,56			
13-16-2-09-117 -d -00	2.1	5,56			
13-16-2-09-117 -d -00	4.2	5,56			
13-16-2-09-117 -d -00	4.1	5,56			
13-16-2-09-117 -f -00	1.1.2	2,15	CP-SZTIL1	2,15 ha	
13-16-2-09-117 -f -00	2.1	2,15	CP-SZTIL1	2,15 ha	
13-16-2-09-117 -f -00	4.2	2,15	CP-SZTIL1	2,15 ha	
13-16-2-09-117 -f -00	4.1	2,15	CP-SZTIL1	2,15 ha	
13-16-2-09-117 -g -00	1.1.2	0,98	CP-SZTIL1	0,98 ha	
13-16-2-09-117 -g -00	2.1	0,98	CP-SZTIL1	0,98 ha	
13-16-2-09-117 -g -00	4.2	0,98	CP-SZTIL1	0,98 ha	
13-16-2-09-117 -g -00	4.1	0,98	CP-SZTIL1	0,98 ha	
13-16-2-09-118 -a -00	1.1.2	3,59			
13-16-2-09-118 -a -00	2.1	3,59			
13-16-2-09-118 -a -00	4.2	3,59			
13-16-2-09-118 -a -00	4.1	3,59			
13-16-2-09-118 -a -00	3.2	3,59			
13-16-2-09-118 -b -00	1.1.2	1,98			
13-16-2-09-118 -b -00	2.1	1,98			
13-16-2-09-118 -b -00	4.2	1,98			
13-16-2-09-118 -b -00	4.1	1,98			
13-16-2-09-118 -c -00	2.1	3,63	ZAB-REPEL PTP	0,20 ha 4,49 m3	3,63
13-16-2-09-118 -c -00	1.1.2	3,63	ZAB-REPEL PTP	0,20 ha 4,49 m3	3,63
13-16-2-09-118 -c -00	4.2	3,63	ZAB-REPEL PTP	0,20 ha 4,49 m3	3,63
13-16-2-09-118 -c -00	4.1	3,63	ZAB-REPEL PTP	0,20 ha 4,49 m3	3,63
13-16-2-09-118 -d -00	2.1	1,22	CP-SZTIL1	1,22 ha	
13-16-2-09-118 -d -00	1.1.2	1,22	CP-SZTIL1	1,22 ha	
13-16-2-09-118 -d -00	4.1	1,22	CP-SZTIL1	1,22 ha	
13-16-2-09-118 -d -00	4.2	1,22	CP-SZTIL1	1,22 ha	
13-16-2-09-118 -f -00	1.1.2	3,00			
13-16-2-09-118 -f -00	2.1	3,00			
13-16-2-09-118 -f -00	3.2	3,00			
13-16-2-09-118 -f -00	4.1	3,00			
13-16-2-09-118 -f -00	4.2	3,00			
13-16-2-09-118 -g -00	2.1	2,77			
13-16-2-09-118 -g -00	1.1.2	2,77			
13-16-2-09-118 -g -00	4.1	2,77			
13-16-2-09-118 -g -00	4.2	2,77			
13-16-2-09-118 -h -00	1.1.2	2,29			
13-16-2-09-118 -h -00	2.1	2,29			
13-16-2-09-118 -h -00	4.2	2,29			
13-16-2-09-118 -h -00	4.1	2,29			
13-16-2-09-119 -a -00	2.1	3,32			
13-16-2-09-119 -a -00	1.1.2	3,32			
13-16-2-09-119 -a -00	4.1	3,32			
13-16-2-09-119 -b -00	1.1.2	0,12			skład drewna
13-16-2-09-119 -b -00	2.1	0,12			skład drewna
13-16-2-09-119 -c -00	1.1.2	3,64	PTP	12,06 m3	3,64 ha
13-16-2-09-119 -c -00	2.1	3,64	PTP	12,06 m3	3,64 ha
13-16-2-09-119 -c -00	4.1	3,64	PTP	12,06 m3	3,64 ha
13-16-2-09-119 -d -00	2.1	2,01			
13-16-2-09-119 -d -00	1.1.2	2,01			
13-16-2-09-119 -d -00	4.1	2,01			
13-16-2-09-119 -f -00	2.1	3,37	PTP	11,38 m3	3,37 ha
13-16-2-09-119 -f -00	1.1.2	3,37	PTP	11,38 m3	3,37 ha
13-16-2-09-119 -f -00	4.1	3,37	PTP	11,38 m3	3,37 ha

13-16-2-09-119 -g -00	2.1	1,71	PTP	37,98 m3	1,71 ha
13-16-2-09-119 -g -00	1.1.2	1,71	PTP	37,98 m3	1,71 ha
13-16-2-09-119 -g -00	4.1	1,71	PTP	37,98 m3	1,71 ha
13-16-2-09-120 -a -00	2.1	4,67	TPP	442,72 m3	4,67 ha
13-16-2-09-120 -a -00	1.1.2	4,67	TPP	442,72 m3	4,67 ha
13-16-2-09-120 -a -00	4.1	4,67	TPP	442,72 m3	4,67 ha
13-16-2-09-120 -b -00	1.1.2	2,67			
13-16-2-09-120 -b -00	2.1	2,67			
13-16-2-09-120 -b -00	4.1	2,67			
13-16-2-09-120 -c -00	1.1.2	2,59			
13-16-2-09-120 -c -00	2.1	2,59			
13-16-2-09-120 -c -00	4.1	2,59			
13-16-2-09-120 -d -00	2.1	3,46	TPP	443,33 m3	
13-16-2-09-120 -d -00	1.1.2	3,46	TPP	443,33 m3	
13-16-2-09-120 -d -00	4.1	3,46	TPP	443,33 m3	
13-16-2-09-121 -a -00	1.1.2	1,31			
13-16-2-09-121 -a -00	2.1	1,31			
13-16-2-09-121 -a -00	4.1	1,31			
13-16-2-09-121 -b -00	2.1	10,07	TPP TPP	611,36 m3 136,47 m3	8,00 ha 2,07 ha
13-16-2-09-121 -b -00	1.1.2	10,07	TPP TPP	611,36 m3 136,47 m3	8,00 ha 2,07 ha
13-16-2-09-121 -b -00	4.1	10,07	TPP TPP	611,36 m3 136,47 m3	8,00 ha 2,07 ha
13-16-2-09-121 -c -00	1.1.2	3,31	PR RBII	0,84 m3 270,89 m3	3,31 ha 3,31 ha
13-16-2-09-121 -c -00	2.1	3,31	PR RBII	0,84 m3 270,89 m3	3,31 ha 3,31 ha
13-16-2-09-121 -c -00	4.1	3,31	PR RBII	0,84 m3 270,89 m3	3,31 ha 3,31 ha
13-16-2-09-122 -a -00	1.1.2	4,09			ps
13-16-2-09-122 -ax -00	1.1.2	0,46			potok
13-16-2-09-122 -b -00	1.1.2	0,18			zab inne
13-16-2-09-122 -c -00	1.1.2	0,56			inne budynki
13-16-2-09-122 -d -00	1.1.2	0,23			plac pod budowę
13-16-2-09-122 -f -00	1.1.2	1,01			
13-16-2-09-122 -f -00	4.1	1,01			
13-16-2-09-122 -f -00	4.2	1,01			
13-16-2-09-122 -g -00	1.1.2	2,33			
13-16-2-09-122 -g -00	4.2	2,33			
13-16-2-09-122 -g -00	4.1	2,33			
13-16-2-09-122 -h -00	1.1.2	2,19			
13-16-2-09-122 -h -00	4.2	2,19			
13-16-2-09-122 -h -00	4.1	2,19			
13-16-2-09-122 -i -00	1.1.2	2,32			
13-16-2-09-122 -i -00	4.2	2,32			
13-16-2-09-122 -i -00	4.1	2,32			
13-16-2-09-122 -j -00	1.1.2	1,14			
13-16-2-09-122 -j -00	4.2	1,14			
13-16-2-09-122 -j -00	4.1	1,14			
13-16-2-09-122 -k -00	1.1.2	0,63			
13-16-2-09-122 -k -00	4.1	0,63			
13-16-2-09-122 -k -00	4.2	0,63			
13-16-2-09-122 -l -00	1.1.2	1,43			
13-16-2-09-122 -l -00	4.2	1,43			
13-16-2-09-122 -l -00	4.1	1,43			
13-16-2-09-122 -m -00	1.1.2	0,09			skład drewna
13-16-2-09-122 -n -00	1.1.2	1,78			
13-16-2-09-122 -n -00	4.2	1,78			
13-16-2-09-122 -n -00	4.1	1,78			
13-16-2-09-122 -o -00	1.1.2	0,19			łesniczówka
13-16-2-09-122 -p -00	1.1.2	0,08			zab inne
13-16-2-09-122 -r -00	1.1.2	0,14			skład drewna
13-16-2-09-122 -s -00	1.1.2	4,26			
13-16-2-09-122 -s -00	4.2	4,26			
13-16-2-09-122 -s -00	4.1	4,26			
13-16-2-09-122 -t -00	1.1.2	2,19			łąka

13-16-2-09-122 -w -00	1.1.2	0,90	PR RBIV MA-PORZ SADZ GRODZ-SG	62,97 m3 75,34 m3 0,20 ha 0,50 ha 0,30 ha	0,90 ha 0,90 ha
13-16-2-09-122 -w -00	4.2	0,90	PR RBIV MA-PORZ SADZ GRODZ-SG	62,97 m3 75,34 m3 0,20 ha 0,50 ha 0,30 ha	0,90 ha 0,90 ha
13-16-2-09-122 -w -00	4.1	0,90	PR RBIV MA-PORZ SADZ GRODZ-SG	62,97 m3 75,34 m3 0,20 ha 0,50 ha 0,30 ha	0,90 ha 0,90 ha
13-16-2-09-122 -x -00	1.1.2	1,08			
13-16-2-09-122 -x -00	4.1	1,08			
13-16-2-09-122 -x -00	4.2	1,08			
13-16-2-09-122 -y -00	1.1.2	2,15			
13-16-2-09-122 -y -00	4.1	2,15			
13-16-2-09-122 -y -00	4.2	2,15			
13-16-2-09-122 -z -00	1.1.2	1,49			
13-16-2-09-122 -z -00	4.1	1,49			
13-16-2-09-122 -z -00	4.2	1,49			
13-16-2-09-123 -a -00	1.1.2	7,04			
13-16-2-09-123 -a -00	4.1	7,04			
13-16-2-09-123 -a -00	6.0	0,00			
13-16-2-09-123 -a -00	3.2	0,00			
13-16-2-09-123 -a -00	4.2	7,04			
13-16-2-09-123 -b -00	1.1.2	4,40			
13-16-2-09-123 -b -00	6.0	0,00			
13-16-2-09-123 -b -00	4.1	4,40			
13-16-2-09-123 -b -00	4.2	4,40			
13-16-2-09-123 -c -00	1.1.2	6,99	PR CW-NAT	1,84 m3 2,10 ha	6,99 ha
13-16-2-09-123 -c -00	4.1	6,99	PR CW-NAT	1,84 m3 2,10 ha	6,99 ha
13-16-2-09-123 -c -00	6.0	0,00	PR CW-NAT	1,84 m3 2,10 ha	6,99 ha
13-16-2-09-123 -c -00	4.2	6,99	PR CW-NAT	1,84 m3 2,10 ha	6,99 ha
13-16-2-09-123 -d -00	1.1.2	2,66			
13-16-2-09-123 -d -00	3.2	2,66			
13-16-2-09-123 -d -00	4.2	2,66			
13-16-2-09-123 -d -00	4.1	2,66			
13-16-2-09-123 -d -00	6.0	0,00			
13-16-2-09-123 -f -00	1.1.2	1,62			
13-16-2-09-123 -f -00	4.1	1,62			
13-16-2-09-123 -f -00	6.0	1,62			
13-16-2-09-123 -f -00	4.2	1,62			
13-16-2-09-123 -g -00	1.1.2	1,08			
13-16-2-09-123 -g -00	6.0	1,08			
13-16-2-09-123 -g -00	4.2	1,08			
13-16-2-09-123 -g -00	3.2	1,08			
13-16-2-09-123 -g -00	4.1	1,08			
13-16-2-09-123 -h -00	1.1.2	2,69			
13-16-2-09-123 -h -00	4.2	2,69			
13-16-2-09-123 -h -00	6.0	2,69			
13-16-2-09-123 -h -00	4.1	2,69			
13-16-2-09-123 -i -00	1.1.2	0,17			potok
13-16-2-09-124 -a -00	1.1.2	3,84			
13-16-2-09-124 -a -00	3.2	3,84			
13-16-2-09-124 -a -00	4.1	3,84			
13-16-2-09-124 -a -00	4.2	3,84			
13-16-2-09-124 -a -00	6.0	0,00			
13-16-2-09-124 -b -00	1.1.2	8,44			
13-16-2-09-124 -b -00	4.2	8,44			
13-16-2-09-124 -b -00	3.2	0,00			
13-16-2-09-124 -b -00	4.1	8,44			
13-16-2-09-124 -b -00	6.0	0,00			
13-16-2-09-124 -c -00	1.1.2	0,40			ps

13-16-2-09-124 -d -00	1.1.2	0,58			rola
13-16-2-09-124 -f -00	1.1.2	2,57			ps
13-16-2-09-124 -g -00	1.1.2	2,99			
13-16-2-09-124 -g -00	4.1	2,99			
13-16-2-09-124 -g -00	4.2	2,99			
13-16-2-09-125 -a -00	4.1	1,57			
13-16-2-09-125 -a -00	3.2	1,57			
13-16-2-09-125 -b -00	4.1	2,04			
13-16-2-09-125 -c -00	4.1	1,04			
13-16-2-09-125 -d -00	3.2	3,73			
13-16-2-09-125 -d -00	4.1	3,73			
13-16-2-09-125 -f -00	4.1	7,13			
13-16-2-09-125 -f -00	3.2	0,36			
13-16-2-09-125 -g -00	3.2	2,02			
13-16-2-09-125 -g -00	4.1	2,02			
13-16-2-09-125 -h -00	4.1	1,78			
13-16-2-09-125 -i -00	4.1	1,37			
13-16-2-09-126 -a -00	4.1	9,75			
13-16-2-09-126 -b -00	4.1	2,41			
13-16-2-09-126 -c -00	4.1	1,29			
13-16-2-09-126 -d -00	4.1	0,56			
13-16-2-09-127 -a -00	1.1.2	8,68			
13-16-2-09-127 -a -00	4.1	8,68			
13-16-2-09-127 -b -00	1.1.2	5,04	PR PR	2,10 m3 2,32 m3	5,04 ha 5,04 ha
13-16-2-09-127 -b -00	4.1	5,04	PR PR	2,10 m3 2,32 m3	5,04 ha 5,04 ha
13-16-2-09-127 -c -00	1.1.2	8,01	TWP	178,29 m3	8,01 ha
13-16-2-09-127 -c -00	4.1	8,01	TWP	178,29 m3	8,01 ha
13-16-2-09-127 -d -00	1.1.2	1,54			
13-16-2-09-127 -d -00	4.1	1,54			
13-16-2-09-127 -f -00	1.1.2	0,26			potok
13-16-2-09-128 -a -00	1.1.2	3,18	TWP	80,94 m3	3,18 ha
13-16-2-09-128 -a -00	4.1	3,18	TWP	80,94 m3	3,18 ha
13-16-2-09-128 -b -00	1.1.2	3,13			
13-16-2-09-128 -b -00	4.1	3,13			
13-16-2-09-128 -c -00	1.1.2	2,88			
13-16-2-09-128 -c -00	4.1	2,88			
13-16-2-09-128 -d -00	1.1.2	15,99			
13-16-2-09-128 -d -00	4.1	15,99			
13-16-2-09-128 -f -00	1.1.2	1,53			
13-16-2-09-128 -f -00	4.1	1,53			
13-16-2-09-128 -g -00	1.1.2	0,16			potok
13-16-2-09-129 -a -00	1.1.2	2,10			
13-16-2-09-129 -a -00	4.1	2,10			
13-16-2-09-129 -a -00	4.2	2,10			
13-16-2-09-129 -b -00	1.1.2	4,82			
13-16-2-09-129 -b -00	4.1	4,82			
13-16-2-09-129 -b -00	4.2	4,82			
13-16-2-09-129 -c -00	1.1.2	5,01	PR	18,79 m3	5,01 ha
13-16-2-09-129 -c -00	4.1	5,01	PR	18,79 m3	5,01 ha
13-16-2-09-129 -c -00	4.2	5,01	151,37 m3	18,79 m3	5,01 ha
13-16-2-09-129 -d -00	1.1.2	2,54			
13-16-2-09-129 -d -00	4.1	2,54			
13-16-2-09-129 -d -00	4.2	2,54			
13-16-2-09-129 -f -00	1.1.2	1,09			
13-16-2-09-129 -f -00	4.2	1,09			
13-16-2-09-129 -f -00	4.1	1,09			
13-16-2-09-129 -g -00	1.1.2	2,01			
13-16-2-09-129 -g -00	4.1	2,01			
13-16-2-09-129 -g -00	4.2	2,01			
13-16-2-09-129 -h -00	1.1.2	5,14			
13-16-2-09-129 -h -00	4.2	5,14			
13-16-2-09-129 -h -00	4.1	5,14			
13-16-2-09-129 -i -00	1.1.2	0,08			potok
13-16-2-09-130 -a -00	1.1.2	0,93			
13-16-2-09-130 -a -00	4.1	0,93			
13-16-2-09-130 -b -00	1.1.2	10,72			
13-16-2-09-130 -b -00	4.1	10,72			
13-16-2-09-130 -c -00	1.1.2	4,16	PR PR	6,42 m3 9,00 m3	4,16 ha 4,16 ha

13-16-2-09-130 -c -00	4.1	4,16	PR PR	6,42 m3 9,00 m3	4,16 ha 4,16 ha
13-16-2-09-130 -d -00	1.1.2	4,07			
13-16-2-09-130 -d -00	4.1	4,07			
13-16-2-09-130 -f -00	1.1.2	2,10	PR RBIV MA-PORZ SADZ GRODZ-SG	79,23 m3 170,88 m3 0,60 ha 0,90 ha 0,30 ha	2,10 ha 2,10 ha
13-16-2-09-130 -f -00	4.1	2,10	PR RBIV MA-PORZ SADZ GRODZ-SG	79,23 m3 170,88 m3 0,60 ha 0,90 ha 0,30 ha	2,10 ha 2,10 ha
13-16-2-09-131 -a -00	1.1.2	1,69			
13-16-2-09-131 -a -00	2.1	1,69			
13-16-2-09-131 -a -00	4.1	1,69			
13-16-2-09-131 -b -00	1.1.2	0,10			skład drewna
13-16-2-09-131 -b -00	2.1	0,10			
13-16-2-09-131 -c -00	2.1	0,90			
13-16-2-09-131 -c -00	1.1.2	0,90			
13-16-2-09-131 -c -00	4.1	0,90			
13-16-2-09-131 -d -00	2.1	11,06	PTP	57,24 m3	11,06 ha
13-16-2-09-131 -d -00	1.1.2	11,06	PTP	57,24 m3	11,06 ha
13-16-2-09-131 -d -00	4.1	11,06	PTP	57,24 m3	11,06 ha
13-16-2-09-131 -f -00	1.1.2	7,33			
13-16-2-09-131 -f -00	2.1	7,33			
13-16-2-09-131 -f -00	3.2	7,23			
13-16-2-09-131 -f -00	4.1	7,33			
13-16-2-09-132 -a -00	2.1	8,68	TPP	907,53 m3	8,68 ha
13-16-2-09-132 -a -00	1.1.2	8,68	TPP	907,53 m3	8,68 ha
13-16-2-09-132 -a -00	4.1	8,68	TPP	907,53 m3	8,68 ha
13-16-2-09-132 -b -00	2.1	2,93	PR RBII	1,05 m3 207,66 m3	2,93 ha 2,93 ha
13-16-2-09-132 -b -00	1.1.2	2,93	PR RBII	1,05 m3 207,66 m3	2,93 ha 2,93 ha
13-16-2-09-132 -b -00	4.1	2,93			
13-16-2-09-132 -c -00	1.1.2	7,39			
13-16-2-09-132 -c -00	2.1	7,40			
13-16-2-09-132 -c -00	4.1	7,40			
13-16-2-09-132 -d -00	1.1.2	0,79			
13-16-2-09-132 -d -00	2.1	0,79			
13-16-2-09-132 -d -00	4.1	0,79			
13-16-2-09-133 -a -00	1.1.2	12,18	RB IV D ZAB-REPEL PR	371,12 m3 0,70 ha 11,07 m3	12,18 ha 12,18 ha
13-16-2-09-133 -a -00	2.1	12,18	RB IV D ZAB-REPEL PR	371,12 m3 0,70 ha 11,07 m3	12,18 ha 12,18 ha
13-16-2-09-133 -a -00	4.1	12,18	RB IV D ZAB-REPEL PR	371,12 m3 0,70 ha 11,07 m3	12,18 ha 12,18 ha
13-16-2-09-133 -b -00	1.1.2	2,92	RB IV D	207,27 m3	2,92 ha
13-16-2-09-133 -b -00	2.1	2,92	RB IV D	207,27 m4	2,92 ha
13-16-2-09-133 -b -00	4.1	2,92	RB IV D	207,27 m5	2,92 ha
13-16-2-09-134 -a -00	1.1.2	13,32	RB IV D GRODZ-SG SADZ PR OPR-USP ZAB-REPEL	1082,42 m3 0,25 ha 0,25 ha 25,21 m3 0,25 ha 0,50 ha	13,32 ha 13,32 ha
13-16-2-09-134 -a -00	2.1	13,32	RB IV D GRODZ-SG SADZ PR OPR-USP ZAB-REPEL	1082,42 m3 0,25 ha 0,25 ha 25,21 m3 0,25 ha 0,50 ha	13,32 ha 13,32 ha

13-16-2-09-134 -a -00	4.1	13,32	RB IV D GRODZ-SG SADZ PR OPR-USP ZAB-REPEL	1082,42 m3 0,25 ha 0,25 ha 25,21 m3 0,25 ha 0,50 ha	13,32 ha 13,32 ha
13-16-2-09-134 -b -00	1.1.2	6,79	RBIV PR PR	678,33 m3 49,60 m3 31,48 m3	6,79 ha 6,79 ha 6,79 ha
13-16-2-09-134 -b -00	2.1	6,79	RBIV PR PR	678,33 m3 49,60 m3 31,48 m3	6,79 ha 6,79 ha 6,79 ha
13-16-2-09-134 -b -00	4.1	6,79	RBIV PR PR	678,33 m3 49,60 m3 31,48 m3	6,79 ha 6,79 ha 6,79 ha
13-16-2-09-135 -a -00	2.1	5,85	TPP PTP	215,52 m3 2,04 m3	5,85 ha 5,85 ha
13-16-2-09-135 -a -00	1.1.2	5,85	TPP PTP	215,52 m3 2,04 m3	5,85 ha 5,85 ha
13-16-2-09-135 -a -00	4.1	5,85	TPP PTP	215,52 m3 2,04 m3	5,85 ha
13-16-2-09-135 -b -00	1.1.2	5,23	RBIV GRODZ-SG SADZ OPR-USP ZAB-REPEL PR SADZ	660,21 m3 0,30 ha 0,90 ha 0,30 ha 0,60 ha 0,68 m3 0,30 ha	5,23 ha 5,23 ha
13-16-2-09-135 -b -00	2.1	5,23	RBIV GRODZ-SG SADZ OPR-USP ZAB-REPEL PR SADZ	660,21 m3 0,30 ha 0,90 ha 0,30 ha 0,60 ha 0,68 m3 0,30 ha	5,23 ha 5,23 ha
13-16-2-09-135 -b -00	4.1	5,23	RBIV GRODZ-SG SADZ OPR-USP ZAB-REPEL PR SADZ	660,21 m3 0,30 ha 0,90 ha 0,30 ha 0,60 ha 0,68 m3 0,30 ha	5,23 ha 5,23 ha
13-16-2-09-135 -c -00	1.1.2	2,85	TPP	128,52 m3	2,85 ha
13-16-2-09-135 -c -00	4.1	2,85	TPP	128,52 m3	2,85 ha
13-16-2-09-135 -d -00	1.1.2	5,61	TPP	224,85 m3	5,61 ha
13-16-2-09-135 -d -00	2.1	5,61	TPP	224,85 m3	5,61 ha
13-16-2-09-135 -d -00	4.1	5,61	TPP	224,85 m3	5,61 ha
13-16-2-09-135 -f -00	1.1.2	0,28			ps
13-16-2-09-135 -g -00	2.1	1,92			ps
13-16-2-09-135 -g -00	1.1.2	1,92			ps
13-16-2-09-135 -h -00	1.1.2	0,30			ps
13-16-2-09-135 -h -00	2.1	0,30			ps
13-16-2-09-135 -i -00	2.1	0,61	TPP	42,34 m3	0,61 ha
13-16-2-09-135 -i -00	1.1.2	0,61	TPP	42,34 m3	0,61 ha
13-16-2-09-135 -i -00	4.1	0,61	TPP	42,34 m3	0,61 ha
13-16-2-09-136 -a -00	1.1.2	2,12			ps
13-16-2-09-136 -b -00	1.1.2	10,39			
13-16-2-09-136 -b -00	4.1	10,39			
13-16-2-09-136 -c -00	1.1.2	8,41			
13-16-2-09-136 -c -00	4.1	8,41			
13-16-2-09-136 -d -00	1.1.2	0,87			poletko łowieckie
13-16-2-09-136 -f -00	1.1.2	0,84			
13-16-2-09-136 -f -00	3.2	0,84			
13-16-2-09-136 -f -00	4.1	0,84			
13-16-2-09-137 -a -00	1.1.2	2,98			
13-16-2-09-137 -a -00	4.1	2,98			

13-16-2-09-137 -b -00	1.1.2	11,72	RBIV GRODZ-SG SADZ OPR-USP ZAB-REPEL PR	1707,58 m3 0,70 ha 1,80 ha 0,70 ha 1,10 ha 51,88 m3	11,72 ha 11,72 ha
13-16-2-09-137 -b -00	4.1	11,72	RBIV GRODZ-SG SADZ OPR-USP ZAB-REPEL PR	1707,58 m3 0,70 ha 1,80 ha 0,70 ha 1,10 ha 51,88 m3	11,72 ha 11,72 ha
13-16-2-09-137 -c -00	1.1.2	1,29			
13-16-2-09-137 -c -00	4.1	1,29			
13-16-2-09-137 -d -00	1.1.2	1,07	TPP	71,15 m3	1,07 ha
13-16-2-09-137 -d -00	4.1	1,07	TPP	71,15 m3	1,07 ha
13-16-2-09-140 -a -00	1.1.2	3,37			ps
13-16-2-09-140 -a -00	2.1	3,37			ps
13-16-2-09-140 -b -00	1.1.2	1,78	TPP	224,46 m3	1,78 ha
13-16-2-09-140 -b -00	4.1	1,78	TPP	224,46 m3	1,78 ha
13-16-2-09-140 -c -00	1.1.2	1,99			
13-16-2-09-140 -c -00	4.1	1,99			
13-16-2-09-140 -d -00	1.1.2	1,78	PTP	0,40 m3	1,78 ha
13-16-2-09-140 -d -00	2.1	1,78	PTP	0,40 m3	1,78 ha
13-16-2-09-140 -d -00	4.1	1,78			
13-16-2-09-140 -f -00	1.1.2	2,23	TPP	250,47 m3	2,23 ha
13-16-2-09-140 -f -00	4.1	2,23	TPP	250,47 m3	2,23 ha
13-16-2-09-140 -g -00	1.1.2	1,04			
13-16-2-09-140 -g -00	4.1	1,04			
13-16-2-09-141 -a -00	1.1.2	7,00	PR PR	5,50 m3 2,52 m3	7,00 ha 7,00 ha
13-16-2-09-141 -a -00	4.1	7,00	PR PR	5,50 m3 2,52 m3	7,00 ha 7,00 ha
13-16-2-09-141 -a -00	6.0	0,02	PR PR	5,50 m3 2,52 m3	
13-16-2-09-141 -b -00	1.1.2	5,03			
13-16-2-09-141 -b -00	4.1	5,03			
13-16-2-09-141 -c -00	1.1.2	1,82	PTP	2,57 m3	1,82 ha
13-16-2-09-141 -c -00	4.1	1,82	PTP	2,57 m3	1,82 ha
13-16-2-09-141 -d -00	1.1.2	2,53			
13-16-2-09-141 -d -00	4.1	2,53			
13-16-2-09-142 -a -00	1.1.2	3,38	PTP	21,92 m3	3,38 ha
13-16-2-09-142 -a -00	4.1	3,38	PTP	21,92 m3	3,38 ha
13-16-2-09-142 -b -00	1.1.2	4,13	RBIVD	544,23 m3	4,13 ha
13-16-2-09-142 -b -00	4.1	4,13	RBIVD	544,23 m3	4,13 ha
13-16-2-09-142 -c -00	1.1.2	1,05			
13-16-2-09-142 -c -00	4.1	1,05			
13-16-2-09-142 -d -00	1.1.2	2,13	CP-P CP-SZTIL1	17,89 m3 2,13 ha	2,13 ha
13-16-2-09-142 -d -00	4.1	2,13	CP-P CP-SZTIL1	17,89 m3 2,13 ha	2,13 ha
13-16-2-09-142 -f -00	1.1.2	4,24	RBVID GRODZ-SG SADZ CW-NAT OPR-USP	485,98 m3 0,30 ha 0,30 ha 2,40 ha 0,30 ha	4,24 ha
13-16-2-09-142 -f -00	4.1	4,24	RBVID GRODZ-SG SADZ CW-NAT OPR-USP	485,98 m3 0,30 ha 0,30 ha 2,40 ha 0,30 ha	4,24 ha
13-16-2-09-142 -g -00	2.1	4,42	PR CW-NAT	3,23 m3 0,88 ha	4,42 ha
13-16-2-09-142 -g -00	1.1.2	4,42	PR CW-NAT	3,23 m3 0,88 ha	4,42 ha
13-16-2-09-142 -g -00	4.1	4,42	PR CW-NAT	3,23 m3 0,88 ha	4,42 ha
13-16-2-09-142 -h -00	1.1.2	0,77			
13-16-2-09-142 -h -00	2.1	0,77			
13-16-2-09-142 -h -00	4.1	0,77			
13-16-2-09-142 -h -00	3.2	0,00			
13-16-2-09-142 -i -00	2.1	1,72			

13-16-2-09-142 -i -00	1.1.2	1,72			
13-16-2-09-142 -i -00	4.1	1,72			
13-16-2-09-142 -i -00	3.2	1,72			
13-16-2-09-145 -a -00	1.1.2	1,62			
13-16-2-09-145 -a -00	4.1	1,62			
13-16-2-09-145 -b -00	1.1.2	2,09			
13-16-2-09-145 -b -00	4.1	2,09			
13-16-2-09-145 -c -00	1.1.2	1,12	PTP	10,85 m3	1,12 ha
13-16-2-09-145 -c -00	4.1	1,12	PTP	10,85 m3	1,12 ha
13-16-2-09-145 -d -00	1.1.2	1,10			
13-16-2-09-145 -d -00	4.1	1,10			
13-16-2-09-145 -f -00	1.1.2	1,27			pow referencyjne
13-16-2-09-145 -f -00	4.1	1,27			pow referencyjne
13-16-2-09-145 -f -00	3.2	1,27			pow referencyjne
13-16-2-09-145 -g -00	1.1.2	2,27			
13-16-2-09-145 -g -00	4.1	2,27			
13-16-2-09-147 -a -00	1.1.2	3,92			
13-16-2-09-147 -a -00	3.2	3,92			
13-16-2-09-147 -a -00	6.0	3,92			
13-16-2-09-147 -a -00	4.1	3,92			
13-16-2-09-147 -b -00	1.1.2	0,59			
13-16-2-09-147 -b -00	4.1	0,59			
13-16-2-09-147 -b -00	3.2	0,00			
13-16-2-09-147 -b -00	6.0	0,00			
13-16-2-09-147 -c -00	1.1.2	3,03			
13-16-2-09-147 -c -00	4.1	3,03			
13-16-2-09-147 -c -00	6.0	3,03			
13-16-2-09-147 -d -00	1.1.2	0,73			
13-16-2-09-147 -d -00	6.0	0,73			
13-16-2-09-147 -d -00	3.2	0,73			
13-16-2-09-147 -d -00	4.1	0,73			
13-16-2-09-147 -f -00	1.1.2	0,55			
13-16-2-09-147 -f -00	6.0	0,55			
13-16-2-09-147 -f -00	4.1	0,55			
13-16-2-09-147 -g -00	1.1.2	0,96			
13-16-2-09-147 -g -00	6.0	0,96			
13-16-2-09-147 -g -00	4.1	0,96			
13-16-2-09-147 -h -00	1.1.2	3,47			
13-16-2-09-147 -h -00	6.0	3,47			
13-16-2-09-147 -h -00	4.1	3,47			
13-16-2-09-147 -i -00	1.1.2	2,01			
13-16-2-09-147 -i -00	6.0	0,00			
13-16-2-09-147 -i -00	4.1	2,01			
13-16-2-09-147 -j -00	1.1.2	5,02			
13-16-2-09-147 -j -00	6.0	5,02			
13-16-2-09-147 -j -00	4.1	5,20			
13-16-2-09-147 -k -00	1.1.2	0,74			
13-16-2-09-147 -k -00	4.1	0,74			
13-16-2-09-147 -l -00	1.1.2	1,01			
13-16-2-09-147 -l -00	4.1	1,01			
13-16-2-09-147 -m -00	1.1.2	1,32			
13-16-2-09-147 -m -00	4.1	1,32			
13-16-2-09-147 -n -00	1.1.2	5,95			
13-16-2-09-147 -n -00	4.1	5,95			
13-16-2-09-147 -o -00	1.1.2	0,63			
13-16-2-09-147 -o -00	4.1	0,63			
13-16-2-09-147 -p -00	1.1.2	0,10			potok
13-16-2-09-148 -a -00	1.1.2	1,48			
13-16-2-09-148 -a -00	4.1	1,48			
13-16-2-09-148 -a -00	6.0	1,48			
13-16-2-09-148 -b -00	1.1.2	4,99			
13-16-2-09-148 -b -00	6.0	0,00			
13-16-2-09-148 -b -00	4.1	4,99			
13-16-2-09-148 -c -00	1.1.2	0,08			
13-16-2-09-148 -c -00	4.1	1,10			
13-16-2-09-148 -d -00	1.1.2	4,48			
13-16-2-09-148 -d -00	6.0	4,48			
13-16-2-09-148 -d -00	4.1	4,48			
13-16-2-09-148 -f -00	1.1.2	4,23	PR	29,58 m3	4,23 ha
13-16-2-09-148 -f -00	4.1	4,23	PR	29,58 m3	4,23 ha
13-16-2-09-148 -f -00	6.0	0,00	PR	29,58 m3	

13-16-2-09-148 -g -00	1.1.2	0,53			
13-16-2-09-148 -g -00	4.1	1,29			
13-16-2-09-148 -h -00	1.1.2	0,93			pow referencyjne
13-16-2-09-148 -h -00	4.1	0,93			pow referencyjne
13-16-2-09-148 -h -00	6.0	0,93			pow referencyjne
13-16-2-09-148 -h -00	3.2	0,93			pow referencyjne
13-16-2-09-149 -a -00	1.1.2	1,16			pow referencyjne
13-16-2-09-149 -a -00	3.2	1,16			pow referencyjne
13-16-2-09-149 -a -00	6.0	1,16			pow referencyjne
13-16-2-09-149 -a -00	4.1	1,16			pow referencyjne
13-16-2-09-149 -b -00	1.1.2	0,96			pow referencyjne
13-16-2-09-149 -b -00	3.2	0,96			pow referencyjne
13-16-2-09-149 -b -00	4.1	0,96			pow referencyjne
13-16-2-09-149 -b -00	6.0	0,96			pow referencyjne
13-16-2-09-149 -c -00	1.1.2	7,34			
13-16-2-09-149 -c -00	6.0	0,00			
13-16-2-09-149 -c -00	4.1	7,34			
13-16-2-09-149 -d -00	1.1.2	1,14			
13-16-2-09-149 -d -00	6.0	0,00			
13-16-2-09-149 -d -00	4.1	1,14			
13-16-2-09-149 -f -00	1.1.2	4,97			
13-16-2-09-149 -f -00	4.1	4,97			
13-16-2-09-149 -f -00	6.0	0,00			
13-16-2-09-149 -g -00	1.1.2	2,61			
13-16-2-09-149 -g -00	4.1	2,61			
13-16-2-09-149 -h -00	1.1.2	1,02			pow referencyjne
13-16-2-09-149 -h -00	4.1	1,02			pow referencyjne
13-16-2-09-149 -h -00	6.0	1,02			pow referencyjne
13-16-2-09-150 -a -00	1.1.2	1,82			pow referencyjne
13-16-2-09-150 -a -00	4.1	1,82			pow referencyjne
13-16-2-09-150 -a -00	6.0	1,82			pow referencyjne
13-16-2-09-150 -b -00	1.1.2	5,49			
13-16-2-09-150 -b -00	4.1	5,49			
13-16-2-09-150 -b -00	3.2	5,49			
13-16-2-09-150 -b -00	6.0	0,00			
13-16-2-09-150 -c -00	1.1.2	4,90			
13-16-2-09-150 -c -00	4.1	4,90			
13-16-2-09-150 -c -00	6.0	0,00			
13-16-2-09-150 -d -00	1.1.2	0,61			
13-16-2-09-150 -d -00	4.1	0,61			
13-16-2-09-150 -d -00	6.0	0,61			
13-16-2-09-150 -f -00	1.1.2	1,76			
13-16-2-09-150 -f -00	4.1	1,76			
13-16-2-09-150 -f -00	6.0	0,00			
13-16-2-09-150 -g -00	1.1.2	5,52	TPP	428,75 m3	5,52 ha
13-16-2-09-150 -g -00	4.1	5,52	TPP	428,75 m3	5,52 ha
13-16-2-09-150 -h -00	1.1.2	1,09			
13-16-2-09-150 -h -00	4.1	1,09			
13-16-2-09-150 -h -00	6.0	1,09			
13-16-2-09-150 -i -00	1.1.2	2,22			
13-16-2-09-150 -i -00	6.0	0,00			
13-16-2-09-150 -i -00	3.2	0,00			
13-16-2-09-150 -i -00	4.1	2,22			
13-16-2-09-150 -j -00	1.1.2	1,32			
13-16-2-09-150 -j -00	3.2	0,88			
13-16-2-09-150 -j -00	6.0	0,00			
13-16-2-09-150 -j -00	4.1	1,32			
13-16-2-09-150 -k -00	1.1.2	1,31			
13-16-2-09-150 -k -00	4.1	1,31			
13-16-2-09-150 -k -00	6.0	1,31			
13-16-2-09-151 -a -00	1.1.2	3,29			
13-16-2-09-151 -a -00	4.1	3,29			
13-16-2-09-151 -a -00	6.0	0,00			
13-16-2-09-151 -b -00	1.1.2	7,56			
13-16-2-09-151 -b -00	6.0	0,00			
13-16-2-09-151 -b -00	4.1	7,56			
13-16-2-09-151 -c -00	1.1.2	2,09			
13-16-2-09-151 -c -00	4.1	2,09			
13-16-2-09-151 -d -00	1.1.2	7,28	PR	28,14 m3	7,28 ha
13-16-2-09-151 -d -00	3.2	7,28	PR	28,14 m3	7,28 ha
13-16-2-09-151 -d -00	4.1	7,28	PR	28,14 m3	7,28 ha

13-16-2-09-151 -f -00	1.1.2	2,97			
13-16-2-09-151 -f -00	4.1	2,97			
13-16-2-09-151 -g -00	3.2	0,39			
13-16-2-09-151 -g -00	4.1	0,39			
13-16-2-09-151 -i -00	3.2	0,58			
13-16-2-09-151 -i -00	4.1	0,58			
13-16-2-09-152 -a -00	1.1.2	3,54			
13-16-2-09-152 -a -00	2.1	3,54			
13-16-2-09-152 -a -00	4.1	3,54			
13-16-2-09-152 -b -00	2.1	1,24			
13-16-2-09-152 -b -00	1.1.2	1,24			
13-16-2-09-152 -b -00	4.1	1,24			
13-16-2-09-152 -c -00	2.1	1,93			
13-16-2-09-152 -c -00	1.1.2	1,93			
13-16-2-09-152 -c -00	4.1	1,93			
13-16-2-09-152 -d -00	1.1.2	1,42			
13-16-2-09-152 -d -00	2.1	1,42			
13-16-2-09-152 -d -00	4.1	1,42			
13-16-2-09-152 -f -00	1.1.2	3,49			
13-16-2-09-152 -f -00	2.1	3,49			
13-16-2-09-152 -f -00	4.1	3,49			
13-16-2-09-152 -g -00	1.1.2	4,35			
13-16-2-09-152 -g -00	2.1	4,35			
13-16-2-09-152 -g -00	4.1	4,35			
13-16-2-09-152 -h -00	1.1.2	2,06			
13-16-2-09-152 -h -00	2.1	2,06			
13-16-2-09-152 -h -00	4.1	2,06			
13-16-2-09-152 -i -00	1.1.2	6,56	PR	2,41 m3	6,56 ha
13-16-2-09-152 -i -00	2.1	6,56	PR	2,41 m3	6,56 ha
13-16-2-09-152 -i -00	4.1	6,56	PR	2,41 m3	6,56 ha
13-16-2-09-152 -j -00	1.1.2	5,98	PR	2,41 m3	5,98 ha
13-16-2-09-152 -j -00	2.1	5,98	PR	2,41 m3	5,98 ha
13-16-2-09-152 -j -00	4.1	5,98	PR	2,41 m3	5,98 ha
13-16-2-09-159 -a -00	1.1.2	2,19	TPP	83,01 m3	2,19 ha
13-16-2-09-159 -a -00	2.1	2,19	TPP	83,01 m3	2,19 ha
13-16-2-09-159 -a -00	4.1	2,19	TPP	83,01 m3	2,19 ha
13-16-2-09-159 -b -00	2.1	2,20	TPP	76,20 m3	2,20 ha
13-16-2-09-159 -b -00	1.1.2	2,20	TPP	76,20 m3	2,20 ha
13-16-2-09-159 -b -00	4.1	2,20	TPP	76,20 m3	2,20 ha
13-16-2-09-159 -c -00	2.1	1,18			
13-16-2-09-159 -c -00	1.1.2	1,18			
13-16-2-09-159 -c -00	4.1	1,18			
13-16-2-09-159 -d -00	2.1	0,97			
13-16-2-09-159 -d -00	1.1.2	0,97			
13-16-2-09-159 -d -00	4.1	0,97			
13-16-2-09-159 -f -00	1.1.2	2,39			
13-16-2-09-159 -f -00	2.1	2,39			
13-16-2-09-159 -f -00	4.1	2,39			
13-16-2-09-159 -f -00	3.2	2,39			
13-16-2-09-159 -g -00	2.1	1,40			
13-16-2-09-159 -g -00	1.1.2	1,40			
13-16-2-09-159 -g -00	4.1	1,40			
13-16-2-09-159 -h -00	2.1	0,87			
13-16-2-09-159 -h -00	1.1.2	0,87			
13-16-2-09-159 -h -00	4.1	0,87			
13-16-2-09-253 -a -00	4.1	5,65			pow referencyje
13-16-2-09-253 -a -00	3.2	5,65			pow referencyje
13-16-2-09-253 -d -00	4.1	0,24			
13-16-2-09-253 -f -00	4.1	0,73			
13-16-2-09-253 -f -00	3.2	0,73			
13-16-2-09-253 -g -00	3.2	1,06			
13-16-2-09-253 -g -00	4.1	1,06			
13-16-2-09-253 -h -00	4.1	0,42			
13-16-2-09-253 -i -00	4.1	1,97			pow referencyje
13-16-2-09-253 -j -00	4.1	0,21			pow referencyje
13-16-2-09-253 -k -00	4.1	0,64			pow referencyje
13-16-2-09-253 -l -00	3.2	0,44			
13-16-2-09-253 -l -00	4.1	0,44			
13-16-2-09-253 -m -00	4.1	0,58			pow referencyje
13-16-2-09-254 -a -00	4.1	1,25			
13-16-2-09-254 -b -00	4.1	3,84	ZAB-REPEL	0,20 ha	

13-16-2-09-254 -c -00	4.1	0,77			
13-16-2-09-254 -d -00	4.1	3,24			
13-16-2-09-254 -f -00	4.1	2,04			
13-16-2-09-254 -g -00	4.1	2,41			
13-16-2-09-254 -h -00	4.1	10,36	TPP	381,81 m3	10,36 ha
13-16-2-09-255 -a -00	4.1	1,29			
13-16-2-09-255 -c -00	4.1	2,15			
13-16-2-09-255 -f -00	3.2	4,26			
13-16-2-09-255 -f -00	4.1	4,26			
Śnieżnik					
13-16-2-10-138 -a -00	1.1.2	1,42			
13-16-2-10-138 -a -00	2.1	1,42			
13-16-2-10-138 -a -00	4.1	1,42			
13-16-2-10-138 -a -00	4.2	1,42			
13-16-2-10-138 -a -00	3.2	1,42			
13-16-2-10-138 -b -00	1.1.2	8,09			
13-16-2-10-138 -b -00	2.1	8,09			
13-16-2-10-138 -b -00	4.1	8,09			
13-16-2-10-138 -b -00	4.2	8,09			
13-16-2-10-138 -c -00	2.1	6,16	ZAB-REPEL		0,80 ha
13-16-2-10-138 -c -00	1.1.2	6,16	ZAB-REPEL		0,80 ha
13-16-2-10-138 -c -00	4.2	6,16	ZAB-REPEL		0,80 ha
13-16-2-10-138 -c -00	4.1	6,16	ZAB-REPEL		0,80 ha
13-16-2-10-138 -d -00	1.1.2	7,15			
13-16-2-10-138 -d -00	2.1	7,15			
13-16-2-10-138 -d -00	4.2	7,15			
13-16-2-10-138 -d -00	3.2	7,15			
13-16-2-10-138 -d -00	4.1	7,15			
13-16-2-10-138 -f -00	1.1.2	1,05			
13-16-2-10-138 -f -00	2.1	1,05			
13-16-2-10-138 -f -00	3.2	0,00			
13-16-2-10-138 -f -00	4.2	1,05			
13-16-2-10-138 -f -00	4.1	1,05			
13-16-2-10-139 -a -00	1.1.2	3,00			
13-16-2-10-139 -a -00	2.1	3,00			
13-16-2-10-139 -a -00	4.2	3,00			
13-16-2-10-139 -a -00	4.1	3,00			
13-16-2-10-139 -b -00	2.1	1,60			ps
13-16-2-10-139 -b -00	1.1.2	1,60			ps
13-16-2-10-139 -c -00	2.1	1,27			
13-16-2-10-139 -c -00	1.1.2	1,27			
13-16-2-10-139 -d -00	2.1	10,06			ps
13-16-2-10-139 -d -00	1.1.2	10,06			ps
13-16-2-10-139 -f -00	1.1.2	0,86			
13-16-2-10-139 -f -00	2.1	0,86			
13-16-2-10-139 -f -00	4.1	0,86			
13-16-2-10-139 -f -00	4.2	0,86			
13-16-2-10-139 -g -00	1.1.2	0,34			rola
13-16-2-10-139 -g -00	2.1	0,34			rola
13-16-2-10-139 -h -00	2.1	1,45			
13-16-2-10-139 -h -00	1.1.2	1,45			
13-16-2-10-139 -h -00	4.1	1,45			
13-16-2-10-139 -h -00	4.2	1,45			
13-16-2-10-139 -i -00	1.1.2	12,80	TPP	266,42 m3	2,00 ha
13-16-2-10-139 -i -00	2.1	12,80	TPP	266,42 m3	2,00 ha
13-16-2-10-139 -i -00	4.1	12,80	TPP	266,42 m3	2,00 ha
13-16-2-10-139 -i -00	4.2	12,80	TPP	266,42 m3	2,00 ha
13-16-2-10-139 -i -00	3.2	12,80	TPP	266,42 m3	2,00 ha
13-16-2-10-139 -j -00	2.1	2,08			
13-16-2-10-139 -j -00	1.1.2	2,08			
13-16-2-10-139 -j -00	4.1	2,08			
13-16-2-10-139 -j -00	3.2	2,08			
13-16-2-10-139 -j -00	4.2	2,08			
13-16-2-10-143 -a -00	1.1.2	1,40			pow referencyjne
13-16-2-10-143 -a -00	2.1	1,40			pow referencyjne
13-16-2-10-143 -a -00	4.2	1,40			pow referencyjne
13-16-2-10-143 -a -00	3.2	1,40			pow referencyjne
13-16-2-10-143 -a -00	4.1	1,40			pow referencyjne
13-16-2-10-143 -b -00	1.1.2	7,49	mel.agr.; odn.szt; ZAB-REPEL		0,15 ha; 0,15 ha; 0,15 ha

13-16-2-10-143 -b -00	2.1	7,49	mel.agr.; odn.szt; ZAB-REPEL		0,15 ha; 0,15 ha; 0,15 ha
13-16-2-10-143 -b -00	4.1	7,49	mel.agr.; odn.szt; ZAB-REPEL		0,15 ha; 0,15 ha; 0,15 ha
13-16-2-10-143 -b -00	4.2	7,49	mel.agr.; odn.szt; ZAB-REPEL		0,15 ha; 0,15 ha; 0,15 ha
13-16-2-10-143 -c -00	2.1	6,41			
13-16-2-10-143 -c -00	1.1.2	6,41			
13-16-2-10-143 -c -00	4.1	6,41			
13-16-2-10-143 -c -00	4.2	6,41			
13-16-2-10-143 -d -00	2.1	3,62			
13-16-2-10-143 -d -00	1.1.2	3,62			
13-16-2-10-143 -d -00	4.1	3,62			
13-16-2-10-143 -d -00	4.2	3,62			
13-16-2-10-143 -f -00	1.1.2	2,65			pow referencyjne
13-16-2-10-143 -f -00	2.1	2,65			pow referencyjne
13-16-2-10-143 -f -00	4.2	2,65			pow referencyjne
13-16-2-10-143 -f -00	4.1	2,65			pow referencyjne
13-16-2-10-143 -g -00	2.1	0,74			pow referencyjne
13-16-2-10-143 -g -00	1.1.2	0,74			pow referencyjne
13-16-2-10-143 -g -00	4.2	0,74			pow referencyjne
13-16-2-10-143 -g -00	4.1	0,74			pow referencyjne
13-16-2-10-143 -h -00	1.1.2	1,24			
13-16-2-10-143 -h -00	2.1	1,24			
13-16-2-10-143 -h -00	4.1	1,24			
13-16-2-10-143 -h -00	4.2	1,24			
13-16-2-10-143 -i -00	2.1	0,52			ps
13-16-2-10-143 -i -00	1.1.2	0,52			ps
13-16-2-10-143 -j -00	1.1.2	0,09	ZAW-BUD		Lesnictwo; 2 szt.
13-16-2-10-143 -j -00	2.1	0,09	ZAW-BUD		Lesnictwo; 2 szt.
13-16-2-10-144 -a -00	1.1.2	7,38			
13-16-2-10-144 -a -00	2.1	7,38			
13-16-2-10-144 -a -00	4.1	7,38			
13-16-2-10-144 -b -00	1.1.2	4,71			
13-16-2-10-144 -b -00	3.1	0,17			
13-16-2-10-144 -b -00	2.1	4,71			
13-16-2-10-144 -b -00	4.1	4,71			
13-16-2-10-144 -b -00	3.2	0,09			
13-16-2-10-144 -c -00	1.1.2	0,38			rola
13-16-2-10-144 -c -00	2.1	0,38			rola
13-16-2-10-144 -d -00	1.1.2	0,93			ps
13-16-2-10-144 -d -00	2.1	0,93			ps
13-16-2-10-144 -f -00	1.1.2	2,53			
13-16-2-10-144 -f -00	2.1	2,53			
13-16-2-10-144 -f -00	4.1	2,53			
13-16-2-10-144 -g -00	1.1.2	3,44			
13-16-2-10-144 -g -00	2.1	3,44			
13-16-2-10-144 -g -00	4.1	3,44			
13-16-2-10-144 -h -00	1.1.2	1,42			
13-16-2-10-144 -h -00	2.1	1,42			
13-16-2-10-144 -h -00	4.1	1,42			
13-16-2-10-146 -a -00	1.1.2	1,32			
13-16-2-10-146 -a -00	1.1.1	1,32			pow referencyjne
13-16-2-10-146 -a -00	2.1	1,32			pow referencyjne
13-16-2-10-146 -a -00	3.2	1,32			pow referencyjne
13-16-2-10-146 -a -00	6.0	1,32			pow referencyjne
13-16-2-10-146 -b -00	1.1.1	0,37			utw. Fizjograficzny
13-16-2-10-146 -b -00	2.1	0,37			utw. Fizjograficzny
13-16-2-10-146 -b -00	1.1.2	0,37			utw. Fizjograficzny
13-16-2-10-146 -b -00	6.0	0,37			utw. Fizjograficzny
13-16-2-10-146 -c -00	1.1.2	0,62			pow referencyjne
13-16-2-10-146 -c -00	1.1.1	0,62			pow referencyjne
13-16-2-10-146 -c -00	2.1	0,62			pow referencyjne
13-16-2-10-146 -c -00	6.0	0,62			pow referencyjne
13-16-2-10-146 -d -00	1.1.1	0,34			pow referencyjne
13-16-2-10-146 -d -00	1.1.2	0,34			pow referencyjne
13-16-2-10-146 -d -00	2.1	0,34			pow referencyjne
13-16-2-10-146 -d -00	6.0	0,34			pow referencyjne
13-16-2-10-146 -d -00	3.2	0,34			pow referencyjne
13-16-2-10-146 -f -00	1.1.2	6,21			
13-16-2-10-146 -f -00	2.1	6,21			

13-16-2-10-146 -f -00	3.2	6,21			
13-16-2-10-146 -f -00	4.1	6,21			
13-16-2-10-146 -g -00	1.1.2	6,23			pow referencyjne
13-16-2-10-146 -g -00	4.1	6,23			pow referencyjne
13-16-2-10-146 -h -00	1.1.2	1,62			
13-16-2-10-146 -h -00	2.1	1,62			
13-16-2-10-146 -h -00	4.1	1,62			
13-16-2-10-146 -h -00	3.2	1,62			
13-16-2-10-146 -i -00	1.1.2	0,56			turyst
13-16-2-10-146 -i -00	2.1	0,56			turyst
13-16-2-10-146 -j -00	1.1.2	0,13			budynek leśnictwa
13-16-2-10-146 -j -00	2.1	0,13			budynek leśnictwa
13-16-2-10-146 -k -00	2.1	0,40			
13-16-2-10-146 -k -00	1.1.2	0,40			
13-16-2-10-146 -k -00	4.1	0,40			
13-16-2-10-146 -m -00	2.1	0,03			drogi inne
13-16-2-10-146 -m -00	1.1.2	0,03			drogi inne
13-16-2-10-146 -n -00	1.1.1	0,04			potok
13-16-2-10-146 -n -00	2.1	0,04			potok
13-16-2-10-146 -n -00	1.1.2	0,04			potok
13-16-2-10-146 -n -00	6.0	0,04			potok
13-16-2-10-146 -n -00	3.2	0,04			potok
13-16-2-10-146 -o -00	2.1	0,02			potok
13-16-2-10-146 -o -00	1.1.2	0,02			potok
13-16-2-10-146 -o -00	3.2	0,02			potok
13-16-2-10-146 -p -00	2.1	0,06			potok
13-16-2-10-146 -p -00	1.1.1	0,06			potok
13-16-2-10-146 -p -00	1.1.2	0,06			potok
13-16-2-10-146 -p -00	3.2	0,06			potok
13-16-2-10-146 -p -00	6.0	0,06			potok
13-16-2-10-153 -a -00	1.1.2	0,91			
13-16-2-10-153 -a -00	2.1	0,91			
13-16-2-10-153 -a -00	4.1	0,91			
13-16-2-10-153 -b -00	1.1.2	6,59	popr.; OPR-USP		0,20 ha; 2,05 ha
13-16-2-10-153 -b -00	2.1	6,59	popr.; OPR-USP		0,20 ha; 2,05 ha
13-16-2-10-153 -b -00	4.1	6,59	popr.; OPR-USP		0,20 ha; 2,05 ha
13-16-2-10-153 -c -00	2.1	2,64			
13-16-2-10-153 -c -00	1.1.2	2,64			
13-16-2-10-153 -c -00	4.1	2,64			
13-16-2-10-154 -a -00	1.1.2	1,73			
13-16-2-10-154 -a -00	2.1	1,73			
13-16-2-10-154 -a -00	4.1	1,73			
13-16-2-10-154 -b -00	1.1.2	6,20			
13-16-2-10-154 -b -00	2.1	6,38			
13-16-2-10-154 -b -00	4.1	6,38			
13-16-2-10-154 -c -00	1.1.2	4,24			
13-16-2-10-154 -c -00	2.1	4,24			
13-16-2-10-154 -c -00	4.1	4,24			
13-16-2-10-154 -d -00	1.1.2	7,17			
13-16-2-10-154 -d -00	2.1	7,17			
13-16-2-10-154 -d -00	4.1	7,17			
13-16-2-10-154 -f -00	2.1	1,52			
13-16-2-10-154 -f -00	1.1.2	1,52			
13-16-2-10-154 -f -00	4.1	1,52			
13-16-2-10-155 -a -00	2.1	2,26			
13-16-2-10-155 -a -00	1.1.2	2,26			
13-16-2-10-155 -a -00	4.1	2,26			
13-16-2-10-155 -b -00	1.1.2	19,18			
13-16-2-10-155 -b -00	2.1	19,18			
13-16-2-10-155 -b -00	4.1	19,18			
13-16-2-10-155 -c -00	2.1	2,97			
13-16-2-10-155 -c -00	1.1.2	2,97			
13-16-2-10-155 -c -00	4.1	2,97			
13-16-2-10-156 -a -00	2.1	14,49			
13-16-2-10-156 -a -00	1.1.2	14,49			
13-16-2-10-156 -a -00	4.1	14,49			
13-16-2-10-156 -b -00	1.1.2	3,74			
13-16-2-10-156 -b -00	2.1	3,74			
13-16-2-10-156 -b -00	4.1	3,74			
13-16-2-10-156 -c -00	2.1	1,91			
13-16-2-10-156 -c -00	1.1.2	1,91			

13-16-2-10-156 -c -00	4.1	1,91			
13-16-2-10-157 -a -00	1.1.2	2,47			
13-16-2-10-157 -a -00	2.1	2,47			
13-16-2-10-157 -a -00	4.1	2,47			
13-16-2-10-157 -b -00	1.1.2	0,65			
13-16-2-10-157 -b -00	2.1	0,65			
13-16-2-10-157 -b -00	4.1	0,65			
13-16-2-10-157 -c -00	1.1.2	1,00			
13-16-2-10-157 -c -00	2.1	1,00			
13-16-2-10-157 -c -00	4.1	1,00			
13-16-2-10-157 -d -00	2.1	1,32			
13-16-2-10-157 -d -00	1.1.2	1,32			
13-16-2-10-157 -d -00	4.1	1,32			
13-16-2-10-157 -f -00	1.1.2	6,58			
13-16-2-10-157 -f -00	2.1	6,58			
13-16-2-10-157 -f -00	4.1	6,58			
13-16-2-10-157 -g -00	2.1	2,01			
13-16-2-10-157 -g -00	1.1.2	2,01			
13-16-2-10-157 -g -00	3.2	2,01			
13-16-2-10-157 -g -00	4.1	2,01			
13-16-2-10-158 -a -00	2.1	0,67			
13-16-2-10-158 -a -00	1.1.2	0,67			
13-16-2-10-158 -a -00	4.1	0,67			
13-16-2-10-158 -b -00	2.1	3,80			
13-16-2-10-158 -b -00	1.1.2	3,80			
13-16-2-10-158 -b -00	3.2	0,00			
13-16-2-10-158 -b -00	4.1	3,80			
13-16-2-10-158 -c -00	2.1	7,83			
13-16-2-10-158 -c -00	1.1.2	7,83			
13-16-2-10-158 -c -00	4.1	7,83			
13-16-2-10-158 -c -00	3.2	0,00			
13-16-2-10-158 -d -00	2.1	2,94			
13-16-2-10-158 -d -00	1.1.2	2,94			
13-16-2-10-158 -d -00	4.1	2,94			
13-16-2-10-158 -d -00	3.2	2,94			
13-16-2-10-158 -f -00	1.1.2	2,61			
13-16-2-10-158 -f -00	2.1	2,61			
13-16-2-10-158 -f -00	4.1	2,61			
13-16-2-10-158 -f -00	3.2	2,61			
13-16-2-10-158 -g -00	2.1	2,48			
13-16-2-10-158 -g -00	1.1.2	2,48			
13-16-2-10-158 -g -00	4.1	2,48			
13-16-2-10-158 -g -00	3.2	2,48			
13-16-2-10-158 -h -00	2.1	2,47			
13-16-2-10-158 -h -00	1.1.2	2,47			
13-16-2-10-158 -h -00	4.1	2,47			
13-16-2-10-158 -h -00	3.2	2,47			
13-16-2-10-160 -a -00	2.1	0,58			
13-16-2-10-160 -a -00	1.1.2	0,58			
13-16-2-10-160 -a -00	3.2	0,58			
13-16-2-10-160 -a -00	4.1	0,58			
13-16-2-10-160 -b -00	1.1.2	1,39			
13-16-2-10-160 -b -00	2.1	1,39			
13-16-2-10-160 -b -00	4.1	1,39			
13-16-2-10-160 -c -00	2.1	1,79			
13-16-2-10-160 -c -00	1.1.2	1,79			
13-16-2-10-160 -c -00	4.1	1,79			
13-16-2-10-160 -d -00	1.1.2	2,27			
13-16-2-10-160 -d -00	2.1	2,27			
13-16-2-10-160 -d -00	4.1	2,27			
13-16-2-10-160 -d -00	3.2	2,27			
13-16-2-10-160 -f -00	2.1	3,87			
13-16-2-10-160 -f -00	1.1.2	3,87			
13-16-2-10-160 -f -00	4.1	3,87			
13-16-2-10-160 -g -00	1.1.2	6,94			
13-16-2-10-160 -g -00	2.1	6,94			
13-16-2-10-160 -g -00	4.1	6,94			
13-16-2-10-160 -h -00	2.1	1,41	CP-NAT1; odn.szt.		0,70 ha; 0,84 ha; 0,71 ha
13-16-2-10-160 -h -00	1.1.2	1,41	CP-NAT1; odn.szt.		0,70 ha; 0,84 ha; 0,71 ha
13-16-2-10-160 -h -00	4.1	1,41	CP-NAT1; odn.szt.		0,70 ha; 0,84 ha; 0,71 ha
13-16-2-10-160 -i -00	1.1.2	3,54			

13-16-2-10-160 -i -00	2.1	3,54			
13-16-2-10-160 -i -00	4.1	3,54			
13-16-2-10-161 -a -00	2.1	0,70			
13-16-2-10-161 -a -00	1.1.2	0,70			
13-16-2-10-161 -a -00	4.1	0,70			
13-16-2-10-161 -a -00	3.2	0,70			
13-16-2-10-161 -b -00	1.1.2	0,94			
13-16-2-10-161 -b -00	2.1	0,94			
13-16-2-10-161 -b -00	4.1	0,94			
13-16-2-10-161 -c -00	2.1	4,89			
13-16-2-10-161 -c -00	1.1.2	4,89			
13-16-2-10-161 -c -00	4.1	4,89			
13-16-2-10-161 -d -00	2.1	14,47			
13-16-2-10-161 -d -00	1.1.2	14,47			
13-16-2-10-161 -d -00	4.1	14,47			
13-16-2-10-161 -f -00	2.1	5,39			
13-16-2-10-161 -f -00	1.1.2	5,39			
13-16-2-10-161 -f -00	4.1	5,39			
13-16-2-10-162 -a -00	1.1.2	3,63			
13-16-2-10-162 -a -00	2.1	3,63			
13-16-2-10-162 -a -00	4.1	3,63			
13-16-2-10-162 -b -00	1.1.2	6,59			
13-16-2-10-162 -b -00	2.1	6,59			
13-16-2-10-162 -b -00	4.1	6,59			
13-16-2-10-163 -a -00	1.1.2	8,64			
13-16-2-10-163 -a -00	2.1	8,64			
13-16-2-10-163 -a -00	4.1	8,64			
13-16-2-10-163 -b -00	2.1	3,27	DEM-OGROD		3,27 ha
13-16-2-10-163 -b -00	1.1.2	3,27	DEM-OGROD		3,27 ha
13-16-2-10-163 -b -00	4.1	3,27	DEM-OGROD		3,27 ha
13-16-2-10-163 -c -00	1.1.2	2,38	DEM-OGROD		2,38 ha
13-16-2-10-163 -c -00	2.1	2,38	DEM-OGROD		2,38 ha
13-16-2-10-163 -c -00	4.1	2,38	DEM-OGROD		2,38 ha
13-16-2-10-163 -d -00	1.1.2	1,48			
13-16-2-10-163 -d -00	2.1	1,48			
13-16-2-10-163 -d -00	4.1	1,48			
13-16-2-10-163 -f -00	2.1	1,65			
13-16-2-10-163 -f -00	1.1.2	1,65			
13-16-2-10-163 -f -00	4.1	1,65			
13-16-2-10-163 -g -00	2.1	3,18			
13-16-2-10-163 -g -00	1.1.2	3,18			
13-16-2-10-163 -g -00	4.1	3,18			
13-16-2-10-163 -h -00	2.1	2,26			
13-16-2-10-163 -h -00	1.1.2	2,26			
13-16-2-10-163 -h -00	4.1	2,26			
13-16-2-10-163 -j -00	2.1	7,95	OPR-USP		2,00 ha
13-16-2-10-163 -j -00	1.1.2	7,95	OPR-USP		2,00 ha
13-16-2-10-163 -j -00	4.1	7,95	OPR-USP		2,00 ha
13-16-2-10-164 -a -00	1.1.2	7,87	IVD; mel.agr.; odn.szt-nat.; GRODZ-SG	696,91 m3	7,42 ha; 3,12 ha; 1,88 ha; 1,50 ha
13-16-2-10-164 -a -00	2.1	7,87	IVD; mel.agr.; odn.szt-nat.; GRODZ-SG	696,91 m3	7,42 ha; 3,12 ha; 1,88 ha; 1,50 ha
13-16-2-10-164 -a -00	4.1	7,87	IVD; mel.agr.; odn.szt-nat.; GRODZ-SG	696,91 m3	7,42 ha; 3,12 ha; 1,88 ha; 1,50 ha
13-16-2-10-164 -b -00	1.1.2	1,45	CP-SZTM2		1,45 ha
13-16-2-10-164 -b -00	2.1	1,45	CP-SZTM2		1,45 ha
13-16-2-10-164 -b -00	4.1	1,45	CP-SZTM2		1,45 ha
13-16-2-10-164 -c -00	2.1	1,59			
13-16-2-10-164 -c -00	1.1.2	1,59			
13-16-2-10-164 -c -00	4.1	1,59			
13-16-2-10-164 -d -00	1.1.2	0,93			
13-16-2-10-164 -d -00	2.1	0,93			
13-16-2-10-164 -d -00	4.1	0,93			
13-16-2-10-164 -f -00	2.1	1,51			
13-16-2-10-164 -f -00	1.1.2	1,51			
13-16-2-10-164 -f -00	4.1	1,51			
13-16-2-10-164 -g -00	1.1.2	1,32			
13-16-2-10-164 -g -00	2.1	1,32			

13-16-2-10-164 -g -00	4.1	1,32			
13-16-2-10-165 -a -00	2.1	2,72	ZAW-BUD		1 szt.
13-16-2-10-165 -a -00	1.1.2	2,72	ZAW-BUD		1 szt.
13-16-2-10-165 -a -00	4.1	2,72	ZAW-BUD		
13-16-2-10-165 -b -00	1.1.2	1,61			1 szt.
13-16-2-10-165 -b -00	2.1	1,61			
13-16-2-10-165 -b -00	4.1	1,61			
13-16-2-10-165 -c -00	1.1.2	1,57	popr.		0,50 ha
13-16-2-10-165 -c -00	2.1	1,57	popr.		0,50 ha
13-16-2-10-165 -c -00	4.1	1,57	popr.		0,50 ha
13-16-2-10-165 -d -00	2.1	1,49			
13-16-2-10-165 -d -00	1.1.2	1,49			
13-16-2-10-165 -d -00	4.1	1,49			
13-16-2-10-165 -f -00	2.1	2,25			
13-16-2-10-165 -f -00	1.1.2	2,25			
13-16-2-10-165 -f -00	4.1	2,25			
13-16-2-10-165 -g -00	1.1.2	1,53			
13-16-2-10-165 -g -00	2.1	1,53			
13-16-2-10-165 -g -00	4.1	1,53			
13-16-2-10-166 -a -00	2.1	5,78	TPP	409,73 m3	5,78 ha
13-16-2-10-166 -a -00	1.1.2	5,78	TPP	409,73 m3	5,78 ha
13-16-2-10-166 -a -00	4.2	5,78	TPP	409,73 m3	5,78 ha
13-16-2-10-166 -a -00	4.1	5,78	TPP	409,73 m3	5,78 ha
13-16-2-10-166 -b -00	2.1	1,78			
13-16-2-10-166 -b -00	1.1.2	1,78			
13-16-2-10-166 -b -00	3.2	1,78			
13-16-2-10-166 -b -00	4.1	1,78			
13-16-2-10-166 -b -00	4.2	1,78			
13-16-2-10-166 -c -00	1.1.2	2,63			
13-16-2-10-166 -c -00	2.1	2,63			
13-16-2-10-166 -c -00	4.1	2,63			
13-16-2-10-166 -c -00	4.2	2,63			
13-16-2-10-166 -d -00	2.1	1,55			
13-16-2-10-166 -d -00	1.1.2	1,55			
13-16-2-10-166 -d -00	4.1	1,55			
13-16-2-10-166 -d -00	4.2	1,55			
13-16-2-10-166 -f -00	1.1.2	3,07			
13-16-2-10-166 -f -00	2.1	3,07			
13-16-2-10-166 -f -00	4.1	3,07			
13-16-2-10-166 -f -00	4.2	3,07			
13-16-2-10-166 -g -00	1.1.2	2,36			
13-16-2-10-166 -g -00	2.1	2,36			
13-16-2-10-166 -g -00	4.2	2,36			
13-16-2-10-166 -g -00	4.1	2,36			
13-16-2-10-166 -h -00	2.1	0,10			
13-16-2-10-166 -h -00	1.1.2	0,10			
13-16-2-10-166 -h -00	3.2	0,10			
13-16-2-10-166 -h -00	4.1	0,10			
13-16-2-10-166 -h -00	4.2	0,10			
13-16-2-10-166 -i -00	1.1.2	0,26			ujęcie wody
13-16-2-10-166 -i -00	2.1	0,26			ujęcie wody
13-16-2-10-166 -i -00	4.2	0,26			ujęcie wody
13-16-2-10-166 -i -00	4.1	0,26			ujęcie wody
13-16-2-10-167 -a -00	1.1.2	0,35			tereny zdewast.
13-16-2-10-167 -a -00	2.1	0,35			tereny zdewast.
13-16-2-10-167 -b -00	2.1	2,90			
13-16-2-10-167 -b -00	1.1.2	2,90			
13-16-2-10-167 -b -00	4.1	2,90			
13-16-2-10-167 -b -00	4.2	2,90			
13-16-2-10-167 -c -00	2.1	6,95	ZAB-REPEL		1,00 ha
13-16-2-10-167 -c -00	1.1.2	6,95	ZAB-REPEL		1,00 ha
13-16-2-10-167 -c -00	4.2	6,95	ZAB-REPEL		1,00 ha
13-16-2-10-167 -c -00	4.1	6,95	ZAB-REPEL		1,00 ha
13-16-2-10-167 -d -00	2.1	3,57			
13-16-2-10-167 -d -00	1.1.2	3,57			
13-16-2-10-167 -d -00	4.1	3,57			
13-16-2-10-167 -d -00	4.2	3,57			
13-16-2-10-167 -f -00	2.1	11,52			
13-16-2-10-167 -f -00	1.1.2	11,52			
13-16-2-10-167 -f -00	4.2	11,52			
13-16-2-10-167 -f -00	4.1	11,52			

13-16-2-10-167 -g -00	2.1	1,77			
13-16-2-10-167 -g -00	1.1.2	1,77			
13-16-2-10-167 -g -00	4.1	1,77			
13-16-2-10-167 -g -00	4.2	1,77			
13-16-2-10-167 -h -00	2.1	1,75			
13-16-2-10-167 -h -00	1.1.2	1,75			
13-16-2-10-167 -h -00	4.1	1,75			
13-16-2-10-167 -h -00	4.2	1,75			
13-16-2-10-167 -i -00	1.1.2	0,32			drogi leśne
13-16-2-10-167 -i -00	2.1	0,32			drogi leśne
13-16-2-10-168 -a -00	2.1	0,88	CP-P; CP-SZTM2	1,72 m3	0,88 ha; 0,88 ha
13-16-2-10-168 -a -00	1.1.2	0,88	CP-P; CP-SZTM2	1,72 m3	0,88 ha; 0,88 ha
13-16-2-10-168 -a -00	4.1	0,88	CP-P; CP-SZTM2	1,72 m3	0,88 ha; 0,88 ha
13-16-2-10-168 -b -00	1.1.2	4,39	TPP	281,54 m3	4,39 ha
13-16-2-10-168 -b -00	2.1	4,39	TPP	281,54 m3	4,39 ha
13-16-2-10-168 -b -00	4.1	4,39	TPP	281,54 m3	4,39 ha
13-16-2-10-168 -c -00	2.1	8,48			
13-16-2-10-168 -c -00	1.1.2	8,48			
13-16-2-10-168 -c -00	4.1	8,48			
13-16-2-10-168 -d -00	2.1	1,96			
13-16-2-10-168 -d -00	1.1.2	1,96			
13-16-2-10-168 -d -00	4.1	1,96			
13-16-2-10-169 -a -00	2.1	2,55			
13-16-2-10-169 -a -00	1.1.2	2,55			
13-16-2-10-169 -a -00	3.2	2,55			
13-16-2-10-169 -a -00	4.2	2,55			
13-16-2-10-169 -a -00	4.1	2,55			
13-16-2-10-169 -b -00	1.1.2	7,02	TPP	43,72 m3	0 ha
13-16-2-10-169 -b -00	2.1	7,02	TPP	43,72 m3	0 ha
13-16-2-10-169 -b -00	4.1	7,02	TPP	43,72 m3	0 ha
13-16-2-10-169 -b -00	3.2	7,02	TPP	43,72 m3	0 ha
13-16-2-10-169 -b -00	4.2	7,02	TPP	43,72 m3	0 ha
13-16-2-10-169 -b -00	6.0	0,00	TPP	43,72 m3	0 ha
13-16-2-10-169 -c -00	2.1	0,55			ps
13-16-2-10-169 -c -00	1.1.2	0,55			ps
13-16-2-10-169 -d -00	1.1.2	4,20			pow referencyjne
13-16-2-10-169 -d -00	2.1	4,20			pow referencyjne
13-16-2-10-169 -d -00	4.1	4,20			pow referencyjne
13-16-2-10-169 -d -00	6.0	4,20			pow referencyjne
13-16-2-10-169 -d -00	4.2	4,20			pow referencyjne
13-16-2-10-169 -f -00	1.1.2	0,81			pow referencyjne
13-16-2-10-169 -f -00	2.1	0,81			pow referencyjne
13-16-2-10-169 -f -00	6.0	0,81			pow referencyjne
13-16-2-10-169 -f -00	4.1	0,81			pow referencyjne
13-16-2-10-169 -f -00	4.2	0,81			pow referencyjne
13-16-2-10-169 -g -00	2.1	0,24			tereny zdewastowan
13-16-2-10-169 -g -00	1.1.2	0,24			tereny zdewastowan
13-16-2-10-169 -h -00	1.1.2	0,08			szcz chr
13-16-2-10-169 -h -00	2.1	0,08			szcz chr
13-16-2-10-169 -h -00	4.2	0,08			szcz chr
13-16-2-10-169 -h -00	6.0	0,08			szcz chr
13-16-2-10-169 -h -00	4.1	0,08			szcz chr
13-16-2-10-169 -i -00	1.1.2	0,16			drogi leśne
13-16-2-10-169 -i -00	2.1	0,16			drogi leśne
13-16-2-10-170 -a -00	1.1.2	7,47	IVD; mel.agr.; odn.szt.; GRODZ-SG	936,18 m3	7,47 ha; 2,30 ha; 1,54 ha; 1,54 ha
13-16-2-10-170 -a -00	2.1	7,47	IVD; mel.agr.; odn.szt.; GRODZ-SG	936,18 m3	7,47 ha; 2,30 ha; 1,54 ha; 1,54 ha
13-16-2-10-170 -a -00	4.1	7,47	IVD; mel.agr.; odn.szt.; GRODZ-SG	936,18 m3	7,47 ha; 2,30 ha; 1,54 ha; 1,54 ha
13-16-2-10-170 -a -00	4.2	7,47	IVD; mel.agr.; odn.szt.; GRODZ-SG	936,18 m3	7,47 ha; 2,30 ha; 1,54 ha; 1,54 ha
13-16-2-10-170 -a -00	6.0	0,00			
13-16-2-10-170 -b -00	1.1.2	3,65			
13-16-2-10-170 -b -00	2.1	3,65			
13-16-2-10-170 -b -00	6.0	3,65			
13-16-2-10-170 -b -00	3.2	0,17			
13-16-2-10-170 -b -00	4.1	3,65			
13-16-2-10-170 -b -00	4.2	3,65			
13-16-2-10-170 -c -00	2.1	0,99			
13-16-2-10-170 -c -00	1.1.2	0,99			

13-16-2-10-170 -c -00	6.0	0,99			
13-16-2-10-170 -c -00	4.1	0,99			
13-16-2-10-170 -c -00	3.2	0,99			
13-16-2-10-170 -c -00	4.2	0,99			
13-16-2-10-170 -d -00	2.1	3,88			
13-16-2-10-170 -d -00	1.1.2	3,88			
13-16-2-10-170 -d -00	4.1	3,88			
13-16-2-10-170 -d -00	4.2	3,88			
13-16-2-10-170 -d -00	6.0	3,88			
13-16-2-10-170 -f -00	1.1.2	0,01			budynki inne
13-16-2-10-170 -f -00	2.1	0,01			budynki inne
13-16-2-10-170 -f -00	6.0	0,01			
13-16-2-10-170 -g -00	2.1	0,35			ps
13-16-2-10-170 -g -00	1.1.2	0,35			ps
13-16-2-10-170 -h -00	2.1	0,08			zab inne
13-16-2-10-170 -h -00	1.1.2	0,08			zab inne
13-16-2-10-170 -i -00	1.1.2	0,06			zab inne
13-16-2-10-170 -i -00	2.1	0,06			zab inne
13-16-2-10-171 -a -00	2.1	10,41			
13-16-2-10-171 -a -00	1.1.2	10,41			
13-16-2-10-171 -a -00	4.1	10,41			
13-16-2-10-171 -a -00	4.2	10,41			
13-16-2-10-171 -b -00	1.1.2	3,97	TPP	193,30 m3	3,97 ha
13-16-2-10-171 -b -00	2.1	3,97	TPP	193,30 m3	3,97 ha
13-16-2-10-171 -b -00	3.2	0,09	TPP	193,30 m3	3,97 ha
13-16-2-10-171 -b -00	4.2	3,97	TPP	193,30 m3	3,97 ha
13-16-2-10-171 -b -00	4.1	3,97	TPP	193,30 m3	3,97 ha
13-16-2-10-171 -c -00	2.1	1,67			
13-16-2-10-171 -c -00	1.1.2	1,67			
13-16-2-10-171 -c -00	4.1	1,67			
13-16-2-10-171 -c -00	4.2	1,67			
13-16-2-10-171 -d -00	1.1.2	4,22	TPP	287,68 m3	4,22 ha
13-16-2-10-171 -d -00	2.1	4,22	TPP	287,68 m3	4,22 ha
13-16-2-10-171 -d -00	4.1	4,22	TPP	287,68 m3	4,22 ha
13-16-2-10-171 -d -00	3.2	4,22	TPP	287,68 m3	4,22 ha
13-16-2-10-171 -d -00	4.2	4,22	TPP	287,68 m3	4,22 ha
13-16-2-10-171 -f -00	1.1.2	8,00	IVD; mel.agr.; odn.szt.; GRODZ-SG	1432,47 m3	8,00 ha; 1,60 ha; 1,60 ha; 1,60 ha
13-16-2-10-171 -f -00	2.1	8,00	IVD; mel.agr.; odn.szt.; GRODZ-SG	1432,47 m3	8,00 ha; 1,60 ha; 1,60 ha; 1,60 ha
13-16-2-10-171 -f -00	4.1	8,00	IVD; mel.agr.; odn.szt.; GRODZ-SG	1432,47 m3	8,00 ha; 1,60 ha; 1,60 ha; 1,60 ha
13-16-2-10-171 -f -00	4.2	8,00	IVD; mel.agr.; odn.szt.; GRODZ-SG	1432,47 m3	8,00 ha; 1,60 ha; 1,60 ha; 1,60 ha
13-16-2-10-171 -g -00	1.1.2	0,43			leśnictwo
13-16-2-10-171 -g -00	2.1	0,43			leśnictwo
13-16-2-10-171 -h -00	1.1.2	0,07			ps
13-16-2-10-171 -h -00	2.1	0,07			ps
13-16-2-10-171 -i -00	1.1.2	0,09			ps
13-16-2-10-171 -i -00	2.1	0,09			ps
13-16-2-10-171 -j -00	1.1.2	0,18			ps
13-16-2-10-171 -j -00	2.1	0,18			ps
13-16-2-10-171 -k -00	2.1	0,07			ps
13-16-2-10-171 -k -00	1.1.2	0,07			ps
13-16-2-10-171 -l -00	2.1	0,01			ps
13-16-2-10-171 -l -00	1.1.2	0,01			ps/drogi inne 0,01 ha
13-16-2-10-174 -a -00	2.1	4,65			
13-16-2-10-174 -a -00	1.1.2	4,65			
13-16-2-10-174 -a -00	4.1	4,65			
13-16-2-10-174 -b -00	2.1	0,86			pow referencyjne
13-16-2-10-174 -b -00	1.1.2	0,86			pow referencyjne
13-16-2-10-174 -b -00	4.1	0,86			pow referencyjne
13-16-2-10-174 -b -00	3.2	0,86			pow referencyjne
13-16-2-10-174 -c -00	2.1	2,42			pow referencyjne
13-16-2-10-174 -c -00	1.1.2	2,42			pow referencyjne
13-16-2-10-174 -c -00	4.1	2,42			pow referencyjne
13-16-2-10-174 -d -00	2.1	3,71			
13-16-2-10-174 -d -00	1.1.2	3,71			
13-16-2-10-174 -d -00	4.1	3,71			
13-16-2-10-174 -f -00	2.1	7,92			
13-16-2-10-174 -f -00	1.1.2	7,92			

13-16-2-10-174 -f -00	4.1	7,92			
13-16-2-10-174 -g -00	2.1	1,70			
13-16-2-10-174 -g -00	1.1.2	1,70			
13-16-2-10-174 -g -00	4.1	1,70			
13-16-2-10-174 -h -00	2.1	1,02			
13-16-2-10-174 -h -00	1.1.2	1,02			
13-16-2-10-174 -h -00	4.1	1,02			
13-16-2-10-174 -i -00	2.1	1,93			
13-16-2-10-174 -i -00	1.1.2	1,93			
13-16-2-10-174 -i -00	4.1	1,93			
13-16-2-10-174 -j -00	1.1.2	0,08			potok
13-16-2-10-174 -j -00	2.1	0,08			potok
13-16-2-10-175 -a -00	1.1.2	2,80			
13-16-2-10-175 -a -00	2.1	2,80			
13-16-2-10-175 -a -00	4.1	2,80			
13-16-2-10-175 -b -00	1.1.2	0,95			
13-16-2-10-175 -b -00	4.1	0,95			
13-16-2-10-175 -c -00	2.1	1,36			
13-16-2-10-175 -c -00	1.1.2	1,36			
13-16-2-10-175 -c -00	4.1	1,36			
13-16-2-10-175 -d -00	2.1	1,88			
13-16-2-10-175 -d -00	1.1.2	1,88			
13-16-2-10-175 -d -00	3.2	1,88			
13-16-2-10-175 -d -00	4.1	1,88			
13-16-2-10-175 -f -00	2.1	3,07			
13-16-2-10-175 -f -00	1.1.2	3,07			
13-16-2-10-175 -f -00	4.1	3,07			
13-16-2-10-175 -f -00	3.2	3,07			
13-16-2-10-175 -g -00	1.1.2	3,12			
13-16-2-10-175 -g -00	2.1	3,12			
13-16-2-10-175 -g -00	3.2	3,12			
13-16-2-10-175 -g -00	4.1	3,12			
13-16-2-10-175 -h -00	1.1.2	7,11			
13-16-2-10-175 -h -00	2.1	7,11			
13-16-2-10-175 -h -00	4.1	7,11			
13-16-2-10-175 -i -00	2.1	3,03			
13-16-2-10-175 -i -00	1.1.2	3,03			
13-16-2-10-175 -i -00	4.1	3,03			
13-16-2-10-175 -i -00	3.2	0,82			
13-16-2-10-176 -a -00	1.1.2	1,53			
13-16-2-10-176 -a -00	2.1	1,53			
13-16-2-10-176 -a -00	4.1	1,53			
13-16-2-10-176 -b -00	2.1	3,50			
13-16-2-10-176 -b -00	1.1.2	3,50			
13-16-2-10-176 -b -00	4.1	3,50			
13-16-2-10-176 -c -00	2.1	7,29	TPP	125,79 m3	5,79 ha
13-16-2-10-176 -c -00	1.1.2	7,29	TPP	125,79 m3	5,79 ha
13-16-2-10-176 -c -00	4.1	7,29	TPP	125,79 m3	5,79 ha
13-16-2-10-176 -d -00	2.1	2,61	TWP	76,40 m3	2,61 ha
13-16-2-10-176 -d -00	1.1.2	2,61	TWP	76,40 m3	2,61 ha
13-16-2-10-176 -d -00	4.1	2,61	TWP	76,40 m3	2,61 ha
13-16-2-10-176 -f -00	2.1	5,56	odn.szt.; ZAB-REPEL		0,50 ha; 0,50 ha
13-16-2-10-176 -f -00	1.1.2	5,56	odn.szt.; ZAB-REPEL		0,50 ha; 0,50 ha
13-16-2-10-176 -f -00	4.1	5,56	odn.szt.; ZAB-REPEL		0,50 ha; 0,50 ha
13-16-2-10-176 -g -00	2.1	0,95	TPP	85,96 m3	0,95 ha
13-16-2-10-176 -g -00	1.1.2	0,95	TPP	85,96 m3	0,95 ha
13-16-2-10-176 -g -00	4.1	0,95	TPP	85,96 m3	0,95 ha
13-16-2-10-177 -a -00	1.1.2	4,33			
13-16-2-10-177 -a -00	3.2	4,33			
13-16-2-10-177 -a -00	4.1	4,33			
13-16-2-10-177 -ax -00	4.1	0,12			pow referencyjne
13-16-2-10-177 -b -00	1.1.2	8,67			
13-16-2-10-177 -b -00	3.2	8,67			
13-16-2-10-177 -b -00	4.1	8,67			
13-16-2-10-177 -bx -00	4.1	0,53			
13-16-2-10-177 -c -00	1.1.2	1,76			
13-16-2-10-177 -c -00	4.1	1,76			
13-16-2-10-177 -d -00	1.1.2	5,04			pow referencyjne
13-16-2-10-177 -d -00	4.1	5,04			pow referencyjne
13-16-2-10-177 -d -00	3.2	5,04			pow referencyjne
13-16-2-10-177 -f -00	1.1.2	3,50			

13-16-2-10-177 -f -00	4.1	3,49			
13-16-2-10-177 -g -00	1.1.2	0,94			
13-16-2-10-177 -g -00	4.1	0,94			
13-16-2-10-177 -h -00	1.1.2	1,89			
13-16-2-10-177 -h -00	4.1	1,89			
13-16-2-10-177 -i -00	1.1.2	2,81			pow referencyjne
13-16-2-10-177 -i -00	4.1	2,81			pow referencyjne
13-16-2-10-177 -t -00	4.1	1,35			
13-16-2-10-177 -x -00	4.1	1,26			
13-16-2-10-177 -y -00	4.1	5,39			
13-16-2-10-177 -z -00	4.1	0,11			pow referencyjne
13-16-2-10-178 -a -00	2.1	1,77			
13-16-2-10-178 -a -00	1.1.2	1,77			
13-16-2-10-178 -a -00	4.1	1,77			
13-16-2-10-178 -a -00	3.2	1,77			
13-16-2-10-178 -b -00	1.1.2	1,28			
13-16-2-10-178 -b -00	4.1	1,28			
13-16-2-10-178 -b -00	3.2	1,28			
13-16-2-10-178 -c -00	1.1.2	6,98	odn.szt.; GRODZ-SG		0,40 ha; 0,40 ha
13-16-2-10-178 -c -00	2.1	6,98	odn.szt.; GRODZ-SG		0,40 ha; 0,40 ha
13-16-2-10-178 -c -00	4.1	6,98	odn.szt.; GRODZ-SG		0,40 ha; 0,40 ha
13-16-2-10-178 -d -00	1.1.2	1,73	odn.szt.; GRODZ-SG		0,17 ha; 0,17 ha
13-16-2-10-178 -d -00	2.1	1,73	odn.szt.; GRODZ-SG		0,17 ha; 0,17 ha
13-16-2-10-178 -d -00	4.1	1,73	odn.szt.; GRODZ-SG		0,17 ha; 0,17 ha
13-16-2-10-178 -f -00	2.1	1,38			
13-16-2-10-178 -f -00	1.1.2	1,38			
13-16-2-10-178 -f -00	4.1	1,38			
13-16-2-10-179 -a -00	2.1	1,77			ps
13-16-2-10-179 -a -00	1.1.2	1,77			ps
13-16-2-10-179 -b -00	1.1.2	12,25	TPP	992,07 m3	9,02 ha
13-16-2-10-179 -b -00	2.1	12,25	TPP	992,07 m3	9,02 ha
13-16-2-10-179 -b -00	4.1	12,25	TPP	992,07 m3	9,02 ha
13-16-2-10-180 -a -00	2.1	0,93			
13-16-2-10-180 -a -00	1.1.2	0,93			
13-16-2-10-180 -a -00	4.1	0,93			
13-16-2-10-180 -b -00	2.1	1,84			
13-16-2-10-180 -b -00	1.1.2	1,84			
13-16-2-10-180 -b -00	4.1	1,84			
13-16-2-10-180 -c -00	2.1	1,35			
13-16-2-10-180 -c -00	1.1.2	1,35			
13-16-2-10-180 -c -00	4.1	1,35			
13-16-2-10-180 -d -00	2.1	1,72			
13-16-2-10-180 -d -00	1.1.2	1,72			
13-16-2-10-180 -d -00	4.1	1,72			
13-16-2-10-180 -f -00	1.1.2	8,29			
13-16-2-10-180 -f -00	2.1	8,29			
13-16-2-10-180 -f -00	4.1	8,29			
13-16-2-10-180 -g -00	1.1.2	6,19			
13-16-2-10-180 -g -00	2.1	6,19			
13-16-2-10-180 -g -00	4.1	6,19			
13-16-2-10-180 -h -00	1.1.2	7,88			
13-16-2-10-180 -h -00	2.1	7,88			
13-16-2-10-180 -h -00	4.1	7,88			
13-16-2-10-180 -i -00	2.1	2,94			
13-16-2-10-180 -i -00	1.1.2	2,94			
13-16-2-10-180 -i -00	4.1	2,94			
13-16-2-10-181 -a -00	1.1.2	3,06			
13-16-2-10-181 -a -00	2.1	3,06			
13-16-2-10-181 -a -00	4.1	3,06			
13-16-2-10-181 -a -00	4.2	3,06			
13-16-2-10-181 -b -00	2.1	0,57			
13-16-2-10-181 -b -00	1.1.2	0,57			
13-16-2-10-181 -b -00	4.1	0,57			
13-16-2-10-181 -b -00	4.2	0,57			
13-16-2-10-181 -c -00	2.1	5,28			
13-16-2-10-181 -c -00	1.1.2	5,28			
13-16-2-10-181 -c -00	4.2	5,28			
13-16-2-10-181 -c -00	4.1	5,28			
13-16-2-10-181 -d -00	1.1.2	8,68			pow referencyjne
13-16-2-10-181 -d -00	2.1	8,68			pow referencyjne
13-16-2-10-181 -d -00	4.1	8,68			pow referencyjne

13-16-2-10-181 -d -00	4.2	8,68			pow referencyjne
13-16-2-10-181 -f -00	1.1.2	8,73			pow referencyjne
13-16-2-10-181 -f -00	2.1	8,73			pow referencyjne
13-16-2-10-181 -f -00	4.1	8,73			pow referencyjne
13-16-2-10-181 -f -00	4.2	8,73			pow referencyjne
13-16-2-10-182 -a -00	1.1.2	5,60			
13-16-2-10-182 -a -00	2.1	5,60			
13-16-2-10-182 -a -00	4.1	5,60			
13-16-2-10-182 -b -00	1.1.2	6,06			
13-16-2-10-182 -b -00	2.1	6,06			
13-16-2-10-182 -b -00	4.1	6,06			
13-16-2-10-182 -c -00	1.1.2	2,91			
13-16-2-10-182 -c -00	2.1	2,91			
13-16-2-10-182 -c -00	4.1	2,91			
13-16-2-10-182 -d -00	1.1.2	0,35			
13-16-2-10-182 -d -00	2.1	0,35			
13-16-2-10-182 -d -00	4.1	0,35			
13-16-2-10-183 -a -00	1.1.2	3,39			
13-16-2-10-183 -a -00	2.1	3,39			
13-16-2-10-183 -a -00	4.2	3,39			
13-16-2-10-183 -a -00	4.1	3,39			
13-16-2-10-183 -b -00	2.1	1,32			
13-16-2-10-183 -b -00	1.1.2	1,32			
13-16-2-10-183 -b -00	4.1	1,32			
13-16-2-10-183 -b -00	4.2	1,32			
13-16-2-10-183 -c -00	2.1	2,73			pow referencyjne
13-16-2-10-183 -c -00	1.1.2	2,73			pow referencyjne
13-16-2-10-183 -c -00	4.1	2,73			pow referencyjne
13-16-2-10-183 -c -00	4.2	2,73			pow referencyjne
13-16-2-10-183 -d -00	2.1	8,54			pow referencyjne
13-16-2-10-183 -d -00	1.1.2	8,54			pow referencyjne
13-16-2-10-183 -d -00	4.2	8,54			pow referencyjne
13-16-2-10-183 -d -00	4.1	8,54			pow referencyjne
13-16-2-10-183 -f -00	2.1	0,74			
13-16-2-10-183 -f -00	1.1.2	0,74			
13-16-2-10-183 -f -00	4.1	0,74			
13-16-2-10-183 -f -00	4.2	0,74			
13-16-2-10-183 -g -00	1.1.2	0,90			
13-16-2-10-183 -g -00	2.1	0,90			
13-16-2-10-183 -g -00	4.1	0,90			
13-16-2-10-183 -g -00	4.2	0,90			
13-16-2-10-184 -a -00	2.1	1,97			
13-16-2-10-184 -a -00	1.1.2	1,97			
13-16-2-10-184 -a -00	4.2	1,97			
13-16-2-10-184 -a -00	4.1	1,97			
13-16-2-10-184 -b -00	1.1.2	2,31			
13-16-2-10-184 -b -00	2.1	2,31			
13-16-2-10-184 -b -00	4.2	2,31			
13-16-2-10-184 -b -00	4.1	2,31			
13-16-2-10-184 -c -00	1.1.2	5,28			
13-16-2-10-184 -c -00	2.1	5,28			
13-16-2-10-184 -c -00	4.1	5,28			
13-16-2-10-184 -c -00	4.2	5,28			
13-16-2-10-184 -d -00	2.1	2,29			
13-16-2-10-184 -d -00	1.1.2	2,29			
13-16-2-10-184 -d -00	4.1	2,29			
13-16-2-10-184 -d -00	4.2	2,29			
13-16-2-10-184 -d -00	3.2	2,29			
13-16-2-10-184 -f -00	2.1	1,71	TPN	132,90 m3	1,71 ha
13-16-2-10-184 -f -00	1.1.2	1,71	TPN	132,90 m3	1,71 ha
13-16-2-10-184 -f -00	4.1	1,71	TPN	132,90 m3	1,71 ha
13-16-2-10-184 -f -00	4.2	1,71	TPN	132,90 m3	1,71 ha
13-16-2-10-185 -a -00	2.1	0,67			
13-16-2-10-185 -a -00	1.1.2	0,67			
13-16-2-10-185 -a -00	4.2	0,67			
13-16-2-10-185 -a -00	4.1	0,67			
13-16-2-10-185 -b -00	2.1	3,45			
13-16-2-10-185 -b -00	1.1.2	3,45			
13-16-2-10-185 -b -00	3.2	3,45			
13-16-2-10-185 -b -00	4.1	3,45			
13-16-2-10-185 -b -00	4.2	3,45			

13-16-2-10-185 -c -00	1.1.2	1,06			
13-16-2-10-185 -c -00	2.1	1,06			
13-16-2-10-185 -c -00	4.1	1,06			
13-16-2-10-185 -c -00	4.2	1,06			
13-16-2-10-185 -d -00	2.1	4,53			
13-16-2-10-185 -d -00	1.1.2	4,53			
13-16-2-10-185 -d -00	4.1	4,53			
13-16-2-10-185 -d -00	4.2	4,53			
13-16-2-10-185 -f -00	2.1	0,67			
13-16-2-10-185 -f -00	1.1.2	0,67			
13-16-2-10-185 -f -00	4.2	0,67			
13-16-2-10-185 -f -00	4.1	0,67			
13-16-2-10-185 -g -00	1.1.2	0,68			
13-16-2-10-185 -g -00	2.1	0,68			
13-16-2-10-185 -g -00	4.1	0,68			
13-16-2-10-185 -g -00	4.2	0,68			
13-16-2-10-186 -a -00	2.1	2,74	ZAW-BUD		5 szt.
13-16-2-10-186 -a -00	1.1.2	2,74	ZAW-BUD		5 szt.
13-16-2-10-186 -a -00	4.2	2,74	ZAW-BUD		5 szt.
13-16-2-10-186 -a -00	4.1	2,74	ZAW-BUD		5 szt.
13-16-2-10-186 -b -00	1.1.2	2,26	ZAW-BUD		pow referencyjne; 5 szt.
13-16-2-10-186 -b -00	2.1	2,26	ZAW-BUD		pow referencyjne; 5 szt.
13-16-2-10-186 -b -00	4.1	2,26	ZAW-BUD		pow referencyjne; 5 szt.
13-16-2-10-186 -b -00	4.2	2,26	ZAW-BUD		pow referencyjne; 5 szt.
13-16-2-10-186 -b -00	3.2	2,26	ZAW-BUD		pow referencyjne; 5 szt.
13-16-2-10-186 -c -00	1.1.2	1,80	ZAW-BUD		3 szt.
13-16-2-10-186 -c -00	2.1	1,80	ZAW-BUD		3 szt.
13-16-2-10-186 -c -00	4.1	1,80	ZAW-BUD		3 szt.
13-16-2-10-186 -c -00	4.2	1,80	ZAW-BUD		3 szt.
13-16-2-10-186 -c -00	3.2	0,74	ZAW-BUD		3 szt.
13-16-2-10-186 -d -00	2.1	4,98	ZAW-BUD		11 szt.
13-16-2-10-186 -d -00	1.1.2	4,98	ZAW-BUD		11 szt.
13-16-2-10-186 -d -00	4.2	4,98	ZAW-BUD		11 szt.
13-16-2-10-186 -d -00	4.1	4,98	ZAW-BUD		11 szt.
13-16-2-10-187 -a -00	1.1.2	3,46			
13-16-2-10-187 -a -00	2.1	3,46			
13-16-2-10-187 -a -00	3.2	3,46			
13-16-2-10-187 -a -00	4.1	3,46	ZAW-BUD		4 szt.
13-16-2-10-187 -b -00	2.1	5,11	ZAW-BUD		4 szt.
13-16-2-10-187 -b -00	1.1.2	5,11	ZAW-BUD		4 szt.
13-16-2-10-187 -b -00	4.1	5,11	ZAW-BUD		4 szt.
13-16-2-10-187 -c -00	1.1.2	3,34			
13-16-2-10-187 -c -00	2.1	3,34			
13-16-2-10-187 -c -00	4.1	3,34			
13-16-2-10-187 -c -00	3.2	3,34			
13-16-2-10-188 -a -00	1.1.2	2,12			
13-16-2-10-188 -a -00	2.1	2,12			
13-16-2-10-188 -a -00	4.1	2,12			
13-16-2-10-188 -b -00	2.1	16,11	popr.; OPR-USP		0,25 ha; 1,93 ha
13-16-2-10-188 -b -00	1.1.2	16,11	popr.; OPR-USP		0,25 ha; 1,93 ha
13-16-2-10-188 -b -00	4.1	16,11	popr.; OPR-USP		0,25 ha; 1,93 ha
13-16-2-10-188 -c -00	2.1	2,07	ZAW-BUD		1 szt.
13-16-2-10-188 -c -00	1.1.2	2,07	ZAW-BUD		1 szt.
13-16-2-10-188 -c -00	4.1	2,07	ZAW-BUD		1 szt.
13-16-2-10-189 -a -00	2.1	4,38			
13-16-2-10-189 -a -00	1.1.2	4,38			
13-16-2-10-189 -a -00	4.1	4,38			
13-16-2-10-189 -a -00	3.2	4,38			
13-16-2-10-189 -b -00	1.1.2	5,21			
13-16-2-10-189 -b -00	2.1	5,21			
13-16-2-10-189 -b -00	3.2	5,21			
13-16-2-10-189 -b -00	4.1	5,21			
13-16-2-10-189 -c -00	2.1	4,51	IB; mel.agr.; odn.szt.; GRODZ-SG; OPR-USP	892,07 m3	1,90 ha; 1,90 ha; 1,90 ha; 1,90 ha; 1,90 ha
13-16-2-10-189 -c -00	1.1.2	4,51	IB; mel.agr.; odn.szt.; GRODZ-SG; OPR-USP	892,07 m3	1,90 ha; 1,90 ha; 1,90 ha; 1,90 ha; 1,90 ha
13-16-2-10-189 -c -00	4.1	4,51	IB; mel.agr.; odn.szt.; GRODZ-SG; OPR-USP	892,07 m3	1,90 ha; 1,90 ha; 1,90 ha; 1,90 ha; 1,90 ha
13-16-2-10-189 -c -00	3.2	0,00	IB; mel.agr.; odn.szt.; GRODZ-SG; OPR-USP	892,07 m3	1,90 ha; 1,90 ha; 1,90 ha; 1,90 ha; 1,90 ha
13-16-2-10-189 -d -00	2.1	2,65			

13-16-2-10-189 -d -00	1.1.2	2,65			
13-16-2-10-189 -d -00	4.1	2,65			
13-16-2-10-189 -d -00	3.2	0,00			
13-16-2-10-189 -f -00	2.1	1,06	CP-SZTM1		1,06 ha
13-16-2-10-189 -f -00	1.1.2	1,06	CP-SZTM1		1,06 ha
13-16-2-10-189 -f -00	4.1	1,06	CP-SZTM1		1,06 ha
13-16-2-10-189 -g -00	1.1.2	1,52			
13-16-2-10-189 -g -00	2.1	1,52			
13-16-2-10-189 -g -00	4.1	1,52			
13-16-2-10-189 -h -00	1.1.2	0,55			
13-16-2-10-189 -h -00	2.1	0,55			
13-16-2-10-189 -h -00	4.1	0,55			
13-16-2-10-189 -i -00	1.1.2	1,16			
13-16-2-10-189 -i -00	2.1	1,16			
13-16-2-10-189 -i -00	4.1	1,16			
13-16-2-10-190 -a -00	2.1	3,88	ZAW-BUD		2 szt.
13-16-2-10-190 -a -00	1.1.2	3,88	ZAW-BUD		2 szt.
13-16-2-10-190 -a -00	3.2	3,88	ZAW-BUD		2 szt.
13-16-2-10-190 -a -00	4.1	3,88	ZAW-BUD		2 szt.
13-16-2-10-190 -b -00	2.1	3,52	ZAW-BUD		1 szt.
13-16-2-10-190 -b -00	1.1.2	3,52	ZAW-BUD		1 szt.
13-16-2-10-190 -b -00	4.1	3,52	ZAW-BUD		1 szt.
13-16-2-10-190 -b -00	3.2	3,52	ZAW-BUD		1 szt.
13-16-2-10-190 -c -00	2.1	2,51	ZAW-BUD		1 szt.
13-16-2-10-190 -c -00	1.1.2	2,51	ZAW-BUD		1 szt.
13-16-2-10-190 -c -00	4.1	2,51	ZAW-BUD		1 szt.
13-16-2-10-190 -d -00	2.1	3,91			
13-16-2-10-190 -d -00	1.1.2	3,91			
13-16-2-10-190 -d -00	3.2	3,91			
13-16-2-10-190 -d -00	4.1	3,91			
13-16-2-10-190 -f -00	2.1	2,20	ZAB-REPEL		0,77 ha
13-16-2-10-190 -f -00	1.1.2	2,20	ZAB-REPEL		0,77 ha
13-16-2-10-190 -f -00	4.1	2,20	ZAB-REPEL		0,77 ha
13-16-2-10-190 -g -00	1.1.2	1,91			
13-16-2-10-190 -g -00	2.1	1,91			
13-16-2-10-190 -g -00	4.1	1,91			
13-16-2-10-190 -g -00	3.2	1,91			
13-16-2-10-191 -a -00	2.1	0,91			
13-16-2-10-191 -a -00	1.1.2	0,91			
13-16-2-10-191 -a -00	4.1	0,91			
13-16-2-10-191 -b -00	1.1.2	1,64			
13-16-2-10-191 -b -00	2.1	1,66			
13-16-2-10-191 -b -00	4.1	1,66			
13-16-2-10-191 -c -00	1.1.2	0,96			
13-16-2-10-191 -c -00	2.1	0,96			
13-16-2-10-191 -c -00	4.1	0,96			
13-16-2-10-191 -d -00	2.1	5,68	CP-NAT2; odn.szt.; ZAB-REPEL		2,27 ha; 1,70 ha; 1,70 ha
13-16-2-10-191 -d -00	1.1.2	5,68	CP-NAT2; odn.szt.; ZAB-REPEL		2,27 ha; 1,70 ha; 1,70 ha
13-16-2-10-191 -d -00	4.1	5,68	CP-NAT2; odn.szt.; ZAB-REPEL		2,27 ha; 1,70 ha; 1,70 ha
13-16-2-10-192 -a -00	2.1	0,63			
13-16-2-10-192 -a -00	1.1.2	0,63			
13-16-2-10-192 -a -00	4.1	0,63			
13-16-2-10-192 -b -00	1.1.2	2,22	odn.szt.; ZAB-REPEL		0,80 ha; 1,55 ha
13-16-2-10-192 -b -00	2.1	2,22	odn.szt.; ZAB-REPEL		0,80 ha; 1,55 ha
13-16-2-10-192 -b -00	4.1	2,22	odn.szt.; ZAB-REPEL		0,80 ha; 1,55 ha
13-16-2-10-192 -c -00	2.1	11,45			
13-16-2-10-192 -c -00	1.1.2	11,45			
13-16-2-10-192 -c -00	4.1	11,45			
13-16-2-10-192 -d -00	1.1.2	3,67	CP-SZTIL1; odn.szt.; ZAB-REPEL		1,84 ha; 0,44 ha; 1,47 ha
13-16-2-10-192 -d -00	2.1	3,67	CP-SZTIL1; odn.szt.; ZAB-REPEL		1,84 ha; 0,44 ha; 1,47 ha
13-16-2-10-192 -d -00	3.2	3,67	CP-SZTIL1; odn.szt.; ZAB-REPEL		1,84 ha; 0,44 ha; 1,47 ha
13-16-2-10-192 -d -00	4.1	3,67	CP-SZTIL1; odn.szt.; ZAB-REPEL		1,84 ha; 0,44 ha; 1,47 ha
13-16-2-10-193 -a -00	2.1	10,47			
13-16-2-10-193 -a -00	1.1.2	10,47			

13-16-2-10-193 -a -00	4.1	10,47			
13-16-2-10-193 -b -00	1.1.2	0,69			
13-16-2-10-193 -b -00	2.1	0,69			
13-16-2-10-193 -b -00	4.1	0,69			
13-16-2-10-194 -a -00	2.1	5,93			
13-16-2-10-194 -a -00	1.1.2	5,93			
13-16-2-10-194 -a -00	4.1	5,93			
13-16-2-10-194 -b -00	1.1.2	6,91			
13-16-2-10-194 -b -00	2.1	6,91			
13-16-2-10-194 -b -00	4.1	6,91			
13-16-2-10-194 -c -00	2.1	1,60			
13-16-2-10-194 -c -00	1.1.2	1,60			
13-16-2-10-194 -c -00	4.1	1,60			
13-16-2-10-194 -d -00	1.1.2	4,88			
13-16-2-10-194 -d -00	2.1	4,88			
13-16-2-10-194 -d -00	4.1	4,88			
13-16-2-10-194 -f -00	2.1	0,96			
13-16-2-10-194 -f -00	1.1.2	0,96			
13-16-2-10-194 -f -00	4.1	0,96			
13-16-2-10-195 -a -00	1.1.2	3,91	TWN	92,70 m3	3,91 ha
13-16-2-10-195 -a -00	2.1	3,91	TWN	92,70 m3	3,91 ha
13-16-2-10-195 -a -00	4.1	3,91	TWN	92,70 m3	3,91 ha
13-16-2-10-195 -b -00	1.1.2	1,01	CP-SZTIL1		1,01 ha
13-16-2-10-195 -b -00	2.1	1,01	CP-SZTIL1		1,01 ha
13-16-2-10-195 -b -00	4.1	1,01	CP-SZTIL1		1,01 ha
13-16-2-10-195 -c -00	2.1	6,77	CP-SZTIL2		6,77 ha
13-16-2-10-195 -c -00	1.1.2	6,77	CP-SZTIL2		6,77 ha
13-16-2-10-195 -c -00	4.1	6,77	CP-SZTIL2		6,77 ha
13-16-2-10-195 -d -00	1.1.2	1,96	ZAB-REPEL; OPR-USP		1,96 ha; 1,96 ha
13-16-2-10-195 -d -00	2.1	1,96	ZAB-REPEL; OPR-USP		1,96 ha; 1,96 ha
13-16-2-10-195 -d -00	4.1	1,96	ZAB-REPEL; OPR-USP		1,96 ha; 1,96 ha
13-16-2-10-195 -f -00	1.1.2	1,31	TWN	25,09 m3	1,31 ha
13-16-2-10-195 -f -00	2.1	1,31	TWN	25,09 m3	1,31 ha
13-16-2-10-195 -f -00	4.1	1,31	TWN	25,09 m3	1,31 ha
13-16-2-10-196 -a -00	2.1	2,84	CW-SZTIL; odn.szt.; ZAB-REPEL		2,16 ha; 0,68 ha; 1,99 ha
13-16-2-10-196 -a -00	1.1.2	2,84	CW-SZTIL; odn.szt.; ZAB-REPEL		2,16 ha; 0,68 ha; 1,99 ha
13-16-2-10-196 -a -00	4.1	2,84	CW-SZTIL; odn.szt.; ZAB-REPEL		2,16 ha; 0,68 ha; 1,99 ha
13-16-2-10-196 -b -00	1.1.2	9,98			
13-16-2-10-196 -b -00	2.1	9,98			
13-16-2-10-196 -b -00	4.1	9,98			
13-16-2-10-196 -c -00	2.1	3,30			
13-16-2-10-196 -c -00	1.1.2	3,30			
13-16-2-10-196 -c -00	4.1	3,30			
13-16-2-10-196 -d -00	1.1.2	0,81	CP-SZTIL1; odn.szt.; ZAB-REPEL		0,40 ha; 0,49 ha; 0,65 ha
13-16-2-10-196 -d -00	2.1	0,81	CP-SZTIL1; odn.szt.; ZAB-REPEL		0,40 ha; 0,49 ha; 0,65 ha
13-16-2-10-196 -d -00	4.1	0,81	CP-SZTIL1; odn.szt.; ZAB-REPEL		0,40 ha; 0,49 ha; 0,65 ha
13-16-2-10-197 -a -00	2.1	0,71			
13-16-2-10-197 -a -00	1.1.2	0,71			
13-16-2-10-197 -a -00	4.1	0,71			
13-16-2-10-197 -b -00	2.1	0,77			
13-16-2-10-197 -b -00	1.1.2	0,77			
13-16-2-10-197 -b -00	4.1	0,77			
13-16-2-10-197 -c -00	1.1.2	4,08			
13-16-2-10-197 -c -00	2.1	4,08			
13-16-2-10-197 -c -00	4.1	4,08			
13-16-2-10-197 -d -00	2.1	4,54			
13-16-2-10-197 -d -00	1.1.2	4,54			
13-16-2-10-197 -d -00	4.1	4,54			
13-16-2-10-197 -f -00	2.1	6,70			
13-16-2-10-197 -f -00	1.1.2	6,70			
13-16-2-10-197 -f -00	4.1	6,70			
13-16-2-10-197 -g -00	1.1.2	1,38			
13-16-2-10-197 -g -00	2.1	1,38			
13-16-2-10-197 -g -00	4.1	1,38			
13-16-2-10-197 -h -00	1.1.2	2,48			

13-16-2-10-197 -h -00	2.1	2,48			
13-16-2-10-197 -h -00	4.1	2,48			
13-16-2-10-199 -a -00	1.1.2	3,86			
13-16-2-10-199 -a -00	2.1	3,86			
13-16-2-10-199 -a -00	4.1	3,86			
13-16-2-10-199 -b -00	1.1.2	4,86			
13-16-2-10-199 -b -00	2.1	4,86			
13-16-2-10-199 -b -00	4.1	4,86			
13-16-2-10-199 -c -00	2.1	5,43			
13-16-2-10-199 -c -00	1.1.2	5,43			
13-16-2-10-199 -c -00	4.1	5,43			
13-16-2-10-199 -d -00	2.1	2,34			
13-16-2-10-199 -d -00	1.1.2	2,34			
13-16-2-10-199 -d -00	4.1	2,34			
13-16-2-10-200 -a -00	1.1.2	5,86			
13-16-2-10-200 -a -00	2.1	5,86			
13-16-2-10-200 -a -00	4.1	5,86			
13-16-2-10-200 -b -00	2.1	0,93			
13-16-2-10-200 -b -00	1.1.2	0,93			
13-16-2-10-200 -b -00	4.1	0,93			
13-16-2-10-200 -c -00	1.1.2	1,59			
13-16-2-10-200 -c -00	2.1	1,59			
13-16-2-10-200 -c -00	4.1	1,59			
13-16-2-10-200 -d -00	1.1.2	1,10			
13-16-2-10-200 -d -00	2.1	1,10			
13-16-2-10-200 -d -00	4.1	1,10			
13-16-2-10-200 -d -00	3.2	1,10			
13-16-2-10-200 -f -00	1.1.2	6,13			
13-16-2-10-200 -f -00	2.1	6,13			
13-16-2-10-200 -f -00	4.1	6,13			
13-16-2-10-200 -g -00	1.1.2	0,45			
13-16-2-10-200 -g -00	2.1	0,45			
13-16-2-10-200 -g -00	4.1	0,45			
13-16-2-10-201 -a -00	1.1.2	7,99	ZAW-BUD		4 szt.
13-16-2-10-201 -a -00	2.1	7,99	ZAW-BUD		4 szt.
13-16-2-10-201 -a -00	4.1	7,99	ZAW-BUD		4 szt.
13-16-2-10-201 -b -00	1.1.2	9,16			
13-16-2-10-201 -b -00	2.1	9,16			
13-16-2-10-201 -b -00	4.1	9,16			
13-16-2-10-201 -c -00	1.1.2	4,25			
13-16-2-10-201 -c -00	2.1	4,25			
13-16-2-10-201 -c -00	4.1	4,25			
13-16-2-10-201 -d -00	2.1	5,35			
13-16-2-10-201 -d -00	1.1.2	5,35			
13-16-2-10-201 -d -00	4.1	5,35			
13-16-2-10-201 -f -00	1.1.2	0,24			potok
13-16-2-10-201 -f -00	2.1	0,24			potok
Jawornica					
13-16-2-11-172 -a -00	2.1	0,28	O-BUDKIS	1 szt.	0,28 ha
13-16-2-11-172 -a -00	1.1.2	0,28	O-BUDKIS	1 szt.	0,28 ha
13-16-2-11-172 -b -00	1.1.2	9,23	O-BUDKIS	4szt	9,23ha
13-16-2-11-172 -b -00	2.1	9,23	O-BUDKIS	4szt	9,23ha
13-16-2-11-172 -b -00	4.1	9,23	O-BUDKIS	4szt	9,23ha
13-16-2-11-172 -c -00	1.1.2	1,43	RB IIB/O-BUDKIS	2,10 m3/1szt	0,01ha/1,43ha
13-16-2-11-172 -c -00	2.1	1,43	RB IIB/O-BUDKIS	2,10 m3/1szt	0,01ha/1,43ha
13-16-2-11-172 -c -00	4.1	1,43	RB IIB/O-BUDKIS	2,10 m3/1szt	0,01ha/1,43ha
13-16-2-11-172 -d -00	2.1	2,19			
13-16-2-11-172 -d -00	1.1.2	2,19			
13-16-2-11-172 -d -00	4.1	2,19			
13-16-2-11-172 -f -00	2.1	2,38	O-BUDKIS	2szt	2,38ha
13-16-2-11-172 -f -00	1.1.2	2,38	O-BUDKIS	2szt	2,38ha
13-16-2-11-172 -f -00	4.1	2,38	O-BUDKIS	2szt	2,38ha
13-16-2-11-172 -g -00	1.1.2	5,32	O-BUDKIS	1 szt.	5,32 ha
13-16-2-11-172 -g -00	2.1	5,32	O-BUDKIS	1 szt.	5,32 ha
13-16-2-11-172 -g -00	3.1	5,32	O-BUDKIS	1 szt.	5,32 ha
13-16-2-11-172 -g -00	4.1	5,32	O-BUDKIS	1 szt.	5,32 ha
13-16-2-11-172 -h -00	2.1	2,98	RB IIB/ O-BUDKIS	158.83 m3/ 2 szt.	1,5 ha/ 2.98 ha
13-16-2-11-172 -h -00	1.1.2	2,98	RB IIB/ O-BUDKIS	158.83 m3/ 2 szt.	1,5 ha/ 2.98 ha
13-16-2-11-172 -h -00	4.1	2,98	RB IIB/ O-BUDKIS	158.83 m3/ 2 szt.	1,5 ha/ 2.98 ha
13-16-2-11-172 -i -00	1.1.2	3,65	O-BUDKIS	1 szt.	3,65 ha
13-16-2-11-172 -i -00	2.1	3,65	O-BUDKIS	1 szt.	3,65 ha

13-16-2-11-172 -j -00	2.1	4,27	O-BUDKIS	2 szt.	4,27 ha
13-16-2-11-172 -j -00	1.1.2	4,27	O-BUDKIS	2 szt.	4,27 ha
13-16-2-11-172 -j -00	4.1	4,27	O-BUDKIS	2 szt.	4,27 ha
13-16-2-11-172 -k -00	2.1	0,29			
13-16-2-11-172 -k -00	1.1.2	0,29			
13-16-2-11-172 -l -00	2.1	1,97			
13-16-2-11-172 -l -00	1.1.2	1,97			
13-16-2-11-172 -m -00	1.1.2	0,09	O-BUDKIS	1 szt.	0,09 ha
13-16-2-11-172 -m -00	2.1	0,09	O-BUDKIS	1 szt.	0,09 ha
13-16-2-11-172 -m -00	4.1	0,09	O-BUDKIS	1 szt.	0,09 ha
13-16-2-11-172 -n -00	2.1	0,51			
13-16-2-11-172 -n -00	1.1.2	0,51			
13-16-2-11-173 -a -00	1.1.2	0,61			
13-16-2-11-173 -a -00	2.1	0,61			
13-16-2-11-173 -a -00	4.1	0,61			
13-16-2-11-173 -b -00	2.1	13,25	PR/PIEL/O-BUDKIS	4,20 m3/1,20ha/6szt	13,25 ha/1,20ha/13,25ha
13-16-2-11-173 -b -00	1.1.2	13,25	PR/PIEL/O-BUDKIS	4,20 m3/1,20ha/6szt	13,25 ha/1,20ha/13,25ha
13-16-2-11-173 -b -00	4.1	13,25	PR/PIEL/O-BUDKIS	4,20 m3/1,20ha/6szt	13,25 ha/1,20ha/13,25ha
13-16-2-11-173 -c -00	2.1	1,35	PTW	0,33 m3	1,35 ha
13-16-2-11-173 -c -00	1.1.2	1,35	PTW	0,33 m3	1,35 ha
13-16-2-11-173 -c -00	3.2	1,35	PTW	0,33 m3	1,35 ha
13-16-2-11-173 -c -00	4.1	1,35	PTW	0,33 m3	1,35 ha
13-16-2-11-173 -d -00	2.1	1,23			
13-16-2-11-173 -d -00	1.1.2	1,23			
13-16-2-11-173 -d -00	4.1	1,23			
13-16-2-11-173 -f -00	2.1	1,28	O-SPAŁM	0,10ha	0,10ha
13-16-2-11-173 -f -00	1.1.2	1,28	O-SPAŁM	0,10ha	0,10ha
13-16-2-11-173 -f -00	4.1	1,28	O-SPAŁM	0,10ha	0,10ha
13-16-2-11-198 -a -00	1.1.2	2,15	PR/ O-BUDKIS	24,11 m3/3 szt.	2,15 ha/ 2.15 ha
13-16-2-11-198 -a -00	2.1	2,15	PR/ O-BUDKIS	24,11 m3/3 szt.	2,15 ha/ 2.15 ha
13-16-2-11-198 -a -00	4.1	2,15	PR/ O-BUDKIS	24,11 m3/3 szt.	2,15 ha/ 2.15 ha
13-16-2-11-198 -b -00	2.1	4,64	O-BUDKIS	1 szt.	4.64 ha
13-16-2-11-198 -b -00	1.1.2	4,64	O-BUDKIS	1 szt.	4.64 ha
13-16-2-11-198 -b -00	4.1	4,64	O-BUDKIS	1 szt.	4.64 ha
13-16-2-11-198 -c -00	1.1.2	5,87	PR/ O-BUDKIS	23,64 m3/ 2 szt.	5.87 ha/ 5.87 ha
13-16-2-11-198 -c -00	2.1	5,87	PR/ O-BUDKIS	23,64 m3/ 2 szt.	5.87 ha/ 5.87 ha
13-16-2-11-198 -c -00	4.1	5,87	PR/ O-BUDKIS	23,64 m3/ 2 szt.	5.87 ha/ 5.87 ha
13-16-2-11-198 -d -00	2.1	5,39			
13-16-2-11-198 -d -00	1.1.2	5,39			
13-16-2-11-198 -d -00	4.1	5,39			
13-16-2-11-198 -f -00	1.1.2	7,06	O-BUDKIS	1 szt.	7.06 ha
13-16-2-11-198 -f -00	2.1	7,06	O-BUDKIS	1 szt.	7.06 ha
13-16-2-11-198 -f -00	4.1	7,06	O-BUDKIS	1 szt.	7.06 ha
13-16-2-11-202 -a -00	2.1	2,44			
13-16-2-11-202 -a -00	1.1.2	2,44			
13-16-2-11-202 -a -00	4.1	2,44			
13-16-2-11-202 -a -00	4.2	2,44			
13-16-2-11-202 -b -00	1.1.2	3,41	O-BUDKIS	1szt	3,41ha
13-16-2-11-202 -b -00	2.1	3,41			
13-16-2-11-202 -b -00	4.2	3,41			
13-16-2-11-202 -b -00	4.1	3,41			
13-16-2-11-202 -c -00	1.1.2	2,58			
13-16-2-11-202 -c -00	2.1	2,58			
13-16-2-11-202 -c -00	4.2	2,58			
13-16-2-11-202 -c -00	4.1	2,58			
13-16-2-11-202 -d -00	1.1.2	2,13			
13-16-2-11-202 -d -00	2.1	2,13			
13-16-2-11-202 -d -00	4.1	2,13			
13-16-2-11-202 -d -00	4.2	2,13			
13-16-2-11-202 -f -00	1.1.2	0,54			
13-16-2-11-202 -f -00	2.1	0,54			
13-16-2-11-202 -f -00	4.2	0,54			
13-16-2-11-202 -f -00	4.1	0,54			
13-16-2-11-202 -g -00	2.1	4,61			
13-16-2-11-202 -g -00	1.1.2	4,61			
13-16-2-11-202 -g -00	3.1	4,61			
13-16-2-11-202 -g -00	4.2	4,61			
13-16-2-11-202 -g -00	4.1	4,61			
13-16-2-11-202 -h -00	3.1	4,89	O-BUDKIS	5szt	4,89ha
13-16-2-11-202 -h -00	2.1	4,89	O-BUDKIS	5szt	4,89ha
13-16-2-11-202 -h -00	1.1.2	4,89	O-BUDKIS	5szt	4,89ha

13-16-2-11-202 -h -00	4.1	4,89	O-BUDKIS	5szt	4,89ha
13-16-2-11-202 -h -00	4.2	4,89	O-BUDKIS	5szt	4,89ha
13-16-2-11-203 -a -00	2.1	14,1			
13-16-2-11-203 -a -00	1.1.2	14,1			
13-16-2-11-203 -a -00	4.1	14,1			
13-16-2-11-203 -b -00	1.1.2	0,29			
13-16-2-11-203 -b -00	2.1	0,29			
13-16-2-11-204 -a -00	1.1.2	1,34			
13-16-2-11-204 -a -00	2.1	1,34			
13-16-2-11-204 -a -00	4.2	1,34			
13-16-2-11-204 -a -00	4.1	1,34			
13-16-2-11-204 -b -00	1.1.2	11,59			
13-16-2-11-204 -b -00	2.1	11,59			
13-16-2-11-204 -b -00	4.2	11,59			
13-16-2-11-204 -b -00	4.1	11,59			
13-16-2-11-204 -c -00	1.1.2	0,16			
13-16-2-11-204 -c -00	2.1	0,16			
13-16-2-11-205 -a -00	1.1.2	2,25			
13-16-2-11-205 -a -00	2.1	2,25			
13-16-2-11-205 -a -00	4.1	2,25			
13-16-2-11-205 -b -00	2.1	2,84			
13-16-2-11-205 -b -00	1.1.2	2,84			
13-16-2-11-205 -b -00	4.1	2,84			
13-16-2-11-205 -c -00	1.1.2	1,44			
13-16-2-11-205 -c -00	2.1	1,44			
13-16-2-11-205 -c -00	4.1	1,44			
13-16-2-11-205 -d -00	2.1	2,02			
13-16-2-11-205 -d -00	1.1.2	2,02			
13-16-2-11-205 -d -00	4.1	2,02			
13-16-2-11-205 -f -00	1.1.2	2			
13-16-2-11-205 -f -00	2.1	2			
13-16-2-11-205 -f -00	4.1	2			
13-16-2-11-205 -g -00	2.1	0,83			
13-16-2-11-205 -g -00	1.1.2	0,83			
13-16-2-11-205 -g -00	4.1	0,83			
13-16-2-11-205 -h -00	1.1.2	9,08	RB IVD/CP/CW/MA-PORZ/PBD-ODNRB/PIEL/O-GRODZN/O-ZGRYZC	2064,46 m3/1,40ha/0,40ha/350 m3p/23,66tszt/2,50ha/2,70ha/2,00ha	9,08 ha/1,40ha/0,40ha/1,50ha/4,58 ha/2,50ha/0,35ha/2ha
13-16-2-11-205 -h -00	2.1	9,08	RB IVD/CP/CW/MA-PORZ/PBD-ODNRB/PIEL/O-GRODZN/O-ZGRYZC	2064,46 m3/1,40ha/0,40ha/350 m3p/23,66tszt/2,50ha/2,70ha/2,00ha	9,08 ha/1,40ha/0,40ha/1,50ha/4,58 ha/2,50ha/0,35ha/2ha
13-16-2-11-205 -h -00	4.1	9,08	RB IVD/CP/CW/MA-PORZ/PBD-ODNRB/PIEL/O-GRODZN/O-ZGRYZC	2064,46 m3/1,40ha/0,40ha/350 m3p/23,66tszt/2,50ha/2,70ha/2,00ha	9,08 ha/1,40ha/0,40ha/1,50ha/4,58 ha/2,50ha/0,35ha/2ha
13-16-2-11-205 -i -00	2.1	1,02			
13-16-2-11-205 -i -00	1.1.2	1,02			
13-16-2-11-205 -i -00	4.1	1,02			
13-16-2-11-205 -j -00	1.1.2	0,27			
13-16-2-11-205 -j -00	2.1	0,27			
13-16-2-11-206 -a -00	1.1.2	2,42			
13-16-2-11-206 -a -00	2.1	2,42			
13-16-2-11-206 -a -00	4.1	2,42			
13-16-2-11-206 -b -00	2.1	17	PR/PIEL	10,18 m3/1,00ha	17 ha/1,00ha
13-16-2-11-206 -b -00	1.1.2	17	PR/PIEL	10,18 m3/1,00ha	17 ha/1,00ha
13-16-2-11-206 -b -00	4.1	17	PR/PIEL	10,18 m3/1,00ha	17 ha/1,00ha
13-16-2-11-206 -c -00	1.1.2	1			
13-16-2-11-206 -c -00	2.1	1			
13-16-2-11-206 -c -00	4.1	1			
13-16-2-11-206 -d -00	2.1	2,24	TPN/O-ZGRYZD	97,44 m3/2,24ha	2,24 ha/2,24ha
13-16-2-11-206 -d -00	1.1.2	2,24	TPN/O-ZGRYZD	97,44 m3/2,24ha	2,24 ha/2,24ha
13-16-2-11-206 -d -00	4.1	2,24	TPN/O-ZGRYZD	97,44 m3/2,24ha	2,24 ha/2,24ha
13-16-2-11-206 -f -00	1.1.2	0,18			
13-16-2-11-206 -f -00	2.1	0,18			
13-16-2-11-206 -g -00	2.1	5,99	CW	0,40ha	0,40ha
13-16-2-11-206 -g -00	1.1.2	5,99	CW	0,40ha	0,40ha
13-16-2-11-206 -g -00	4.1	5,99	CW	0,40ha	0,40ha
13-16-2-11-206 -h -00	2.1	0,22			potok
13-16-2-11-206 -h -00	1.1.2	0,22			potok

13-16-2-11-207 -a -00	1.1.2	9,12	PR	92.14 m3	9,12 ha
13-16-2-11-207 -a -00	2.1	9,12	PR	92.14 m3	9,12 ha
13-16-2-11-207 -a -00	4.1	9,12	PR	92.14 m3	9,12 ha
13-16-2-11-207 -a -00	4.2	9,12	PR	92.14 m3	9,12 ha
13-16-2-11-208 -a -00	1.1.2	9,16	PR	59,50 m3	9,16 ha
13-16-2-11-208 -a -00	2.1	9,16	PR	59,50 m3	9,16 ha
13-16-2-11-208 -a -00	4.2	9,16	PR	59,50 m3	9,16 ha
13-16-2-11-208 -a -00	4.1	9,16	PR	59,50 m3	9,16 ha
13-16-2-11-209 -a -00	1.1.2	2,09			
13-16-2-11-209 -a -00	2.1	2,09			
13-16-2-11-209 -a -00	4.2	2,09			
13-16-2-11-209 -a -00	4.1	2,09			
13-16-2-11-209 -b -00	2.1	7,2			
13-16-2-11-209 -b -00	1.1.2	7,2			
13-16-2-11-209 -b -00	4.2	7,2			
13-16-2-11-209 -b -00	4.1	7,2			
13-16-2-11-209 -c -00	2.1	6,58	PTP	17,40 m3	6,58 ha
13-16-2-11-209 -c -00	1.1.2	6,58	PTP	17,40 m3	6,58 ha
13-16-2-11-209 -c -00	4.2	6,58	PTP	17,40 m3	6,58 ha
13-16-2-11-209 -c -00	4.1	6,58	PTP	17,40 m3	6,58 ha
13-16-2-11-209 -d -00	2.1	2,78			
13-16-2-11-209 -d -00	1.1.2	2,78			
13-16-2-11-209 -d -00	4.2	2,78			
13-16-2-11-209 -d -00	4.1	2,78			
13-16-2-11-210 -a -00	1.1.2	1,45			
13-16-2-11-210 -a -00	2.1	1,45			
13-16-2-11-210 -a -00	4.1	1,45			
13-16-2-11-210 -a -00	4.2	1,45			
13-16-2-11-210 -b -00	1.1.2	15,14			
13-16-2-11-210 -b -00	2.1	15,14			
13-16-2-11-210 -b -00	4.2	15,14			
13-16-2-11-210 -b -00	4.1	15,14			
13-16-2-11-210 -c -00	1.1.2	2,83			pow referencyjne
13-16-2-11-210 -c -00	2.1	2,83			pow referencyjne
13-16-2-11-210 -c -00	4.1	2,83			pow referencyjne
13-16-2-11-210 -c -00	3.2	2,83			pow referencyjne
13-16-2-11-210 -c -00	4.2	2,83			pow referencyjne
13-16-2-11-210 -d -00	2.1	3,94			
13-16-2-11-210 -d -00	1.1.2	3,94			
13-16-2-11-210 -d -00	4.1	3,94			
13-16-2-11-210 -d -00	4.2	3,94			
13-16-2-11-210 -f -00	2.1	1,87	PR	8,45 m3	1,87 ha
13-16-2-11-210 -f -00	1.1.2	1,87	PR	8,45 m3	1,87 ha
13-16-2-11-210 -f -00	4.2	1,87	PR	8,45 m3	1,87 ha
13-16-2-11-210 -f -00	4.1	1,87	PR	8,45 m3	1,87 ha
13-16-2-11-210 -g -00	1.1.2	1,15			
13-16-2-11-210 -g -00	2.1	1,15			
13-16-2-11-210 -g -00	4.1	1,15			
13-16-2-11-210 -g -00	4.2	1,15			
13-16-2-11-211 -a -00	1.1.2	5,8			
13-16-2-11-211 -a -00	2.1	5,8			
13-16-2-11-211 -a -00	4.2	5,8			
13-16-2-11-211 -a -00	4.1	5,8			
13-16-2-11-211 -b -00	1.1.2	3,4			pow referencyjne
13-16-2-11-211 -b -00	2.1	3,4			pow referencyjne
13-16-2-11-211 -b -00	4.2	3,4			pow referencyjne
13-16-2-11-211 -b -00	3.2	3,4			pow referencyjne
13-16-2-11-211 -b -00	4.1	3,4			pow referencyjne
13-16-2-11-211 -c -00	1.1.2	2,88			pow referencyjne
13-16-2-11-211 -c -00	2.1	2,88			pow referencyjne
13-16-2-11-211 -c -00	3.2	2,88			pow referencyjne
13-16-2-11-211 -c -00	4.2	2,88			pow referencyjne
13-16-2-11-211 -c -00	4.1	2,88			pow referencyjne
13-16-2-11-211 -d -00	1.1.2	6,07	O-BUDKIS	1 szt.	6.07 ha
13-16-2-11-211 -d -00	2.1	6,07	O-BUDKIS	1 szt.	6.07 ha
13-16-2-11-211 -d -00	4.1	6,07	O-BUDKIS	1 szt.	6.07 ha
13-16-2-11-211 -d -00	3.2	2,61			
13-16-2-11-211 -d -00	4.2	6,07			
13-16-2-11-211 -f -00	1.1.2	2,83			
13-16-2-11-211 -f -00	2.1	2,83			
13-16-2-11-211 -f -00	4.1	2,83			

13-16-2-11-211 -f -00	4.2	2,83			
13-16-2-11-211 -g -00	1.1.2	0,5			utwór skalny
13-16-2-11-211 -g -00	2.1	0,5			utwór skalny
13-16-2-11-211 -h -00	2.1	0,69			
13-16-2-11-211 -h -00	1.1.2	0,69			
13-16-2-11-211 -h -00	4.2	0,69			
13-16-2-11-211 -h -00	4.1	0,69			
13-16-2-11-212 -a -00	1.1.2	1,07			pow referencyjne
13-16-2-11-212 -a -00	2.1	1,07			pow referencyjne
13-16-2-11-212 -a -00	4.2	1,07			pow referencyjne
13-16-2-11-212 -a -00	4.1	1,07			pow referencyjne
13-16-2-11-212 -b -00	2.1	10,26			pow referencyjne
13-16-2-11-212 -b -00	1.1.2	10,26			pow referencyjne
13-16-2-11-212 -b -00	4.1	10,26			pow referencyjne
13-16-2-11-212 -b -00	4.2	10,26			pow referencyjne
13-16-2-11-213 -a -00	2.1	12,87	PR	46,56 m3	12,87 ha
13-16-2-11-213 -a -00	1.1.2	12,87	PR	46,56 m3	12,87 ha
13-16-2-11-213 -a -00	4.2	12,87	PR	46,56 m3	12,87 ha
13-16-2-11-213 -a -00	4.1	12,87	PR	46,56 m3	12,87 ha
13-16-2-11-213 -b -00	2.1	2,25	TPN	102,89m3	2,25 ha
13-16-2-11-213 -b -00	1.1.2	2,25	TPN	102,89m3	2,25 ha
13-16-2-11-213 -b -00	4.2	2,25	TPN	102,89m3	2,25 ha
13-16-2-11-213 -b -00	4.1	2,25	TPN	102,89m3	2,25 ha
13-16-2-11-213 -c -00	1.1.2	4,55	PRZEST/CP-P/CP	217,09 m3/14,40 m3/4,55ha	4,55 ha/4,55 ha/4,55ha
13-16-2-11-213 -c -00	2.1	4,55	PRZEST/CP-P/CP	217,09 m3/14,40 m3/4,55ha	4,55 ha/4,55 ha/4,55ha
13-16-2-11-213 -c -00	4.2	4,55	PRZEST/CP-P/CP	217,09 m3/14,40 m3/4,55ha	4,55 ha/4,55 ha/4,55ha
13-16-2-11-213 -c -00	4.1	4,55	PRZEST/CP-P/CP	217,09 m3/14,40 m3/4,55ha	4,55 ha/4,55 ha/4,55ha
13-16-2-11-213 -d -00	1.1.2	3,77	PR	30,51 m3	3,77 ha
13-16-2-11-213 -d -00	2.1	3,77	PR	30,51 m3	3,77 ha
13-16-2-11-213 -d -00	4.2	3,77	PR	30,51 m3	3,77 ha
13-16-2-11-213 -d -00	4.1	3,77	PR	30,51 m3	3,77 ha
13-16-2-11-214 -a -00	2.1	3,46			pow referencyjne
13-16-2-11-214 -a -00	1.1.2	3,46			pow referencyjne
13-16-2-11-214 -a -00	4.2	3,46			pow referencyjne
13-16-2-11-214 -a -00	4.1	3,46			pow referencyjne
13-16-2-11-214 -b -00	2.1	6,73			
13-16-2-11-214 -b -00	1.1.2	6,73			
13-16-2-11-214 -b -00	4.2	6,73			
13-16-2-11-214 -b -00	4.1	6,73			
13-16-2-11-214 -c -00	1.1.2	1,76			pow referencyjne
13-16-2-11-214 -c -00	2.1	1,76			pow referencyjne
13-16-2-11-214 -c -00	4.1	1,76			pow referencyjne
13-16-2-11-214 -c -00	4.2	1,76			pow referencyjne
13-16-2-11-214 -d -00	1.1.2	1,86	TPN/O-ZGRYZD	120,52 m3/1,86ha	1,86 ha/1,86ha
13-16-2-11-214 -d -00	2.1	1,86	TPN/O-ZGRYZD	120,52 m3/1,86ha	1,86 ha/1,86ha
13-16-2-11-214 -d -00	4.2	1,86	TPN/O-ZGRYZD	120,52 m3/1,86ha	1,86 ha/1,86ha
13-16-2-11-214 -d -00	4.1	1,86	TPN/O-ZGRYZD	120,52 m3/1,86ha	1,86 ha/1,86ha
13-16-2-11-214 -f -00	1.1.2	5,31			utwór skalny
13-16-2-11-214 -f -00	2.1	5,31			utwór skalny
13-16-2-11-214 -g -00	2.1	2,13			
13-16-2-11-214 -g -00	1.1.2	2,13			
13-16-2-11-214 -g -00	4.1	2,13			
13-16-2-11-214 -g -00	4.2	2,13			
13-16-2-11-214 -h -00	2.1	2,42	OSUWISKO	155,28	0,72
13-16-2-11-214 -h -00	1.1.2	2,42			pow referencyjne
13-16-2-11-214 -h -00	4.2	2,42			pow referencyjne
13-16-2-11-214 -h -00	4.1	2,42			pow referencyjne
13-16-2-11-215 -a -00	2.1	1,03			pow referencyjne
13-16-2-11-215 -a -00	1.1.2	1,03			pow referencyjne
13-16-2-11-215 -a -00	4.1	1,03			pow referencyjne
13-16-2-11-215 -a -00	4.2	1,03			pow referencyjne
13-16-2-11-215 -b -00	1.1.2	1,45			
13-16-2-11-215 -b -00	2.1	1,45			
13-16-2-11-215 -b -00	4.2	1,45			
13-16-2-11-215 -b -00	4.1	1,45			
13-16-2-11-215 -c -00	1.1.2	1,24			pow referencyjne
13-16-2-11-215 -c -00	2.1	1,24			pow referencyjne

13-16-2-11-215 -c -00	4.2	1,24			pow referencyjne
13-16-2-11-215 -c -00	4.1	1,24			pow referencyjne
13-16-2-11-215 -d -00	1.1.2	1,32			
13-16-2-11-215 -d -00	2.1	1,32			
13-16-2-11-215 -d -00	4.1	1,32			
13-16-2-11-215 -d -00	4.2	1,32			
13-16-2-11-215 -f -00	1.1.2	2,52	CW	1,00ha	1,00ha
13-16-2-11-215 -f -00	2.1	2,52	CW	1,00ha	1,00ha
13-16-2-11-215 -f -00	4.2	2,52	CW	1,00ha	1,00ha
13-16-2-11-215 -f -00	4.1	2,52	CW	1,00ha	1,00ha
13-16-2-11-215 -g -00	1.1.2	1,81	TPN	87,39 m3	1,81 ha
13-16-2-11-215 -g -00	2.1	1,81	TPN	87,39 m3	1,81 ha
13-16-2-11-215 -g -00	4.1	1,81	TPN	87,39 m3	1,81 ha
13-16-2-11-215 -g -00	4.2	1,81	TPN	87,39 m3	1,81 ha
13-16-2-11-216 -a -00	2.1	0,93			pow referencyjne
13-16-2-11-216 -a -00	1.1.2	0,93			pow referencyjne
13-16-2-11-216 -a -00	4.2	0,93			pow referencyjne
13-16-2-11-216 -a -00	4.1	0,93			pow referencyjne
13-16-2-11-216 -b -00	2.1	2,11			
13-16-2-11-216 -b -00	1.1.2	2,11			
13-16-2-11-216 -b -00	4.1	2,11			
13-16-2-11-216 -b -00	4.2	2,11			
13-16-2-11-216 -c -00	2.1	5,47	PTP	19,27 m3	5,47 ha
13-16-2-11-216 -c -00	1.1.2	5,47	PTP	19,27 m3	5,47 ha
13-16-2-11-216 -c -00	4.2	5,47	PTP	19,27 m3	5,47 ha
13-16-2-11-216 -c -00	4.1	5,47	PTP	19,27 m3	5,47 ha
13-16-2-11-216 -d -00	2.1	2,62			pow referencyjne
13-16-2-11-216 -d -00	1.1.2	2,62			pow referencyjne
13-16-2-11-216 -d -00	4.2	2,62			pow referencyjne
13-16-2-11-216 -d -00	4.1	2,62			pow referencyjne
13-16-2-11-216 -f -00	2.1	1,11			pow referencyjne
13-16-2-11-216 -f -00	1.1.2	1,11			pow referencyjne
13-16-2-11-216 -f -00	4.2	1,11			pow referencyjne
13-16-2-11-216 -f -00	4.1	1,11			pow referencyjne
13-16-2-11-216 -g -00	1.1.2	1,73			pow referencyjne
13-16-2-11-216 -g -00	2.1	1,73			pow referencyjne
13-16-2-11-216 -g -00	4.2	1,73			pow referencyjne
13-16-2-11-216 -g -00	4.1	1,73			pow referencyjne
13-16-2-11-217 -a -00	1.1.2	7,93	PR	0,39 m3	7,93 ha
13-16-2-11-217 -a -00	2.1	7,93	PR	0,39 m3	7,93 ha
13-16-2-11-217 -a -00	4.1	7,93	PR	0,39 m3	7,93 ha
13-16-2-11-217 -a -00	3.2	7,93	PR	0,39 m3	7,93 ha
13-16-2-11-217 -a -00	4.2	7,93	PR	0,39 m3	7,93 ha
13-16-2-11-217 -b -00	1.1.2	1,34			pow referencyjne
13-16-2-11-217 -b -00	2.1	1,34			pow referencyjne
13-16-2-11-217 -b -00	4.2	1,34			pow referencyjne
13-16-2-11-217 -b -00	4.1	1,34			pow referencyjne
13-16-2-11-217 -b -00	3.2	1,34			pow referencyjne
13-16-2-11-217 -c -00	2.1	4,92			
13-16-2-11-217 -c -00	1.1.2	4,92			
13-16-2-11-217 -c -00	4.2	4,92			
13-16-2-11-217 -c -00	4.1	4,92			
13-16-2-11-217 -d -00	2.1	0,17			potok
13-16-2-11-217 -d -00	1.1.2	0,17			potok
13-16-2-11-217 -d -00	3.2	0,17			potok
13-16-2-11-218 -a -00	2.1	12,02	PTP	33,02 m3	12,02 ha
13-16-2-11-218 -a -00	1.1.2	12,02	PTP	33,02 m3	12,02 ha
13-16-2-11-218 -a -00	4.1	12,02	PTP	33,02 m3	12,02 ha
13-16-2-11-218 -a -00	4.2	12,02	PTP	33,02 m3	12,02 ha
13-16-2-11-218 -b -00	2.1	3,7			
13-16-2-11-218 -b -00	1.1.2	3,7			
13-16-2-11-218 -b -00	4.1	3,7			
13-16-2-11-218 -b -00	3.2	3,7			
13-16-2-11-218 -b -00	4.2	3,7			
13-16-2-11-218 -c -00	2.1	2,36			
13-16-2-11-218 -c -00	1.1.2	2,36			
13-16-2-11-218 -c -00	4.1	2,36			
13-16-2-11-218 -c -00	4.2	2,36			
13-16-2-11-218 -d -00	1.1.2	0,13			potok
13-16-2-11-218 -d -00	2.1	0,13			potok
13-16-2-11-219 -a -00	2.1	6,59	PTP/O-GRODZN	63,44 m3/2,00hm	6,59 ha/0,25ha

13-16-2-11-219 -a -00	1.1.2	6,59	PTP/O-GRODZN	63,44 m3/2,00hm	6,59 ha/0,25ha
13-16-2-11-219 -a -00	4.2	6,59	PTP/O-GRODZN	63,44 m3/2,00hm	6,59 ha/0,25ha
13-16-2-11-219 -a -00	4.1	6,59	PTP/O-GRODZN	63,44 m3/2,00hm	6,59 ha/0,25ha
13-16-2-11-219 -b -00	2.1	1,3	PR/CW	18,32 m3/0,70ha	1,3 ha/0,70ha
13-16-2-11-219 -b -00	1.1.2	1,3	PR/CW	18,32 m3/0,70ha	1,3 ha/0,70ha
13-16-2-11-219 -b -00	4.1	1,3	PR/CW	18,32 m3/0,70ha	1,3 ha/0,70ha
13-16-2-11-219 -b -00	4.2	1,3	PR/CW	18,32 m3/0,70ha	1,3 ha/0,70ha
13-16-2-11-219 -c -00	2.1	7,76	PTP	1,88 m3	7,76 ha
13-16-2-11-219 -c -00	1.1.2	7,76	PTP	1,88 m3	7,76 ha
13-16-2-11-219 -c -00	4.1	7,76	PTP	1,88 m3	7,76 ha
13-16-2-11-219 -c -00	4.2	7,76	PTP	1,88 m3	7,76 ha
13-16-2-11-220 -a -00	2.1	2,67			
13-16-2-11-220 -a -00	1.1.2	2,67			
13-16-2-11-220 -a -00	4.2	2,67			
13-16-2-11-220 -a -00	3.2	2,67			
13-16-2-11-220 -a -00	4.1	2,67			
13-16-2-11-220 -b -00	2.1	2,37			
13-16-2-11-220 -b -00	1.1.2	2,37			
13-16-2-11-220 -b -00	4.2	2,37			
13-16-2-11-220 -b -00	4.1	2,37			
13-16-2-11-220 -c -00	2.1	3,01			
13-16-2-11-220 -c -00	1.1.2	3,01			
13-16-2-11-220 -c -00	4.1	3,01			
13-16-2-11-220 -c -00	4.2	3,01			
13-16-2-11-220 -c -00	3.2	0,66			
13-16-2-11-220 -d -00	2.1	6,51	PBD-ODNRB	5,10tszt	1,70ha
13-16-2-11-220 -d -00	1.1.2	6,51	PBD-ODNRB	5,10tszt	1,70ha
13-16-2-11-220 -d -00	3.2	6,51	PBD-ODNRB	5,10tszt	1,70ha
13-16-2-11-220 -d -00	4.1	6,51	PBD-ODNRB	5,10tszt	1,70ha
13-16-2-11-220 -d -00	4.2	6,51	PBD-ODNRB	5,10tszt	1,70ha
13-16-2-11-221 -a -00	1.1.2	3,87			
13-16-2-11-221 -a -00	2.1	3,87			
13-16-2-11-221 -a -00	3.2	3,87			
13-16-2-11-221 -a -00	4.2	3,87			
13-16-2-11-221 -a -00	4.1	3,87			
13-16-2-11-221 -b -00	2.1	2,42			pow referencyjne
13-16-2-11-221 -b -00	1.1.2	2,42			pow referencyjne
13-16-2-11-221 -b -00	3.2	2,42			pow referencyjne
13-16-2-11-221 -b -00	4.2	2,42			pow referencyjne
13-16-2-11-221 -b -00	4.1	2,42			pow referencyjne
13-16-2-11-221 -c -00	1.1.2	17,85			
13-16-2-11-221 -c -00	2.1	17,85			
13-16-2-11-221 -c -00	4.1	17,85			
13-16-2-11-221 -c -00	4.2	17,85			
13-16-2-11-221 -c -00	3.2	17,85			
13-16-2-11-221 -d -00	2.1	1,23			
13-16-2-11-221 -d -00	1.1.2	1,23			
13-16-2-11-221 -d -00	4.1	1,23			
13-16-2-11-221 -d -00	4.2	1,23			
13-16-2-11-221 -d -00	3.2	1,23			
13-16-2-11-222 -a -00	1.1.2	6,07			
13-16-2-11-222 -a -00	2.1	6,07			
13-16-2-11-222 -a -00	4.1	6,07			
13-16-2-11-222 -a -00	4.2	6,07			
13-16-2-11-222 -a -00	3.2	6,07			
13-16-2-11-222 -b -00	1.1.2	4,54			
13-16-2-11-222 -b -00	2.1	4,54			
13-16-2-11-222 -b -00	4.1	4,54			
13-16-2-11-222 -b -00	4.2	4,54			
13-16-2-11-222 -b -00	3.2	4,54			
13-16-2-11-222 -c -00	2.1	0,86			
13-16-2-11-222 -c -00	1.1.2	0,86			
13-16-2-11-222 -c -00	4.2	0,86			
13-16-2-11-222 -c -00	4.1	0,86			
13-16-2-11-222 -c -00	3.2	0,86			
13-16-2-11-223 -a -00	1.1.1	13,55			
13-16-2-11-223 -a -00	2.1	13,55			
13-16-2-11-223 -a -00	1.1.2	13,55			
13-16-2-11-223 -a -00	6.0	13,55			
13-16-2-11-223 -a -00	3.2	13,55			
13-16-2-11-223 -b -00	1.1.1	14,24			

13-16-2-11-223 -b -00	2.1	14,24			
13-16-2-11-223 -b -00	1.1.2	14,24			
13-16-2-11-223 -b -00	6.0	14,24			
13-16-2-11-223 -b -00	3.2	14,24			
13-16-2-11-223 -c -00	1.1.1	5,32			
13-16-2-11-223 -c -00	2.1	5,32			
13-16-2-11-223 -c -00	1.1.2	5,32			
13-16-2-11-223 -c -00	6.0	5,32			
13-16-2-11-223 -c -00	3.2	5,32			
13-16-2-11-223 -d -00	1.1.1	0,04			
13-16-2-11-223 -d -00	1.1.2	0,04			
13-16-2-11-223 -d -00	2.1	0,04			
13-16-2-11-223 -d -00	6.0	0,04			
13-16-2-11-223 -d -00	3.2	0,04			
13-16-2-11-224 -a -00	1.1.2	4,16			utw.fizjograficzny
13-16-2-11-224 -a -00	2.1	4,16			utw.fizjograficzny
13-16-2-11-224 -a -00	1.1.1	4,16			utw.fizjograficzny
13-16-2-11-224 -a -00	6.0	4,16			utw.fizjograficzny
13-16-2-11-224 -b -00	2.1	5,74			
13-16-2-11-224 -b -00	1.1.2	5,74			
13-16-2-11-224 -b -00	1.1.1	5,74			
13-16-2-11-224 -b -00	6.0	5,74			
13-16-2-11-224 -b -00	3.2	5,74			
13-16-2-11-224 -c -00	1.1.2	12,71			
13-16-2-11-224 -c -00	1.1.1	12,71			
13-16-2-11-224 -c -00	2.1	12,71			
13-16-2-11-224 -c -00	6.0	12,71			
13-16-2-11-224 -c -00	3.2	12,71			
13-16-2-11-224 -d -00	1.1.2	0,51			
13-16-2-11-224 -d -00	2.1	0,51			
13-16-2-11-224 -d -00	1.1.1	0,51			
13-16-2-11-224 -d -00	3.2	0,51			
13-16-2-11-224 -d -00	6.0	0,51			
13-16-2-11-225 -a -00	1.1.2	3,5			
13-16-2-11-225 -a -00	2.1	3,5			
13-16-2-11-225 -a -00	4.1	3,5			
13-16-2-11-225 -a -00	4.2	3,5			
13-16-2-11-225 -b -00	2.1	2,75			
13-16-2-11-225 -b -00	1.1.2	2,75			
13-16-2-11-225 -b -00	4.1	2,75			
13-16-2-11-225 -b -00	4.2	2,75			
13-16-2-11-225 -c -00	2.1	3,78			pow referencyjne
13-16-2-11-225 -c -00	1.1.2	3,78			pow referencyjne
13-16-2-11-225 -c -00	4.1	3,78			pow referencyjne
13-16-2-11-225 -c -00	4.2	3,78			pow referencyjne
13-16-2-11-225 -d -00	2.1	6,58			
13-16-2-11-225 -d -00	1.1.2	6,58			
13-16-2-11-225 -d -00	4.1	6,58			
13-16-2-11-225 -d -00	4.2	6,58			
13-16-2-11-225 -f -00	1.1.2	1,33			pow referencyjne
13-16-2-11-225 -f -00	2.1	1,33			pow referencyjne
13-16-2-11-225 -f -00	4.2	1,33			pow referencyjne
13-16-2-11-225 -f -00	4.1	1,33			pow referencyjne
13-16-2-11-225 -g -00	2.1	0,4			utwór skalny
13-16-2-11-225 -g -00	1.1.2	0,4			utwór skalny
13-16-2-11-225 -h -00	1.1.2	2,78			pow referencyjne
13-16-2-11-225 -h -00	2.1	2,78			pow referencyjne
13-16-2-11-225 -h -00	4.1	2,78			pow referencyjne
13-16-2-11-225 -h -00	4.2	2,78			pow referencyjne
13-16-2-11-225 -i -00	2.1	0,13			potok
13-16-2-11-225 -i -00	1.1.2	0,13			potok
13-16-2-11-226 -a -00	1.1.2	2,56			pow referencyjne
13-16-2-11-226 -a -00	2.1	2,56			pow referencyjne
13-16-2-11-226 -a -00	3.2	2,56			pow referencyjne
13-16-2-11-226 -a -00	4.2	2,56			pow referencyjne
13-16-2-11-226 -a -00	4.1	2,56			pow referencyjne
13-16-2-11-226 -b -00	1.1.2	7,71			
13-16-2-11-226 -b -00	2.1	7,71			
13-16-2-11-226 -b -00	4.1	7,71			
13-16-2-11-226 -b -00	3.2	7,71			
13-16-2-11-226 -b -00	4.2	7,71			

13-16-2-11-226 -c -00	2.1	5,84			
13-16-2-11-226 -c -00	1.1.2	5,84			
13-16-2-11-226 -c -00	4.2	5,84			
13-16-2-11-226 -c -00	3.2	5,84			
13-16-2-11-226 -c -00	4.1	5,84			
13-16-2-11-227 -a -00	2.1	10,96			
13-16-2-11-227 -a -00	1.1.2	10,96			
13-16-2-11-227 -a -00	4.1	10,96			
13-16-2-11-227 -b -00	2.1	6,21			
13-16-2-11-227 -b -00	1.1.2	6,21			
13-16-2-11-227 -b -00	4.1	6,21			
13-16-2-11-227 -c -00	1.1.2	4,55	TPN	319,02 m3	4,55 ha
13-16-2-11-227 -c -00	2.1	4,55	TPN	319,02 m3	4,55 ha
13-16-2-11-227 -c -00	4.1	4,55	TPN	319,02 m3	4,55 ha
13-16-2-11-227 -d -00	2.1	0,34			potok
13-16-2-11-227 -d -00	1.1.2	0,34			potok
13-16-2-11-228 -a -00	2.1	5,38	PR	5,00 m3	5,38 ha
13-16-2-11-228 -a -00	1.1.2	5,38	PR	5,00 m3	5,38 ha
13-16-2-11-228 -a -00	4.1	5,38	PR	5,00 m3	5,38 ha
13-16-2-11-228 -b -00	2.1	8,75	PR	3,70 m3	8.75 ha
13-16-2-11-228 -b -00	1.1.2	8,75	PR	3,70 m3	8.75 ha
13-16-2-11-228 -b -00	4.1	8,75	PR	3,70 m3	8.75 ha
13-16-2-11-229 -a -00	1.1.2	6,59	PR	26,97 m3	6.59 ha
13-16-2-11-229 -a -00	2.1	6,59	PR	26,97 m3	6.59 ha
13-16-2-11-229 -a -00	4.1	6,59	PR	26,97 m3	6.59 ha
13-16-2-11-229 -b -00	2.1	6,4	TPN/CP	398,44 m3/0,20ha	6,4 ha/0,20ha
13-16-2-11-229 -b -00	1.1.2	6,4	TPN/CP	398,44 m3/0,20ha	6,4 ha/0,20ha
13-16-2-11-229 -b -00	4.1	6,4	TPN/CP	398,44 m3/0,20ha	6,4 ha/0,20ha
13-16-2-11-229 -c -00	1.1.2	4,1	PTW	7,45 m3	4,1 ha
13-16-2-11-229 -c -00	2.1	4,1	PTW	7,45 m3	4,1 ha
13-16-2-11-229 -c -00	4.1	4,1	PTW	7,45 m3	4,1 ha
13-16-2-11-230 -a -00	1.1.2	4,13			
13-16-2-11-230 -a -00	2.1	4,13			
13-16-2-11-230 -a -00	4.1	4,13			
13-16-2-11-230 -b -00	1.1.2	1,72			
13-16-2-11-230 -b -00	2.1	1,72			
13-16-2-11-230 -b -00	4.1	1,72			
13-16-2-11-230 -c -00	1.1.2	6,88	PTP	17,99 m3	6.88 ha
13-16-2-11-230 -c -00	2.1	6,88	PTP	17,99 m3	6.88 ha
13-16-2-11-230 -c -00	4.1	6,88	PTP	17,99 m3	6.88 ha
13-16-2-11-230 -d -00	1.1.2	5,05	PR	86,03 m3	5,05 ha
13-16-2-11-230 -d -00	2.1	5,05	PR	86,03 m3	5,05 ha
13-16-2-11-230 -d -00	4.1	5,05	PR	86,03 m3	5,05 ha
13-16-2-11-231 -a -00	2.1	3,41			
13-16-2-11-231 -a -00	1.1.2	3,41			
13-16-2-11-231 -a -00	4.2	3,41			
13-16-2-11-231 -a -00	4.1	3,41			
13-16-2-11-231 -b -00	2.1	1,9			
13-16-2-11-231 -b -00	1.1.2	1,9			
13-16-2-11-231 -b -00	4.2	1,9			
13-16-2-11-231 -b -00	4.1	1,9			
13-16-2-11-231 -c -00	1.1.2	3,07			
13-16-2-11-231 -c -00	2.1	3,07			
13-16-2-11-231 -c -00	4.2	3,07			
13-16-2-11-231 -c -00	4.1	3,07			
13-16-2-11-231 -d -00	1.1.2	4,88			pow referencyjne
13-16-2-11-231 -d -00	2.1	4,88			pow referencyjne
13-16-2-11-231 -d -00	4.1	4,88			pow referencyjne
13-16-2-11-231 -d -00	3.2	4,88			pow referencyjne
13-16-2-11-231 -d -00	4.2	4,88			pow referencyjne
13-16-2-11-231 -f -00	2.1	3,55			
13-16-2-11-231 -f -00	1.1.2	3,55			
13-16-2-11-231 -f -00	4.2	3,55			
13-16-2-11-231 -f -00	4.1	3,55			
13-16-2-11-231 -f -00	3.2	3,55			
13-16-2-11-231 -g -00	1.1.2	3,69			pow referencyjne
13-16-2-11-231 -g -00	2.1	3,69			pow referencyjne
13-16-2-11-231 -g -00	4.1	3,69			pow referencyjne
13-16-2-11-231 -g -00	3.2	3,69			pow referencyjne
13-16-2-11-231 -g -00	4.2	3,69			pow referencyjne
13-16-2-11-232 -a -00	1.1.2	5,09			

13-16-2-11-232 -a -00	2.1	5,09			
13-16-2-11-232 -a -00	4.1	5,09			
13-16-2-11-232 -b -00	2.1	3,25	PR	8,70 m3	3,25 ha
13-16-2-11-232 -b -00	1.1.2	3,25	PR	8,70 m3	3,25 ha
13-16-2-11-232 -b -00	4.1	3,25	PR	8,70 m3	3,25 ha
13-16-2-11-232 -c -00	2.1	6,9	TPN	53.99 m3	6,9 ha
13-16-2-11-232 -c -00	1.1.2	6,9	TPN	53.99 m3	6,9 ha
13-16-2-11-232 -c -00	4.1	6,9	TPN	53.99 m3	6,9 ha
13-16-2-11-232 -d -00	2.1	2,36			
13-16-2-11-232 -d -00	1.1.2	2,36			
13-16-2-11-232 -d -00	4.1	2,36			
13-16-2-11-232 -f -00	1.1.2	6,33	PR	6,65 m3	6,33 ha
13-16-2-11-232 -f -00	2.1	6,33	PR	6,65 m3	6,33 ha
13-16-2-11-232 -f -00	4.1	6,33	PR	6,65 m3	6,33 ha
13-16-2-11-233 -a -00	1.1.2	2,32	PTP	20,49 m3	2,32 ha
13-16-2-11-233 -a -00	2.1	2,32	PTP	20,49 m3	2,32 ha
13-16-2-11-233 -a -00	4.1	2,32	PTP	20,49 m3	2,32 ha
13-16-2-11-233 -b -00	2.1	2,66	PTP	4,91 m3	2,66 ha
13-16-2-11-233 -b -00	1.1.2	2,66	PTP	4,91 m3	2,66 ha
13-16-2-11-233 -b -00	4.1	2,66	PTP	4,91 m3	2,66 ha
13-16-2-11-233 -c -00	2.1	1,63	TWN/O-ZGRYZD	27,64 m3/1,63ha	1,63 ha/1,63ha
13-16-2-11-233 -c -00	1.1.2	1,63	TWN/O-ZGRYZD	27,64 m3/1,63ha	1,63 ha/1,63ha
13-16-2-11-233 -c -00	4.1	1,63	TWN/O-ZGRYZD	27,64 m3/1,63ha	1,63 ha/1,63ha
13-16-2-11-233 -d -00	1.1.2	3,27	PTP	8,15 m3	3,27 ha
13-16-2-11-233 -d -00	2.1	3,27	PTP	8,15 m3	3,27 ha
13-16-2-11-233 -d -00	4.1	3,27	PTP	8,15 m3	3,27 ha
13-16-2-11-233 -f -00	2.1	1,47			
13-16-2-11-233 -f -00	1.1.2	1,47			
13-16-2-11-233 -f -00	4.1	1,47			
13-16-2-11-233 -g -00	1.1.2	3,47			
13-16-2-11-233 -g -00	2.1	3,47			
13-16-2-11-233 -g -00	4.1	3,47			
13-16-2-11-233 -h -00	2.1	0,8	O-BUDKIS/ O-BUDKIN	2 szt./ 2 szt.	0.8 ha/ 0,8 ha
13-16-2-11-233 -h -00	1.1.2	0,8	O-BUDKIS/ O-BUDKIN	2 szt./ 2 szt.	0.8 ha/ 0,8 ha
13-16-2-11-233 -i -00	1.1.2	0,35			potok
13-16-2-11-233 -i -00	2.1	0,35			potok
13-16-2-11-233 -j -00	1.1.2	0,23			drogi inne
13-16-2-11-233 -j -00	2.1	0,23			drogi inne
13-16-2-11-233 -k -00	2.1	0,04			inne budynki
13-16-2-11-233 -k -00	1.1.2	0,04			inne budynki
13-16-2-11-234 -a -00	1.1.2	2,13			pow. referencyjne
13-16-2-11-234 -a -00	2.1	2,13			pow. referencyjne
13-16-2-11-234 -a -00	4.1	2,13			pow. referencyjne
13-16-2-11-234 -b -00	1.1.2	3,16	PTP	9,71 m3	3,16 ha
13-16-2-11-234 -b -00	2.1	3,16	PTP	9,71 m3	3,16 ha
13-16-2-11-234 -b -00	4.1	3,16	PTP	9,71 m3	3,16 ha
13-16-2-11-234 -c -00	2.1	10,58	PTP	18,93 m3	10,58 ha
13-16-2-11-234 -c -00	1.1.2	10,58	PTP	18,93 m3	10,58 ha
13-16-2-11-234 -c -00	4.1	10,58	PTP	18,93 m3	10,58 ha
13-16-2-11-234 -d -00	1.1.2	1,62	PTP	11,42 m3	1,62 ha
13-16-2-11-234 -d -00	2.1	1,62	PTP	11,42 m3	1,62 ha
13-16-2-11-234 -d -00	4.1	1,62	PTP	11,42 m3	1,62 ha
13-16-2-11-234 -f -00	1.1.2	0,28			potok
13-16-2-11-234 -f -00	2.1	0,28			potok
13-16-2-11-235 -a -00	2.1	0,85			
13-16-2-11-235 -a -00	1.1.2	0,85			
13-16-2-11-235 -a -00	4.1	0,85			
13-16-2-11-235 -b -00	1.1.2	8,17	PTP	4,00 m3	8,17 ha
13-16-2-11-235 -b -00	2.1	8,17	PTP	4,00 m3	8,17 ha
13-16-2-11-235 -b -00	4.1	8,17	PTP	4,00 m3	8,17 ha
13-16-2-11-235 -c -00	1.1.2	1,92			
13-16-2-11-235 -c -00	2.1	1,92			
13-16-2-11-235 -c -00	4.1	1,92			
13-16-2-11-235 -d -00	2.1	0,68	TWN	7,13 m3	0,68 ha
13-16-2-11-235 -d -00	1.1.2	0,68	TWN	7,13 m3	0,68 ha
13-16-2-11-235 -d -00	4.1	0,68	TWN	7,13 m3	0,68 ha
13-16-2-11-235 -f -00	2.1	0,69			
13-16-2-11-235 -f -00	1.1.2	0,69			
13-16-2-11-235 -f -00	4.1	0,69			

13-16-2-11-235 -g -00	2.1	1,29			
13-16-2-11-235 -g -00	1.1.2	1,29			
13-16-2-11-235 -g -00	4.1	1,29			
13-16-2-11-235 -h -00	2.1	3,18	PTP	3,42 m3	3,18 ha
13-16-2-11-235 -h -00	1.1.2	3,18	PTP	3,42 m3	3,18 ha
13-16-2-11-235 -h -00	4.1	3,18	PTP	3,42 m3	3,18 ha
13-16-2-11-235 -i -00	2.1	0,24			potok
13-16-2-11-235 -i -00	1.1.2	0,24			potok
13-16-2-11-235 -j -00	2.1	0,01			potok
13-16-2-11-235 -j -00	1.1.2	0,01			potok
13-16-2-11-236 -a -00	1.1.2	1,46			
13-16-2-11-236 -a -00	2.1	1,46			
13-16-2-11-236 -a -00	4.1	1,46			
13-16-2-11-236 -b -00	2.1	3,1			
13-16-2-11-236 -b -00	1.1.2	3,1			
13-16-2-11-236 -b -00	4.1	3,1			
13-16-2-11-236 -c -00	1.1.2	5,54	PR	4,01 m3	5,54 ha
13-16-2-11-236 -c -00	2.1	5,54	PR	4,01 m3	5,54 ha
13-16-2-11-236 -c -00	4.1	5,54	PR	4,01 m3	5,54 ha
13-16-2-11-236 -d -00	1.1.2	0,31			potok
13-16-2-11-236 -d -00	2.1	0,31			potok
13-16-2-11-237 -a -00	1.1.2	3,04			
13-16-2-11-237 -a -00	2.1	3,04			
13-16-2-11-237 -a -00	4.1	3,04			
13-16-2-11-237 -b -00	1.1.2	3,97			
13-16-2-11-237 -b -00	2.1	3,97			
13-16-2-11-237 -b -00	4.1	3,97			
13-16-2-11-237 -c -00	1.1.2	2,05	CP-P/CP	5,45 m/2,05ha	2.05 ha/2,05ha
13-16-2-11-237 -c -00	2.1	2,05	CP-P/CP	5,45 m/2,05ha	2.05 ha/2,05ha
13-16-2-11-237 -c -00	4.1	2,05	CP-P/CP	5,45 m/2,05ha	2.05 ha/2,05ha
13-16-2-11-237 -d -00	2.1	3,01	PR	20,17 m3	3,01 ha
13-16-2-11-237 -d -00	1.1.2	3,01	PR	20,17 m3	3,01 ha
13-16-2-11-237 -d -00	4.1	3,01	PR	20,17 m3	3,01 ha
13-16-2-11-237 -f -00	1.1.2	1,17			
13-16-2-11-237 -f -00	2.1	1,17			
13-16-2-11-237 -f -00	4.1	1,17			
13-16-2-11-237 -g -00	1.1.2	5,93			
13-16-2-11-237 -g -00	2.1	5,93			
13-16-2-11-237 -g -00	4.1	5,93			
13-16-2-11-237 -h -00	1.1.2	0,91			
13-16-2-11-237 -h -00	2.1	0,91			
13-16-2-11-237 -h -00	4.1	0,91			
13-16-2-11-237 -i -00	2.1	0,5			potok
13-16-2-11-237 -i -00	1.1.2	0,5			potok
13-16-2-11-238 -a -00	2.1	2,39			
13-16-2-11-238 -a -00	1.1.2	2,39			
13-16-2-11-238 -a -00	4.1	2,39			
13-16-2-11-238 -b -00	2.1	3,91			
13-16-2-11-238 -b -00	1.1.2	3,91			
13-16-2-11-238 -b -00	4.1	3,91			
13-16-2-11-238 -c -00	2.1	1,95			
13-16-2-11-238 -c -00	1.1.2	1,95			
13-16-2-11-238 -c -00	4.1	1,95			
13-16-2-11-238 -d -00	1.1.2	0,8			
13-16-2-11-238 -d -00	2.1	0,8			
13-16-2-11-238 -d -00	4.1	0,8			
13-16-2-11-239 -a -00	1.1.2	7,26			
13-16-2-11-239 -a -00	2.1	7,26			
13-16-2-11-239 -a -00	4.1	7,26			
13-16-2-11-239 -b -00	2.1	0,62			
13-16-2-11-239 -b -00	1.1.2	0,62			
13-16-2-11-239 -b -00	4.1	0,62			
13-16-2-11-239 -c -00	2.1	6,23			
13-16-2-11-239 -c -00	1.1.2	6,23			
13-16-2-11-239 -c -00	4.1	6,23			
13-16-2-11-239 -d -00	2.1	1,5			
13-16-2-11-239 -d -00	1.1.2	1,5			
13-16-2-11-239 -d -00	4.1	1,5			
13-16-2-11-239 -f -00	1.1.2	3,73			
13-16-2-11-239 -f -00	2.1	3,73			
13-16-2-11-239 -f -00	4.1	3,73			

13-16-2-11-239 -g -00	1.1.2	4,51			
13-16-2-11-239 -g -00	2.1	4,51			
13-16-2-11-239 -g -00	4.1	4,51			
13-16-2-11-239 -h -00	2.1	2,38	TWN/O-ZGRYZD	44,54 m3/238 ha	2,38 ha/2,38 ha
13-16-2-11-239 -h -00	1.1.2	2,38	TWN/O-ZGRYZD	44,54 m3/238 ha	2,38 ha/2,38 ha
13-16-2-11-239 -h -00	4.1	2,38	TWN/O-ZGRYZD	44,54 m3/238 ha	2,38 ha/2,38 ha
13-16-2-11-240 -a -00	1.1.2	3,65			
13-16-2-11-240 -a -00	2.1	3,65			
13-16-2-11-240 -a -00	4.1	3,65			
13-16-2-11-240 -b -00	1.1.2	1,68			
13-16-2-11-240 -b -00	2.1	1,68			
13-16-2-11-240 -b -00	4.1	1,68			
13-16-2-11-240 -c -00	1.1.2	11,58	PRZEST/CP-P/CP/MA-PORZ/PBD-ODNL	235.78 m3/ 7,62 m3/11,58ha/100m3p/1,36tszt	11.58 ha/ 11,58 ha/11,58ha/0,50ha/0,48ha
13-16-2-11-240 -c -00	2.1	11,58	PRZEST/CP-P/CP/MA-PORZ/PBD-ODNL	235.78 m3/ 7,62 m3/11,58ha/100m3p/1,36tszt	11.58 ha/ 11,58 ha/11,58ha/0,50ha/0,48ha
13-16-2-11-240 -c -00	4.1	11,58	PRZEST/CP-P/CP/MA-PORZ/PBD-ODNL	235.78 m3/ 7,62 m3/11,58ha/100m3p/1,36tszt	11.58 ha/ 11,58 ha/11,58ha/0,50ha/0,48ha
13-16-2-11-240 -d -00	2.1	1,72			
13-16-2-11-240 -d -00	1.1.2	1,72			
13-16-2-11-240 -d -00	4.1	1,72			
13-16-2-11-241 -a -00	2.1	3,42	TPN	3.00 m3	0.01 ha
13-16-2-11-241 -a -00	1.1.2	3,42	TPN	3.00 m3	0.01 ha
13-16-2-11-241 -a -00	3.2	3,42	TPN	3.00 m3	0.01 ha
13-16-2-11-241 -a -00	4.1	3,42			
13-16-2-11-241 -b -00	2.1	3,28			
13-16-2-11-241 -b -00	1.1.2	3,28			
13-16-2-11-241 -b -00	4.1	3,28			
13-16-2-11-241 -b -00	3.2	3,28			
13-16-2-11-241 -c -00	1.1.2	3,56			
13-16-2-11-241 -c -00	2.1	3,56			
13-16-2-11-241 -c -00	3.2	3,56			
13-16-2-11-241 -c -00	4.1	3,56			
13-16-2-11-241 -d -00	2.1	1,89	PTP	1,51 m3	1,89 ha
13-16-2-11-241 -d -00	1.1.2	1,89	PTP	1,51 m3	1,89 ha
13-16-2-11-241 -d -00	4.1	1,89	PTP	1,51 m3	1,89 ha
13-16-2-11-241 -f -00	1.1.2	2,31	CP	0,40ha	0,40ha
13-16-2-11-241 -f -00	2.1	2,31	CP	0,40ha	0,40ha
13-16-2-11-241 -f -00	4.1	2,31	CP	0,40ha	0,40ha
13-16-2-11-241 -g -00	1.1.2	1,94			
13-16-2-11-241 -g -00	2.1	1,94			
13-16-2-11-241 -g -00	4.1	1,94			
13-16-2-11-241 -h -00	1.1.2	1,42			ps
13-16-2-11-241 -h -00	2.1	1,42			ps
13-16-2-11-241 -i -00	1.1.2	0,13			
13-16-2-11-241 -i -00	2.1	0,13			
13-16-2-11-241 -i -00	4.1	0,13			
13-16-2-11-241 -j -00	2.1	0,17			drogi leśne
13-16-2-11-241 -j -00	1.1.2	0,17			drogi leśne
13-16-2-11-241 -k -00	2.1	0,06			potok
13-16-2-11-241 -k -00	1.1.2	0,06			potok
13-16-2-11-241 -k -00	3.2	0,06			potok
13-16-2-11-242 -a -00	2.1	1,25	PR	42,19 m3	1,25 ha
13-16-2-11-242 -a -00	1.1.2	1,25	PR	42,19 m3	1,25 ha
13-16-2-11-242 -a -00	4.1	1,25	PR	42,19 m3	1,25 ha
13-16-2-11-242 -b -00	2.1	13,37	PR	24,92 m3	13,37 ha
13-16-2-11-242 -b -00	1.1.2	13,37	PR	24,92 m3	13,37 ha
13-16-2-11-242 -b -00	4.1	13,37	PR	24,92 m3	13,37 ha
13-16-2-11-242 -c -00	1.1.2	3,09			
13-16-2-11-242 -c -00	2.1	3,09			
13-16-2-11-242 -c -00	4.1	3,09			
13-16-2-11-243 -a -00	1.1.2	10,6			
13-16-2-11-243 -a -00	2.1	10,6			
13-16-2-11-243 -a -00	4.1	10,6			
13-16-2-11-243 -b -00	1.1.2	9,56	PR/O-ZGRYZC	41,85 m3/0,30ha	9,56 ha/0,30ha
13-16-2-11-243 -b -00	2.1	9,56	PR/O-ZGRYZC	41,85 m3/0,30ha	9,56 ha/0,30ha
13-16-2-11-243 -b -00	4.1	9,56	PR/O-ZGRYZC	41,85 m3/0,30ha	9,56 ha/0,30ha
13-16-2-11-244 -a -00	2.1	0,33			rola

13-16-2-11-244 -a -00	1.1.2	0,33			rola
13-16-2-11-244 -ax -00	2.1	0,04			linie ener.
13-16-2-11-244 -ax -00	1.1.2	0,04			linie ener.
13-16-2-11-244 -b -00	2.1	13,85			
13-16-2-11-244 -b -00	1.1.2	13,85			
13-16-2-11-244 -c -00	2.1	1,13			
13-16-2-11-244 -c -00	1.1.2	1,13			
13-16-2-11-244 -c -00	4.1	1,13			
13-16-2-11-244 -d -00	1.1.2	0,46			utwór skalny
13-16-2-11-244 -d -00	2.1	0,46			utwór skalny
13-16-2-11-244 -f -00	2.1	0,3			rola
13-16-2-11-244 -f -00	1.1.2	0,3			rola
13-16-2-11-244 -g -00	1.1.2	2,21	PR	0,33 m3	2,21 ha
13-16-2-11-244 -g -00	2.1	2,21	PR	0,33 m3	2,21 ha
13-16-2-11-244 -g -00	4.1	2,21	PR	0,33 m3	2,21 ha
13-16-2-11-244 -h -00	1.1.2	0,29			rola
13-16-2-11-244 -h -00	2.1	0,29			rola
13-16-2-11-244 -i -00	2.1	1,34			
13-16-2-11-244 -i -00	1.1.2	1,34			
13-16-2-11-244 -i -00	4.1	1,34			
13-16-2-11-244 -j -00	2.1	0,2			utwór skalny
13-16-2-11-244 -j -00	1.1.2	0,2			utwór skalny
13-16-2-11-244 -k -00	2.1	0,74			
13-16-2-11-244 -k -00	1.1.2	0,74			
13-16-2-11-244 -k -00	4.1	0,74			
13-16-2-11-244 -l -00	2.1	3,03			
13-16-2-11-244 -l -00	1.1.2	3,03			
13-16-2-11-244 -l -00	4.1	3,03			
13-16-2-11-244 -m -00	1.1.2	1,13	PTW	17,16 m3	1.13 ha
13-16-2-11-244 -m -00	2.1	1,13	PTW	17,16 m3	1.13 ha
13-16-2-11-244 -m -00	4.1	1,13	PTW	17,16 m3	1.13 ha
13-16-2-11-244 -n -00	2.1	1,86	PR	6,09 m3	1,86 ha
13-16-2-11-244 -n -00	1.1.2	1,86	PR	6,09 m3	1,86 ha
13-16-2-11-244 -n -00	4.1	1,86	PR	6,09 m3	1,86 ha
13-16-2-11-244 -o -00	2.1	1,57			
13-16-2-11-244 -o -00	1.1.2	1,57			
13-16-2-11-244 -o -00	4.1	1,57			
13-16-2-11-244 -p -00	1.1.2	0,8			
13-16-2-11-244 -p -00	2.1	0,8			
13-16-2-11-244 -p -00	4.1	0,8			
13-16-2-11-244 -r -00	1.1.2	4,81	PR	7,73 m3	4,81 ha
13-16-2-11-244 -r -00	2.1	4,81	PR	7,73 m3	4,81 ha
13-16-2-11-244 -r -00	4.1	4,81	PR	7,73 m3	4,81 ha
13-16-2-11-244 -s -00	1.1.2	1,53	PR	4,11 m3	1,53 ha
13-16-2-11-244 -s -00	2.1	1,53	PR	4,11 m3	1,53 ha
13-16-2-11-244 -s -00	4.1	1,53	PR	4,11 m3	1,53 ha
13-16-2-11-244 -t -00	2.1	0,18			rola
13-16-2-11-244 -t -00	1.1.2	0,18			rola
13-16-2-11-244 -w -00	2.1	0,2			0,2ha
13-16-2-11-244 -w -00	1.1.2	0,2			0,2ha
13-16-2-11-244 -x -00	2.1	0,71			rola
13-16-2-11-244 -x -00	1.1.2	0,71			rola
13-16-2-11-244 -y -00	2.1	0,22			rola
13-16-2-11-244 -y -00	1.1.2	0,22			rola
13-16-2-11-244 -z -00	2.1	0,49			
13-16-2-11-244 -z -00	1.1.2	0,49			
13-16-2-11-244 -z -00	4.1	0,49			
13-16-2-11-245 -a -00	2.1	0,8			
13-16-2-11-245 -a -00	1.1.2	0,8			
13-16-2-11-245 -a -00	4.1	0,8			
13-16-2-11-245 -b -00	1.1.2	1,44	RB IIB/CP/PBD-ODNRB/O-GRODZN	109.00 m3/0,40ha/0,60tszt/0,95hm	1.44 ha/0,40ha/0,15ha/0,15ha
13-16-2-11-245 -b -00	2.1	1,44	RB IIB/CP/PBD-ODNRB/O-GRODZN	109.00 m3/0,40ha/0,60tszt/0,95hm	1.44 ha/0,40ha/0,15ha/0,15ha
13-16-2-11-245 -b -00	4.1	1,44	RB IIB/CP/PBD-ODNRB/O-GRODZN	109.00 m3/0,40ha/0,60tszt/0,95hm	1.44 ha/0,40ha/0,15ha/0,15ha
13-16-2-11-245 -c -00	2.1	0,76			ps
13-16-2-11-245 -c -00	1.1.2	0,76			ps

13-16-2-11-245 -d -00	1.1.2	0,37			rola
13-16-2-11-245 -d -00	2.1	0,37			rola
13-16-2-11-245 -f -00	1.1.2	0,35			ps
13-16-2-11-245 -f -00	2.1	0,35			ps
13-16-2-11-245 -g -00	1.1.2	1,36			
13-16-2-11-245 -g -00	2.1	1,36			
13-16-2-11-245 -g -00	4.1	1,36			
13-16-2-11-245 -h -00	1.1.2	0,92			rola
13-16-2-11-245 -h -00	2.1	0,92			rola
13-16-2-11-245 -i -00	2.1	7,46			
13-16-2-11-245 -i -00	1.1.2	7,46			
13-16-2-11-245 -i -00	4.1	7,46			
13-16-2-11-245 -j -00	1.1.2	5,78	RB IVDU	405,64 m3	5,78 ha
13-16-2-11-245 -j -00	2.1	5,78	RB IVDU	405,64 m3	5,78 ha
13-16-2-11-245 -j -00	4.1	5,78	RB IVDU	405,64 m3	5,78 ha
13-16-2-11-245 -k -00	2.1	4,76			
13-16-2-11-245 -k -00	1.1.2	4,76			
13-16-2-11-245 -k -00	4.1	4,76			
13-16-2-11-245 -l -00	1.1.2	0,58			
13-16-2-11-245 -l -00	2.1	0,58			
13-16-2-11-245 -l -00	4.1	0,58			
13-16-2-11-245 -m -00	2.1	0,02			zab inne
13-16-2-11-245 -m -00	1.1.2	0,02			zab inne
13-16-2-11-246 -a -00	1.1.2	26,9	PR/O-ZGRYZC	84,23 m3/1,50ha	26.9 ha/1,50ha
13-16-2-11-246 -a -00	2.1	26,9	PR/O-ZGRYZC	84,23 m3/1,50ha	26.9 ha/1,50ha
13-16-2-11-246 -a -00	4.1	26,9	PR/O-ZGRYZC	84,23 m3/1,50ha	26.9 ha/1,50ha
13-16-2-11-246 -b -00	1.1.2	2,67			
13-16-2-11-246 -b -00	2.1	2,67			
13-16-2-11-246 -b -00	4.1	2,67			
13-16-2-11-247 -a -00	1.1.2	9,35	PR/PIEL/O-ZGRYZC	38.08 m3/1,5ha/2,50ha	9.35 ha/1,50ha/2,50ha
13-16-2-11-247 -a -00	2.1	9,35	PR/PIEL/O-ZGRYZC	38.08 m3/1,5ha/2,50ha	9.35 ha/1,50ha/2,50ha
13-16-2-11-247 -a -00	4.1	9,35	PR/PIEL/O-ZGRYZC	38.08 m3/1,5ha/2,50ha	9.35 ha/1,50ha/2,50ha
13-16-2-11-247 -b -00	1.1.2	2,72			
13-16-2-11-247 -b -00	2.1	2,72			
13-16-2-11-247 -b -00	4.1	2,72			
13-16-2-11-247 -c -00	1.1.2	4,87			
13-16-2-11-247 -c -00	2.1	4,87			
13-16-2-11-247 -c -00	4.1	4,87			
13-16-2-11-248 -a -00	1.1.2	5,84	PBD-ODNL/O-GRODZN	1,20tszt/3,95hm	0,20ha/0,40ha
13-16-2-11-248 -a -00	2.1	5,84	PBD-ODNL/O-GRODZN	1,20tszt/3,95hm	0,20ha/0,40ha
13-16-2-11-248 -a -00	4.1	5,84	PBD-ODNL/O-GRODZN	1,20tszt/3,95hm	0,20ha/0,40ha
13-16-2-11-248 -b -00	1.1.2	4,43			
13-16-2-11-248 -b -00	2.1	4,43			
13-16-2-11-248 -b -00	4.1	4,43			
13-16-2-11-248 -c -00	1.1.2	3,31			
13-16-2-11-248 -c -00	2.1	3,31			
13-16-2-11-248 -c -00	4.1	3,31			
13-16-2-11-248 -d -00	2.1	1,57	TWN/O-ZGRYZD	19.81 m3/1,57 ha	1.57 ha/1.57 ha
13-16-2-11-248 -d -00	1.1.2	1,57	TWN/O-ZGRYZD	19.81 m3/1,57 ha	1.57 ha/1.57 ha
13-16-2-11-248 -d -00	4.1	1,57	TWN/O-ZGRYZD	19.81 m3/1,57 ha	1.57 ha/1.57 ha
13-16-2-11-248 -f -00	2.1	1,95			
13-16-2-11-248 -f -00	1.1.2	1,95			
13-16-2-11-248 -f -00	4.1	1,95			
13-16-2-11-248 -g -00	2.1	5,87			
13-16-2-11-248 -g -00	1.1.2	5,87			
13-16-2-11-248 -g -00	4.1	5,87			
13-16-2-11-248 -h -00	1.1.2	1,02			
13-16-2-11-248 -h -00	2.1	1,02			
13-16-2-11-248 -h -00	4.1	1,02			
13-16-2-11-248 -i -00	2.1	1,58	PR	7,92 m3	1,58 ha
13-16-2-11-248 -i -00	1.1.2	1,58	PR	7,92 m3	1,58 ha
13-16-2-11-248 -i -00	4.1	1,58	PR	7,92 m3	1,58 ha
13-16-2-11-248 -j -00	1.1.2	3,2			
13-16-2-11-248 -j -00	2.1	3,2			
13-16-2-11-248 -j -00	4.1	3,2			

13-16-2-11-248 -k -00	1.1.2	2,58	PIEL	1,00ha	1,00ha
13-16-2-11-248 -k -00	2.1	2,58	PIEL	1,00ha	1,00ha
13-16-2-11-248 -k -00	4.1	2,58	PIEL	1,00ha	1,00ha
13-16-2-11-248 -l -00	1.1.2	3,57	TWN	45.59 m3	3.57 ha
13-16-2-11-248 -l -00	2.1	3,57	TWN	45.59 m3	3.57 ha
13-16-2-11-248 -l -00	4.1	3,57	TWN	45.59 m3	3.57 ha
13-16-2-11-249 -a -00	2.1	14,61			
13-16-2-11-249 -a -00	1.1.2	14,61			
13-16-2-11-249 -a -00	3.2	14,61			
13-16-2-11-249 -a -00	4.2	14,61			
13-16-2-11-249 -a -00	4.1	14,61			
13-16-2-11-249 -b -00	1.1.2	2,56			pow referencyjne
13-16-2-11-249 -b -00	2.1	2,56			pow referencyjne
13-16-2-11-249 -b -00	3.2	2,56			pow referencyjne
13-16-2-11-249 -b -00	4.1	2,56			pow referencyjne
13-16-2-11-249 -b -00	4.2	2,56			pow referencyjne
13-16-2-11-249 -c -00	1.1.2	0,76			pow referencyjne
13-16-2-11-249 -c -00	2.1	0,76			pow referencyjne
13-16-2-11-249 -c -00	4.1	0,76			pow referencyjne
13-16-2-11-249 -c -00	3.2	0,76			pow referencyjne
13-16-2-11-249 -c -00	4.2	0,76			pow referencyjne
13-16-2-11-250 -a -00	2.1	10,22			
13-16-2-11-250 -a -00	1.1.2	10,22			
13-16-2-11-250 -a -00	4.2	10,22			
13-16-2-11-250 -a -00	4.1	10,22			
13-16-2-11-250 -a -00	3.2	10,22			
13-16-2-11-250 -b -00	1.1.2	6,39			
13-16-2-11-250 -b -00	2.1	6,39			
13-16-2-11-250 -b -00	3.2	6,39			
13-16-2-11-250 -b -00	4.2	6,39			
13-16-2-11-250 -b -00	4.1	6,39			
13-16-2-11-250 -c -00	3.1	3,51			
13-16-2-11-250 -c -00	2.1	3,51			
13-16-2-11-250 -c -00	1.1.2	3,51			
13-16-2-11-250 -c -00	4.2	3,51			
13-16-2-11-250 -c -00	4.1	3,51			
13-16-2-11-251 -a -00	3.1	4,93			
13-16-2-11-251 -a -00	2.1	4,93			
13-16-2-11-251 -a -00	1.1.2	4,93			
13-16-2-11-251 -a -00	4.1	4,93			
13-16-2-11-251 -a -00	4.2	4,93			
13-16-2-11-251 -b -00	2.1	1,7			szcz chr- referencyjna
13-16-2-11-251 -b -00	1.1.2	1,7			szcz chr- referencyjna
13-16-2-11-251 -b -00	3.1	1,7			szcz chr- referencyjna
13-16-2-11-251 -b -00	4.1	1,7			szcz chr- referencyjna
13-16-2-11-251 -b -00	4.2	1,7			szcz chr- referencyjna
13-16-2-11-251 -c -00	1.1.2	2,72			
13-16-2-11-251 -c -00	2.1	2,72			
13-16-2-11-251 -c -00	4.2	2,72			
13-16-2-11-251 -c -00	4.1	2,72			
13-16-2-11-251 -c -00	3.2	2,72			
13-16-2-11-251 -d -00	2.1	4,09			pow referencyjne
13-16-2-11-251 -d -00	1.1.2	4,09			pow referencyjne
13-16-2-11-251 -d -00	3.2	4,09			pow referencyjne
13-16-2-11-251 -d -00	4.2	4,09			pow referencyjne
13-16-2-11-251 -d -00	4.1	4,09			pow referencyjne
13-16-2-11-251 -f -00	2.1	4,44			
13-16-2-11-251 -f -00	1.1.2	4,44			
13-16-2-11-251 -f -00	3.2	4,44			
13-16-2-11-251 -f -00	4.2	4,44			
13-16-2-11-251 -f -00	4.1	4,44			
13-16-2-11-251 -g -00	1.1.2	4,31	PBD-ODNRB	4,40tszt	1,45ha
13-16-2-11-251 -g -00	2.1	4,31	PBD-ODNRB	4,40tszt	1,45ha
13-16-2-11-251 -g -00	4.1	4,31	PBD-ODNRB	4,40tszt	1,45ha
13-16-2-11-251 -g -00	3.2	4,31	PBD-ODNRB	4,40tszt	1,45ha
13-16-2-11-251 -g -00	4.2	4,31	PBD-ODNRB	4,40tszt	1,45ha
13-16-2-11-252 -a -00	1.1.2	6,31	PBD-ODNRB/O-GRODZR	4,80tszt/2,50hm	1,60ha/0,30ha
13-16-2-11-252 -a -00	2.1	6,31	PBD-ODNRB/O-GRODZR	4,80tszt/2,50hm	1,60ha/0,30ha

13-16-2-11-252 -a -00	4.2	6,31	PBD-ODNRB/O-GRODZR	4,80tszt/2,50hm	1,60ha/0,30ha
13-16-2-11-252 -a -00	4.1	6,31	PBD-ODNRB/O-GRODZR	4,80tszt/2,50hm	1,60ha/0,30ha
13-16-2-11-252 -a -00	3.2	6,31	PBD-ODNRB/O-GRODZR	4,80tszt/2,50hm	1,60ha/0,30ha
13-16-2-11-252 -b -00	1.1.2	5,44	O-GRODZR	2,50hm	0,20ha
13-16-2-11-252 -b -00	2.1	5,44	O-GRODZR	2,50hm	0,20ha
13-16-2-11-252 -b -00	3.2	5,44	O-GRODZR	2,50hm	0,20ha
13-16-2-11-252 -b -00	4.2	5,44	O-GRODZR	2,50hm	0,20ha
13-16-2-11-252 -b -00	4.1	5,44	O-GRODZR	2,50hm	0,20ha
13-16-2-11-252 -c -00	2.1	8,13	PBD-ODNRB	3,70tszt	1,15ha
13-16-2-11-252 -c -00	1.1.2	8,13	PBD-ODNRB	3,70tszt	1,15ha
13-16-2-11-252 -c -00	3.2	8,13	PBD-ODNRB	3,70tszt	1,15ha
13-16-2-11-252 -c -00	4.1	8,13	PBD-ODNRB	3,70tszt	1,15ha
13-16-2-11-252 -c -00	4.2	8,13	PBD-ODNRB	3,70tszt	1,15ha
13-16-2-11-252 -d -00	1.1.2	1,3	PBD-ODNRB/O-GRODZN	1,00tszt/1,60hm	0,25ha/0,20ha
13-16-2-11-252 -d -00	3.2	1,3	PBD-ODNRB/O-GRODZN	1,00tszt/1,60hm	0,25ha/0,20ha
13-16-2-11-252 -d -00	4.2	1,3	PBD-ODNRB/O-GRODZN	1,00tszt/1,60hm	0,25ha/0,20ha
13-16-2-11-252 -d -00	4.1	1,3	PBD-ODNRB/O-GRODZN	1,00tszt/1,60hm	0,25ha/0,20ha